INFO 490 MG · P2-A2 · PART 2 · WIREFRAMES

Undone

An AI-Powered Subscription Cancellation Feedback Analyzer

Team 4 (Team Undone): Ashok Chacko*, Laasyasri Rangu*

*All team members are considered equal contributors.

Low-fidelity wireframes, version 1

AI / Tool Usage Disclosure

Tool / model: Claude Opus 5.5 (model ID `claude-opus-5-5`), Anthropic, used through the Claude Code desktop app.

How it was used: Generated the low-fidelity wireframe layouts (as HTML/CSS rendered to PDF), the screen-flow diagram, and a first draft of the design-rationale text. Input was our own Project Idea Description (features, functionality, user flow).

Rendering: Google Chrome (headless "print to PDF").


Human review: The team reviewed the screens against our proposed features and is responsible for all design decisions.

Contents: 1. Screen flow · 2. Sign in · 3. Upload CSV · 4. Processing · 5. Analytics dashboard · 6. Theme detail / response explorer · 7. Trend analysis · 8. Segment comparison · 9. Recommendations · 10–11. Design rationale.

Conventions: Grey boxes with an X are chart/image placeholders. Grey bars are placeholder text. "##" means a value computed from the user's data (no real data is shown). 1 red markers link to the interaction notes on the right of each screen. The yellow box in the bottom right states the page's purpose.

1. Screen Flow

How a user moves through Undone. Solid arrows are the main path; dashed arrows are drill-downs and links between pages. Every signed-in page shares one top nav bar, so any page in the grey region can be reached from any other page in that region.




Signing out from any page returns to 2.

Visiting a signed-in URL while signed out redirects to 2.

PAGE PURPOSE

Shows every screen and the paths between them, so the team can check that no page is a dead end before we build it.

2. Sign In



Key elements and interactions


1. Google OAuth is the main option, at the top: one click and no new password.
2. The email/password form is the fallback. Inputs fill the full card width so the password field doesn't shrink.
3. "Create account" opens a sign-up form with the same layout.
4. Errors appear in place, above the button, and the email the user typed is kept.
5. The public side explains the product in 3 steps for first-time visitors.

After sign-in: a first-time user goes to 3 (Upload); a returning user goes to 5 (Dashboard of the most recent dataset).

PAGE PURPOSE

The only public page. It explains what Undone does and lets a user sign in, since uploaded feedback is private business data.

3. Upload Cancellation Feedback (CSV)




Key elements and interactions

1. A 3-step progress indicator shows where the user is and what comes next.
2. A large drop zone, plus a Browse button for keyboard users. A sample template shows the expected format.
3. Column mapping: dropdowns list only the file's own headers, so the user picks from them instead of typing. Only the feedback text is required; date and plan unlock Trends and Segments.
4. A preview lets the user confirm the right file and columns *before* analysis runs.
5. Validation warnings appear here, before any work is wasted.
6. The primary action stays disabled until the feedback column is mapped. Clicking it goes to 4.

PAGE PURPOSE

Feature: *Cancellation Feedback Upload*. Turns a raw CSV into a clean, correctly labelled dataset the analysis can use.

4. Processing / Analysis Status



Key elements and interactions

1. The progress bar and percentage update by polling a status endpoint (JSON API).
2. A step checklist explains *what* the AI is doing in plain language, so the wait doesn't feel like a black box.
3. The user isn't trapped: they can navigate away, because the job runs in the background.
4. The error state names the failed step and gives two clear exits.
5. The button enables when the job is done. It goes to 5 (Dashboard).

PAGE PURPOSE

Feature: *Feedback Pattern Detection* (running). Keeps the user informed while the text model groups responses, which may take a while on large files.

5. Cancellation Analytics Dashboard

undone.app/datasets/<id>/


Undone Upload **Dashboard** Trends Segments Recommendations user@

Dataset: Q3 cancellations ▾ (1) Date: all ▾ Plan: all ▾ (2) Export CSV / JSON (6)

Responses analyzed	Themes found	Top theme	Unassigned
##	##	Pricing	##%


(3)

Top cancellation reasons (% of responses) (4)



Click a bar to open that theme →

Trend preview



Open Trends →

Themes (5)

Theme	# responses	%	Example response	
Pricing	##	##%		View
Missing features	##	##%		View
Technical issues	##	##%		View

ⓘ Themes are patterns found in what customers wrote. They are not proof of why customers cancelled.

Key elements and interactions

1. The dataset switcher lists all of the user's uploads (and shows "Processing" ones).
2. Global filters (date range, plan) appear as chips and carry over to Trends and Segments.
3. 4 KPI cards answer "how big is this?" at a glance. "Unassigned" is honest about responses the model couldn't group.
4. Horizontal bar chart, sorted largest first, with text labels and % on every bar (not colour alone). Clicking a bar opens 6.
5. The table repeats the chart in an accessible form, with one example quote per theme. "View" opens 6.
6. Export the theme assignments as CSV or JSON.

PAGE PURPOSE

Feature: *Cancellation Analytics Dashboard*. The home page after analysis: what the most common cancellation reasons are and how much of the feedback each one covers.

6. Theme Detail / Response Explorer

undone.app/datasets/<id>/themes/<theme>/

Undone Upload **Dashboard** Trends Segments Recommendations user@

Dashboard › Themes › **Pricing** 1


Pricing ## responses · ##% of total

✎ Rename theme 5


Top keywords 2

too expensive | price | not worth | cheaper | monthly

Share by plan



Over time



Search responses in this theme… 3 | Plan | Date | Sort: most typical

Response	Plan	Date	Match	
	Plan A	YYYY-MM	●●●○	Move…
	Plan B	YYYY-MM	●●●○	Move…
	Plan A	YYYY-MM	●●○○	Move… 4
	Plan C	YYYY-MM	●○○○	Move…

‹ Prev 1 2 3 … ## Next ›

Key elements and interactions

1. Breadcrumbs show where the user is and give one click back to the Dashboard.
2. Keywords and two mini charts summarize the theme before the user reads raw text.
3. Search, filter and sort within the theme. "Most typical" puts the responses closest to the theme centre first.
4. "Match" shows how confident the grouping is. "Move…" lets a person correct a mis-grouped response (human in the loop).
5. Rename an auto-generated theme label to a business-friendly name.

PAGE PURPOSE

Lets users read the real responses behind a theme, so they can trust (or correct) what the model grouped together.


7. Trend Analysis

undone.app/datasets/<id>/trends/

Undone Upload Dashboard **Trends** Segments Recommendations user@

Group by: Week | **Month** | Quarter (1) Date range ▾ Plan: all ▾ **Show as:** **% share** | Count (2)

Share of cancellations by theme over time



Legend (toggle): ☑ Pricing ☑ Missing features ☑ Technical ☐ Customer service ☐ Other (4)

Biggest changes (first period vs. last period) (5)

Theme	First	Last	Change
Pricing	##%	##%	▲ ## pts
Technical	##%	##%	▼ ## pts

Key elements and interactions


1. A segmented control sets the time bucket. Month is the default.
2. "% share" is the default, so months with more total cancellations don't hide real shifts. "Count" is one click away.
3. Hovering or tapping a point shows exact values and links to those responses (screen 6, pre-filtered).
4. Legend chips toggle lines. Only the top 3 themes are on by default, to avoid clutter. Lines differ by dash style as well as shade.
5. A plain-language table lists the largest increases and decreases.

If no date column was mapped on screen 3, this page shows an empty state: "Add a date column to see trends" and a link back to Upload.

PAGE PURPOSE

Feature: *Trend Analysis*. Shows whether a concern (for example, pricing) is becoming more or less common over time.

8. Customer Segment Comparison




Key elements and interactions

1. "Compare by" lists only the columns mapped on screen 3 (plan, plus any optional segment).
2. Pick 2–3 segments. More than 3 becomes hard to compare, so the 4th checkbox is disabled.
3. Small multiples: the panels sit side by side with the same order and scale, so the eye compares bar lengths directly.
4. The table gives exact numbers and the difference column. Columns are sortable.
5. A warning flags when a segment has too few responses to support a conclusion.
6. A one-sentence takeaway in plain English links to the evidence (screen 6, filtered).

PAGE PURPOSE

Feature: *Customer Segment Comparison*. Shows whether customers on different plans (or other groups) cancel for different reasons.

9. Evidence-Based Recommendations



Key elements and interactions

1. A persistent disclaimer states the limit of the analysis (pattern, not cause), matching our project description.
2. Cards are ranked by impact (share × trend). The user can sort and filter by status.
3. Every recommendation shows its evidence (statistics and real quotes) and links to screens 6, 7 and 8.
4. A status dropdown (New / Investigating / Done) turns insights into a to-do list.
5. The first card is expanded and the others are collapsed (progressive disclosure). Feedback buttons help us evaluate the recommendation prompt later.

PAGE PURPOSE

Feature: *Evidence-Based Recommendations*. Turns themes, trends and segment differences into a short, ranked list of things to investigate, each backed by data.

10. Design Rationale: Choices and Principles

Overall structure

Undone follows one linear setup path (Sign in → Upload → Processing) that leads into a hub (Dashboard) with four analysis pages around it (Theme Detail, Trends, Segments, Recommendations). The setup path is linear because each step depends on the previous one: we can't analyze what hasn't been uploaded and mapped. The analysis pages form a hub because users explore them in any order. Each of the six features in our Project Idea Description maps to at least one screen, so nothing we propose to build lacks a designed interface.

Jakob Nielsen's usability heuristics

- **Visibility of system status:** the 3-step upload indicator (3), the progress bar and step checklist (4), and the "Processing" label in the dataset switcher (5) mean the user always knows what the system is doing.
- **Error prevention:** the CSV preview, the column-mapping dropdowns and the warnings about empty rows (3) catch problems *before* a long analysis runs. "Analyze" stays disabled until the required column is mapped.
- **Recognition rather than recall:** column mapping offers the file's real headers as choices instead of asking users to type them. Filters stay visible as chips.
- **User control and freedom:** users can leave the processing page, rename themes, and move a mis-grouped response (6).
- **Help users recover from errors:** error messages name the failed step and give "Retry" and "Back to upload" exits (4). Login errors keep the typed email (2).
- **Consistency and standards:** every signed-in page uses the same top nav, the same filter chips and the same position for the primary action.

Hick's Law

Decision time grows with the number of choices. The main nav has only five items. The Dashboard bar chart shows a small set of themes, with the rest under "Other". Trends turns on only the top three lines by default, and Segments allows at most three segments at once.

Fitts's Law

Time to hit a target depends on its size and distance. The most important targets are large and close to where the eye already is: the full-width upload drop zone, the full-width Google sign-in button, and clickable bars (the whole bar is the target, not a small link). Primary buttons sit at the bottom right of each form, where the user's eye ends after filling it in.

Cognitive Load Theory

We reduce extraneous load with **progressive disclosure**: the Dashboard shows summary KPIs and one chart first; detail lives one click deeper (6). Only the first recommendation card is expanded. Trends defaults to "% share", so users don't have to mentally adjust for months with more cancellations.

11. Design Rationale: Layout, Flow and Interaction

Gestalt principles

- **Proximity:** each chart sits in the same box as its title and its "Open…" link, and each recommendation card groups its statistics, quotes and links together.
- **Similarity:** every theme is shown with the same chip style on every page, so "Pricing" looks the same on 5, 6, 8 and 9.
- **Common region:** the KPI cards and segment panels are separate bordered regions, which shows they are parallel units to compare.
- **Continuity:** trend lines use different dash styles, so the eye can follow one line across the chart.

Don Norman's design principles

- **Affordance and signifiers:** drop zones are dashed, buttons have borders, and links are underlined. Clickable bars say "Click a bar to open that theme".
- **Feedback:** every action gives a visible response: the file chip after upload, a progress bar during analysis, and tooltips on chart points.
- **Mapping:** the time toggle (Week / Month / Quarter) is ordered left to right, like the time axis it controls.
- **Constraints:** the mapping dropdowns, the 3-segment limit and the disabled "Analyze" button stop invalid states from happening.

Accessibility

The wireframes are greyscale on purpose. Meaning never depends on colour alone: bars carry text labels and percentages, trend lines differ by dash pattern, and every chart has a table equivalent (5, 7, 8) that screen readers can read. Uploading also works through a keyboard-accessible "Browse" button, not drag-and-drop only.

Honesty and trust in AI output

Our project description says patterns "will not necessarily prove why customers cancelled." The design reflects this in four ways: disclaimers on 5 and 9, an "Unassigned" KPI that shows what the model could not group, a per-response "Match" confidence indicator, and real quotes next to every recommendation. Users can always trace a claim back to the raw responses, and correct the grouping if it's wrong.

Layout decisions

- **Top nav, not sidebar:** there are only five sections, so a horizontal bar leaves the full width for charts.
- **Dataset switcher and filters at the top of the content:** they change everything below them, so they come first in reading order.
- **Horizontal bar chart for reasons:** theme names are long text, and horizontal bars keep them readable and sorted.
- **Small multiples for segments:** side-by-side panels with the same scale are easier to compare than one stacked chart.

Planned mapping to implementation (Django)

Sign-in uses Django auth plus Google OAuth, and every page except the public one is protected. Upload is a form with CSV validation. Processing polls a JSON status API. Dashboard, Trends and Segments use ORM aggregation and charts. Export provides CSV/JSON. Pattern detection and recommendations use a text-embedding / clustering model and an LLM prompt, evaluated in later assignments.