
AFG
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


AGO
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


ALB
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


ARE
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


ARG
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


ARM
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


AUS
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


AUT
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


AZE
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


BDI
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


BEL
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


BEN
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


BFA
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


BGD
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


BGR
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


BHR
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


BIH
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


BLR
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


BOL
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


BRA
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


BTN
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


BWA
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


CAF
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


CAN
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


CHE
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


CHL
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


CHN
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


CIV
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


CMR
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


COD
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


COG
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


COL
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


COM
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


CPV
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


CRI
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


CUB
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


CYP
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


CZE
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


DEU
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


DJI
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


DNK
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


DOM
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


DZA
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


ECU
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


EGY
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


ERI
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


ESP
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


EST
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


ETH
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


FIN
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


FJI
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


FRA
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


GAB
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


GBR
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


GEO
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


GHA
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


GIN
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


GMB
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


GNB
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


GNQ
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


GRC
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


GTM
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


GUY
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


HKG
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


HND
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


HRV
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


HTI
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


HUN
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


IDN
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


IND
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


IRL
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


IRN
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


IRQ
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


ISR
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


ITA
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


JAM
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


JOR
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


JPN
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


KAZ
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


KEN
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


KGZ
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


KHM
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


KOR
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


KWT
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


LAO
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


LBN
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


LBR
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


LBY
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


LKA
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


LSO
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


LTU
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


LUX
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


LVA
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


MAC
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


MAR
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


MDA
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


MDG
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


MDV
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


MEX
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


MKD
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


MLI
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


MLT
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


MMR
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


MNE
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


MNG
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


MOZ
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


MRT
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


MUS
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


MWI
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


MYS
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


NAM
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


NER
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


NGA
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


NIC
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


NLD
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


NOR
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


NPL
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


NZL
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


OMN
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


PAK
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


PAN
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


PER
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


PHL
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


PNG
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


POL
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


PRI
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


PRK
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


PRT
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


PRY
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


PSE
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


QAT
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


ROU
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


RUS
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


RWA
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


SAU
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


SDN
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


SEN
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


SGP
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


SLB
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


SLE
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


SLV
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


SOM
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


SRB
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


SSD
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


SUR
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


SVK
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


SVN
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


SWE
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


SWZ
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


SYR
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


TCD
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


TGO
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


THA
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


TJK
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


TKM
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


TLS
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


TTO
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


TUN
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


TUR
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


TZA
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


UGA
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


UKR
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


URY
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


USA
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


UZB
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


VEN
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


VNM
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


YEM
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates
Prevalence surveys


ZAF
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


ZMB
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates


ZWE
15%
10%
5%
0%
Annual risk of infection
1950
1975
2000
Year
Type
Prevalence estimates