Структурные запросы

Даниил Пилипенко

Директор центра подбора IT-специалистов SymbioWay

Skillbox

SHOW DATABASES;

```
SHOW DATABASES;

USE `databaseName`;
```

```
SHOW DATABASES;

USE `databaseName`;

CREATE DATABASE `databaseName`;
```

```
SHOW DATABASES;

USE `databaseName`;

CREATE DATABASE `databaseName`;

DROP DATABASE `databaseName`;
```

SHOW TABLES;

```
SHOW TABLES;

DESCRIBE `tableName`;
```

```
SHOW TABLES;

DESCRIBE `tableName`;

CREATE TABLE `good_type`(
   `id` INT NOT NULL AUTO_INCREMENT,
   `sort_index` INT,
   `name` VARCHAR(255),
   PRIMARY KEY(`id`)
);
```

```
ALTER TABLE `good_type`

DROP COLUMN `name`,

ADD `code` TEXT NOT NULL

AFTER `id`;
```

```
ALTER TABLE `good_type`

DROP COLUMN `name`,

ADD `code` TEXT NOT NULL

AFTER `id`;
```

```
TRUNCATE `tableName`;
```

```
ALTER TABLE `good_type`
DROP COLUMN `name`,
ADD `code` TEXT NOT NULL
AFTER `id`;
```

```
TRUNCATE `tableName`;
```

```
DROP TABLE `tableName`;
```