

Installing Icarus Mods on a G-Portal Server

A step-by-step guide for JimK72's Icarus Mod Manager + G-Portal hosting



The full JimK72 Icarus Mod Manager interface — where the merge happens.

What you need

- An active G-Portal Icarus server.
- **JimK72's Icarus Mod Manager** installed locally.
- The **.EXMODZ** (or **.pak**) files for the mods you want to run.
- File access to your G-Portal server (Server panel → File Browser, or FTP).

Part 1 — Build the merged mod files in IMM


The server doesn't take raw EXMODZ files. It needs the two **merged** output files that the Mod Manager produces after merging your full mod list. Build those first on your local machine.

Step 1 — Get the mods you want

Open the Mod Manager. You have two ways to add mods to it:


Option A — Download in-app: click the **Download Mods** button (right side) to open the in-app browser, grab the mods you want, then close the download tab and return to the main Mod Manager view.

Option B — Import existing files: use the right-side buttons **Import EXMODZ File** for .EXMODZ mods, or **Extract Mod from PAK File** for .pak mods you already have locally.




Step 2 — Mods appear in Extracted Mods

After import or download, every mod shows up in the **Extracted Mods** list on the far left of the Mod Manager.




Step 3 — Add all mods to the install list

Right-click anywhere in the Extracted Mods list. A context menu opens — click **"Add All mods to Install List"**. This bulk-promotes everything in Extracted Mods into the install queue.




Step 4 — The Mods to Install list populates

The **Mods to Install** column (next to Extracted Mods) now lists every mod alphabetically. Confirm everything you want on the server is in this list.




Step 5 — Click "Install All Listed Mods"

At the top of the Mods to Install column, click the **Install All Listed Mods** button. The Mod Manager runs the merge process — it combines all your mods into a single coherent set.



Step 6 — Wait for IMM_Merged_Mod_P to appear

When the merge finishes, the right side of the Mod Manager shows **IMM_Merged_Mod_P** under the "*Icarus mods folder:*" heading. That is your generated merged PAK — confirmation that the merge worked.



Step 7 — Open the Icarus mod folder

Click the **Open Icarus Mod Folder** button on the right side of the Mod Manager. Windows Explorer opens to your local Paks/mods folder, e.g.:



E:\SteamLibrary\steamapps\common\Icarus\Icarus\Content\Paks\mods

Step 8 — Confirm the two output files

Inside the folder you should see exactly the two files the Mod Manager just generated:

- **IMM_Merged_Mod** — a small text file (~2 KB).
- **IMM_Merged_Mod_P.pak** — the merged PAK (size depends on your mod list).

These two files are what gets uploaded to G-Portal in Part 2.

Name	Date modified	Type	Size
 IMM_Merged_Mod	02/05/2026 09:00	Text Document	2 KB
 IMM_Merged_Mod_P.pak	02/05/2026 09:00	PAK File	1,562,327 KB

Part 2 — Upload to G-Portal

Step 9 — Stop the server

In the G-Portal control panel, click **Stop**. Wait until the status shows *Offline* before continuing — Icarus locks data files while running.

Step 10 — Open the server file browser

Use G-Portal's built-in file browser (*Server panel* → *File Browser*) or connect via FTP using the credentials in *Settings* → *FTP Browser*.

Step 11 — Create the mods folder

Navigate to **Icarus/Content/Paks/** on the server. The **mods** folder **will not exist on a fresh G-Portal server** — you have to create it yourself.

Right-click → New Folder → name it exactly **mods** (lowercase). Final path:

Icarus/Content/Paks/mods/

Step 12 — Upload the two merged files

Upload both files from your local Paks\mods folder into the server's new Paks/mods folder:

- **IMM_Merged_Mod**
- **IMM_Merged_Mod_P.pak**

Step 13 — Start the server

Back in the G-Portal control panel, click **Start**. The server reads the merged files on startup and the mods are now active.

Part 3 — Common gotchas

"I can't join the server"

Your client's mod list doesn't match the server's. **Both sides must have the identical merged mod files.** Either:

- Re-merge on your client with the same mod list and replace your local files, or
- Replace the server's files with whatever your client currently has.

"I added/updated a mod but the server hasn't changed"

The server does NOT auto-update mods. Every time you add a mod, remove a mod, or update a mod to a new version, you must:

1. Re-merge in IMM (regenerate IMM_Merged_Mod + IMM_Merged_Mod_P.pak).
2. Stop the server.
3. **Delete the old two files** from the server's Paks/mods folder.
4. Upload the freshly-merged two files.
5. Restart the server.

There is no shortcut. Replace both files every time the mod list changes.

"Mods don't seem to be loading"

- Confirm the path is exactly **Icarus/Content/Paks/mods/** (lowercase mods).
- Confirm both files are present — the txt and the .pak.
- Confirm the PAK ends in **_P.pak** exactly. Unreal Engine only loads files with that suffix from this folder.

Only ONE person should build the merged mod

Designate a **single person** (usually the server admin) as the creator of the merged mod. That person builds the merged files in IMM, uploads them to the server, and shares the exact same **IMM_Merged_Mod_P.pak** with every other player.

All other clients must install that exact merged pak file before joining the server. They should NOT build their own merged mod — even with an identical mod list, IMM can produce subtly different merged files on different machines, which leads to client/server mismatches that are hard to diagnose.

In short: one person merges, everyone else copies.

Mod load order must match the server

Even with the same mod list, if the **order** of mods differs between client and server, things break in subtle ways:

- Items can appear missing in your inventory or workshop.
- Items can show up as **different items** when crafted, dropped, or given/traded to other players.
- Recipes can resolve to wrong outputs.

Cause: when two mods modify the same row, the load order decides which mod's version "wins." Different order on client vs. server = different winning row = ID mismatch in-game.

This is another reason to have a single person build and distribute the merged file — it locks the order in for everyone.

Quick reference

Local (made by Mod Manager):

```
E:\SteamLibrary\steamapps\common\Icarus\Icarus\Content\Paks\mods\  
■■■ IMM_Merged_Mod  
■■■ IMM_Merged_Mod_P.pak
```

Server (G-Portal):

```
Icarus/Content/Paks/mods/ ← create this folder  
■■■ IMM_Merged_Mod  
■■■ IMM_Merged_Mod_P.pak
```

Made by AgentKush · github.com/AgentKush/Icarus-mods