

**FEDERAL INSTITUTE OF
SCIENCE AND TECHNOLOGY
(FISAT)TM**

HORMIS NAGAR, MOOKKANNOOR

ANGAMALY-683577



'FOCUS ON EXCELLENCE'

**LABORATORY RECORD
20MCA131 - PROGRAMMING LAB**

Name: ARAVIND S DAS

Branch: MASTER OF COMPUTER APPLICATION

Semester: 1 Batch: 2021 A Roll No: 37

**FEDERAL INSTITUTE OF SCIENCE AND TECHNOLOGY
(FISAT)TM**

HORMIS NAGAR, MOOKKANNOOR

ANGAMALY-683577



‘FOCUS ON EXCELLENCE’

Name : ARAVIND S DAS

Branch : MASTER OF COMPUTER APPLICATIONS

Semester : 1

Roll No: 37

University Exam.Reg. No: FIT21MCA-2037

CERTIFICATE

Certified that this is the Bonafide record of the Practical work done by Mr. **ARAVIND S DAS (FIT21MCA-2037)** in the **20MCA131- PROGRAMMING** Laboratory of the Federal Institute of Science and Technology during the academic year 2021-2022.

Signature of Staff in Charge

Signature of H.O.D

Name:

Name:

Date:

Date of University practical examination

Signature of

Signature of

Internal Examiner

External Examiner

CONTENT

SI No:	Date :	Name of Experiment:	Page No:	Signature of Staff –In – Charge:
CO1				
1	28/10/2021	Display future leap years from current year to a final year entered by user.		
2	28/10/2021	List comprehensions: (a) Generate positive list of numbers from a given list of integers (b) Square of N numbers (c) Form a list of vowels selected from a given word (d) List ordinal value of each element of a word (Hint: use ord() to get ordinal values)		
3	28/10/2021	Count the occurrences of each word in a line of text.		
4	28/10/2021	Prompt the user for a list of integers. For all values greater than 100, store 'over' instead		
5	10/11/2021	Store a list of first names. Count the occurrences of 'a' within the list		
6	10/11/2021	Enter 2 lists of integers. Check (a) Whether list are of same length (b) whether list sums to same value (c) whether any value occur in both.		
7	10/11/2021	Get a string from an input string where all occurrences of first character replaced with '\$', except first character		
8	10/11/2021	Create a string from given string where first and last characters exchanged. [eg: python -> nythop]		
9	10/11/2021	Accept the radius from user and find area of circle.		
10	11/11/2021	Find biggest of 3 numbers entered.		

11	11/11/2021	Accept a file name from user and print extension of that.		
12	11/11/2021	Create a list of colors from comma-separated color names entered by user. Display first and last colors.		
13	11/11/2021	Accept an integer n and compute $n+nn+nnn$.		
14	17/11/2021	Print out all colors from color-list1 not contained in color-list2.		
15	17/11/2021	Create a single string separated with space from two strings by swapping the character at position 1.		
16	17/11/2021	Merge two dictionaries.		
17	17/11/2021	Find gcd of 2 numbers.		
18	17/11/2021	From a list of integers, create a list removing even numbers.		

CO2

19	25/11/2021	Program to find the factorial of a number		
20	25/11/2021	Generate Fibonacci series of N terms		
21	25/11/2021	Find the sum of all items in a list		
22	25/11/2021	Generate a list of four digit numbers in a given range with all their digits even and the number is a perfect square.		
23	02/12/2021	Display the given pyramid with step number accepted from user.		
24	02/12/2021	Count the number of characters (character frequency) in a string.		

25	02/12/2021	Add 'ing' at the end of a given string. If it already ends with 'ing', then add 'ly'.		
26	09/12/2021	Accept a list of words and return length of longest word.		
27	09/12/2021	Construct following pattern using nested loop. * * * * * * * * * * * * * * * * * * * * * * * * *		
28	09/12/2021	Generate all factors of a number.		
CO3				
29	29/01/2022	Create a package graphics with modules rectangle, circle and sub-package 3D-graphics with modules cuboid and sphere. Include methods to find area and perimeter of respective figures in each module. Write programs that finds area and perimeter of figures by different importing statements. (Include selective import of modules and import * statements)		
CO4				
30	13/01/2022	Create Rectangle class with attributes length and breadth and methods to find area and perimeter. Compare two Rectangle objects by their area.		

31	29/01/2022	Create a Bank account with members account number, name, type of account and balance. Write constructor and methods to deposit at the bank and withdraw an amount from the bank.		
32	29/01/2022	Create a class Rectangle with private attributes length and width. Overload '<' operator to compare the area of 2 rectangles.		
33	20/01/2022	Create a class Time with private attributes hour, minute and second. Overload '+' operator to find sum of 2 time		
34	29/01/2022	Create a class Publisher (name). Derive class Book from Publisher with attributes title and author. Derive class Python from Book with attributes price and no_of_pages. Write a program that displays information about a Python book. Use base class constructor invocation and method overriding.		
CO5				
35	03/02/2022	Write a Python program to read a file line by line and store it into a list.		
36	03/02/2022	Write a Python program to read each row from a given csv file and print a list of strings.		

COURSE OUTCOME 1

- 1) **Display future leap years from current year to a final year entered by User.**

Source code

```
print("Enter leap year  
between given two years");  
startyear=2021  
endyear=int(input("Enter end year")) print("list of leap years")  
for year in  
    range(startyear,endyear  
): if(0==year%4):  
    print(year)
```

Output

```
Enter leap year between given two years  
Enter end year 2060  
List of leap years  
2024  
2028  
2032  
2036  
2040  
2044  
2048  
2052  
2056
```

- 2) **List comprehensions:**

- a. **Generate positive list of numbers from a given list of integers.**

Source code

```
list=[-1,1,7,25,-34,38]  
print("Elements in the list are:",list) print("Positive numbers in the list")  
for num in list:
```



```
if num>=0:  
    print(num)
```

Output

```
1 7 25 38 ccf@FISATPC0360:~/
```

b. Square of N numbers

Source code

```
n=int(input('enter range:'))  
for num in range(1,n+1):  
    num=num*num  
    print(num)
```

Output

```
enter range 5  
1  
4  
9  
16  
25
```

c. Form a list of vowels selected from a given word.

Source code

```
s=input("Enter a string: ")  
list=[]  
for i in s:  
    if i in "aeiouAEIOU":  
        list.append(i)  
print("vowels in the list are:")  
print(list)
```

Output

```
ccf@FISATPC0360:~
['a', 'i']
ccf@FISATPC0360:~
```

d. List ordinal values of each element of a word.

Source code

```
print("String: Welcome")
print("Ordinal Values")
for i in 'W','e','l','c','o','m','e':
    x=ord(i)
    print(x)
```

Output

```
Enter a name: fisat
The ASCII value of the letters in the word is
102
105
115
97
116
```

3) Count the occurrences of each word in a line of text.

Source code

```
list1=[]
list2=[]
x=input("Enter a string:")
for i in x.split(" "):
    list1.append(i)
    if i not in list2:
        list2.append(i)
for i in list2:
    print(i,"\\t",list1.count(i))
```

Output

```
Enter a string: home is sweet
             1
home         1
is           1
sweet        1
```

- 4) Prompt the user for a list of integers. For all values greater than 100, store 'over' instead.

Source code

```
list=[]
while True:
    n=int(input('Enter an integer: '))
    if(n<=100):
        list.append(n)
    else:
        list.append('over')
print(list)
```

Output

```
Enter an integer: 20
Enter an integer: 66
Enter an integer: 99
Enter an integer: 101
[20, 66, 99, 'Over']
Enter an integer: █
```

- 5) Store a list of first names. Count the occurrences of 'a' within the list.

Source code

```
list=['anil','aravind','asd'] print("Elements in the list are:")
print(list)
count=0
for word in list:
    for i in word:
        if i=='a':
            count+=1
```

```
print("count of 'a' is:", count)
```

Output

```
The occurrences of 'a' within the list is 4
```

6) Enter 2 lists of integers. Check

- a. whether list are of same length**
- b. whether list sums of same value**
- c. whether any value occur in both.**

Source code

```
l1=[1,2,3,4]
l2=[5,8,7]
print("List 1",l1)
print("List 2",l2)
x=len(l1)
y=len(l2)
if x==y:
    print("List are of same length")
else:
    print("Length of lists are different")
s1=0
s2=0
for i in range(x):
    s1=s1+l1[i]
print("Sum of elements of List1:",s1)
for j in range(y):
    s2=s2+l2[j]
print("Sum of elements of List2:",s2)
if s1==s2:
    print("Sum of list elements is same")
else:
```

```
print("Sum of list elements is not same")
print("Common elements are:")
for i in range(x):
    for j in range(y):
        if l1[i]==l2[j]:
            print(l1[i])
```

Output

```
[1, 2, 3, 4]
[5, 8, 7]
not same length
the sum of the first list is: 10
the sum of the second list is: 20
There is no element in common
```

- 7) Get a string from an input string where all occurrences of first character replaced with '\$', except first character. [eg: onion->oni\$n]

Source code

```
str=input("Enter a string: ")
print("Original string: ",str)
char=str[0]
str=str.replace(char,'$')
str=char+str[1:]
print("String: ",str)
```

Output

```
enter a stringonion
original string onion
string: oni$n
_
```

- 8) Create a string from given string where first and last characters exchanged. [eg: python->nythop]

Source code

```
s=input("Enter a string: ")
t=s[0]
t1=s[-1]
n=len(s)
```

```
ns=t1+s[1:n-1]+t
```

```
print(ns)
```

Output

```
stud@debian:~/Anil$ python3 prg9.py  
nythop
```

- 9) Accept the radius from the user and find the area of the circle.


Source code

```
r=int(input('Enter the radius: '))
```

```
A=3.14*r*r
```

```
print(A)
```

Output

A screenshot of a terminal window titled 'stud@debian: ~/Me'. The terminal shows the following commands and output:

```
stud@debian:~/Me$ ls  
are.py  biggest.py  fact.py  fib.py  
stud@debian:~/Me$ python3 are.py  
enter the radius 10  
314.0  
stud@debian:~/Me$
```

- 10) Find the biggest of 3 numbers

Source code

```
a=int(input('Enter the value of a:'))
```

```
b=int(input('Enter the value of b:'))
```

```
c=int(input('Enter the value c:'))
```

```
if a>b and a>c:
```

```
    print(a)
```

```
if b>a and b>c:
```

```
    print(b)
```

```
if c>a and c>b:
```

```
    print(c)
```

Output

```
enter the value of a 10
enter the value of b 20
enter the value of c 30
c is bigger
```

11) Accept a file name from user and print extension of that.

Source code

```
import os
a=input("Enter filename:")
print("The extension of file",a,"is",os.path.splitext(a))
```

Output

```
enter the filename : python.py
The extension of file python.py is ('python', '.py')
```

12) Create a list of colors from comma-separated color names entered by user.

Display first and last colors.

Source code

```
colors=[]
str=(input("Enter color names:"))
for i in str.split(','):
    colors.append(i)
print(colors)
print("first color:",colors[0],"Last color:",colors[-1])
```

Output

```
Ente the size:4
Enter Your Choice:Red
Enter Your Choice:Green
Enter Your Choice:Blue
Enter Your Choice:White
Red
White
```

13) Accept an integer n and compute $n+nn+nnn$.

Source code

```
n=int(input("Enter a number:"))
a=n*1
b=n*11
c=n*111
s=a+b+c
print(n,"+",n,"*",n,"+",n,"*",n,"*",n,"=",s)
```

Output

```
Enter a number:4
492
```

14) Print out all color from color-list1 not contained in color-list2

Source code

```
l1=['red','green','blue','yellow','black']
l2=['red','green','yellow']
print(l1)
print(l2)
print("Colors that are not in l1:
")
for i in l1:
    if i not in l2:
        print(i)
```


Output

```
red
green
str1=red str2=green str3=greenred
```

- 15) Create a single string separated with space from two strings by swapping the character at position 1.

Source code

```
str1=input("Enter first string:")
str2=input("Enter second string:")
str3=str2[0]+str1[1:]+str1[0]+str2[1:]
print(str3)
```

Output

```
enter 1st string anil
enter 2nd string kiran
a k
```

- 16) Merge two dictionaries.

Source code

```
D1={"Name":"Anil","Age":"21"}
print("Directory 1",D1)
D2={"Gender":"male","Qualification":"BCA"}
print("Directory 2",D2)
D1.update(D2)
print("After merging...")
print(D1)
```

Output

```
Directory 1 {'Name': 'Anil', 'Age': '21'}  
Directory 2 {'Gender': 'male', 'Qualification': 'BCA'}  
After merging...  
{'Name': 'Anil', 'Age': '21', 'Gender': 'male', 'Qualification': 'BCA'}
```

17) Find gcd of 2 numbers

Source code

```
a=int(input("Enter first number: "))  
b=int(input("Enter first number: "))  
x=min(a,b)  
gcd=0  
for i in range (1,x+1):  
    if((a%x==0) and (b%x==0)):  
        gcd=i  
print("GCD is",i)
```

Output

```
enter the first number24  
enter the second number36  
the hcf is 12
```

18) From a list of integers, create a list removing even numbers.

Source code

```
l1=[1,2,3,4,5,6,7,8,9,10]  
print(l1)  
l2=[]  
for i in range(len(l1)):  
    if l1[i]%2!=0:  
        l2.append(l1[i])  
print("List after removing even elements")  
print(l2)
```

Output

```
python3 merge_sort.py  
[1, 3, 5, 7]
```

COURSE OUTCOME 2

19) Program to find the factorial of a number.

Source code

```
n=int(input('enter the value:'))  
fact=1  
for i in range (1,n+1):  
    fact=fact*i  
print(fact)
```

Output

```
enter the value 5  
120  
ctud@delhian:~/An11$
```

20) Generate fibonacci series of N terms.

Source code

```
n=int(input('enter the value:'))  
a=0  
b=1  
print(a)  
print(b)  
for i in range (2,n):  
    c=a+b  
    print(c)  
    a=b  
    b=c
```

Output

```
enter the value 5  
0  
1  
1  
2  
3  
5
```

21) Find the sum of all items in a list.

Source code

```
list=[1,6,3,4,1]
print("List elements are:",list)
sum=0
for i in list:
    sum=sum+i
print("The sum of list elements is:",sum)
```

Output

15

22) Generate a list of four digit numbers in a given range with all their digits even and the number is a perfect square.

Source code

```
limit1=1000
limit2=9999
list1=[]
for i in range(limit1,limit2):
    j=i
    digit=[]
    while(i!=0):
        digit.append(i%10)
        i=int(i/10)
    count=0
    for n in digit:
        if n%2==0:
            count=count+1
    if count==4:
        for k in range(31,100):
            if((k**2)==j):
                list1.append(j)
                print(k)
print(list1)
```

Output

```
68
78
80
92
[4624, 6084, 6400, 8464]
```

23) Display the given pyramid with step number accepted from user.

Source code

```
n=int(input("Enter a number:"))
for j in range(0,n+1):
    for i in range(1,j+1):
        i=j*i
        print(i,end=" ")
    print("\n")
```

Output

```
Enter a number:4
1

2      4

3      6      9

4      8      12     16
```

24) Count the number of characters (character frequency) in a string.

Source code

```
string=input("Enter a string:")
list1=[]
for i in string:
    if i not in list1:
        list1.append(i)
for i in list1:
    count=0
```

```

for j in string:
    if(i==j):
        count=count+1
print(i,"\t:",count)

```

Output

```

Enter a string:armstrong
a      : 1
r      : 2
m      : 1
s      : 1
t      : 1
o      : 1
n      : 1
g      : 1

```

25) Add 'ing' at the end of a given string. If it already ends with 'ing', then add 'ly'.

Source code

```

string=input("Enter a string:")
if(string[-3:]=="ing"):
    string+="ly"
else:
    string+="ing"
print(string)

```

Output

```

Enter a string:subrtact
subrtacting

```

26) Accept a list of words and return length of longest word.

Source code

```

lis=[]
n=int(input("Enter the range:"))
print("Enter the words:")
for i in range(0,n):
    lis.append(input(""))

```

```
longest=lis[0]
for i in range(1,n):
    if(len(lis[i])>len(longest)):
        longest=lis[i]
print("Length of longest word is",len(longest))
```

Output

```
Enter the range:4
Enter the words:
ok
good
verygood
morning
Length of longest word is 8
```

27) Construct following pattern using nested loop.

```
*
* *
* * *
* * * *
* * * * *
* * * *
* * *
* *
*
*
```

Source code

```
for i in range(1,6):
    for j in range(1,i+1):
        print("*",end=" ")
    print("\n")
```



```
for i in range(4,0,-1):
    for j in range(1,i+1):
        print("*",end=" ")
    print("\n")
```

Output

```
*
* *
* * *
* * * *
* * * * *
* * * *
* * *
* *
*
```

28) Generate all factors of a number.

Source code

```
n=int(input("Enter a number:"))
print("Factors are")
for i in range(1,n+1):
    if(n%i==0):
        print(i)
```

Output

```
Enter a number:12
Factors are
1
2
3
4
6
12
```

COURSE OUTCOME 3

- 29) Create a package graphics with modules rectangle, circle and sub-package 3D-graphics with modules cuboid and sphere. Include methods to find area and perimeter of respective figures in each module. Write programs that finds area and perimeter of figures by different importing statements. (Include selective import of modules and import * statements)**

Source code

Graphice\circle.py

```
from math import pi
def area_circle(radius):
    return pi*radius*radius
def perimeter_circle(radius):
    return 2*pi*radius
```

Graphics\rectangle.py

```
def area_rec(length,width):
    return length*width
def perimeter_rec(length,width):
    return 2*(length+width)
```

Graphics\tdgraphics\cuboid.py

```
def area_cuboid(l,b,h):
    return 2*(l*h + b*h + l*b)
def volume_cuboid(l,b,h):
    return l*b*h
```

Graphics\tdgraphics\sphere.py

```
from math import pi
def area_sphere(radius):
    return 4*(pi*radius*radius)
def perimeter_sphere(radius):
    return 2*pi*radius
```

graphics.py (driver code)

```
import Graphics

from Graphics import circle,rectangle

from Graphics.tdgraphics import cuboid,sphere

from Graphics.circle import *

print("Area of a circle with radius 10 is : ",circle.area_circle(10))

print("Perimeter of a circle with radius 10 is ",circle.perimeter_circle(10))

print("\n")


print("Area of a Rectangle with length and width 10 is :
      ",rectangle.area_rec(10,10))

print("Perimeter of a Rectangle with length and width 10 is :
      ",rectangle.perimeter_rec(10,10))

print("\n")


print("Area of a cuboid with length,width,height 10 is :
      ",cuboid.area_cuboid(10,10,10))

print("Volume of a cuboid with length,width,height 10 is :
      ",cuboid.volume_cuboid(10,10,10))

print("\n")


print("Area of a sphere with radius 10 is : ",sphere.area_sphere(10))

print("Perimeter of a sphere with radius 10 is ",sphere.perimeter_sphere(10))
```

Output

```
Microsoft Windows [Version 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.

C:\Users\owner\Desktop\LAB MCA\PYTHON\record\co3>2.py
Area of rectangle :144
Area of circle :36
Area of sphere :1808.6399999999999
Area of cuboid :95551488
Perimeter of rectangle :48
Perimeter of circle :37.68
Diameter of sphere :24
Periameter of cuboid :184

C:\Users\owner\Desktop\LAB MCA\PYTHON\record\co3>
```

COURSE OUTCOME 4

30) Create Rectangle class with attributes length and breadth and methods to find area and perimeter. Compare two Rectangle objects by their area.

Source code

```
class Rectangle:

    def __init__(self,length,breadth):

        self.length = length

        self.breadth = breadth

    def area(self):

        return self.length * self.breadth

    def perimeter(self):

        return 2*(self.length + self.breadth)

l=int(input("Enter length of rectangle1: "))

b=int(input("Enter breadth of rectangle1: "))

rect1 = Rectangle(l,b)

a1=rect1.area()

p1=rect1.perimeter()

print("Area:",a1)

print("Perimeter:",p1)

l=int(input("Enter length of rectangle2: "))

b=int(input("Enter breadth of rectangle2: "))

rect2 = Rectangle(l,b)

a2=rect2.area()

p2=rect2.perimeter()
```

```
print("Area:",a2)

print("Perimeter:",p2)

if (a1>a2):

    print("First rectangle is larger")

elif a1==a2:

    print("Rectangles are of same area")

else:

    print("Second rectangle is larger")
```

Output

```
Enter length of rectangle1: 4
Enter breadth of rectangle1: 6
Area: 24
Perimeter: 20
Enter length of rectangle2: 2
Enter breadth of rectangle2: 3
Area: 6
Perimeter: 10
First rectangle is larger
```

31) Create a Bank account with members account number, name, type of account and balance. Write constructor and methods to deposit at the bank and withdraw an amount from the bank.

Source code

```
class bank:
    def __init__(self,acc_no,name,acc_type,bal):
        self.acc_no=acc_no
        self.name=name
        self.acc_type=acc_type
        self.bal=bal

    def deposit(self):
        self.bal=self.bal+y
        return self.bal

    def withdraw(self):
        return self.bal-y

    def display_balance(self):
        return self.bal

acc1=bank("b11","Ann","Savings",50000)

while(1):
    print("1.Deposit\n2.Withdraw\n3.Display balance\n4.Exit\n")
    ch=int(input("Enter your choice:"))
    if ch==1:
        amt=int(input("Enter the amount:"))
```

```
b=acc1.deposit(amt)

print("Current balance:",b)

elif ch==2:

    amt=int(input("Enter the amount:"))

    b=acc1.withdraw(amt)

    print("Current balance:",b)

elif ch==3:

    cb=acc1.display_balance()

    print("Current balance:",cb)

elif ch==4:

    exit(1)

else:

    print("Invalid choice")
```

Output

```
1.Deposit
2.Withdraw
3.Display balance
4.Exit

Enter your choice:3
Current balance: 50000
1.Deposit
2.Withdraw
3.Display balance
4.Exit

Enter your choice:1
Enter the amount:2000
Current balance: 52000
1.Deposit
2.Withdraw
3.Display balance
4.Exit

Enter your choice:2
Enter the amount:1000
Current balance: 51000
1.Deposit
2.Withdraw
3.Display balance
4.Exit

Enter your choice:4
```


32) Create a class Rectangle with private attributes length and width. Overload '<' operator to compare the area of 2 rectangles.

Source code

```
class Rectangle:
    def __init__(self,length,breadth):
        self.__length = length
        self.__breadth = breadth
    def __lt__(self,rect2):
        if self.__length*self.__breadth < rect2.__length*rect2.__breadth:
            return True
        else:
            return False

l=int(input("Enter length of rectangle1: "))
b=int(input("Enter breadth of rectangle1: "))
rect1 = Rectangle(l,b)

l=int(input("Enter length of rectangle2: "))
b=int(input("Enter breadth of rectangle2: "))
rect2 = Rectangle(l,b)

if rect1 < rect2:
    print("Second rectangle is larger")
else:
    print("First rectangle is larger")
```

output

```
Enter length of rectangle1: 1
Enter breadth of rectangle1: 3
Enter length of rectangle2: 5
Enter breadth of rectangle2: 8
Second rectangle is larger
```

33) Create a class Time with private attributes hour, minute and second.

Overload '+' operator to find sum of 2 time.

Source code

```
class Time:
```

```
    def __init__(self,hr,min,sec):
```

```
        self.__hr=hr
```

```
        self.__min=min
```

```
        self.__sec=sec
```

```
    def __add__(t1,t2):
```

```
        hr=t1.__hr+t2.__hr
```

```
        min=t1.__min+t2.__min
```

```
        sec=t1.__sec+t2.__sec
```

```
        print(hr,":",min,":",sec)
```

```
t1=Time(3,45,56)
```

```
t2=Time(4,20,3)
```

```
t1+t2
```

Output

```
Time 1: 3:35:56
Time 2: 4:20:3
Adding.....
7 : 55 : 59
```

34) Create a class Publisher (name). Derive class Book from Publisher with attributes title and author. Derive class Python from Book with attributes price and no_of_pages. Write a program that displays information about a Python book. Use base class constructor invocation and method overriding.

Source code

```
class Publisher(object):
    def __init__(self,name):
        self.name=name
    def display1(self):
        print(self.title)
        print(self.author)

class Book(Publisher):
    def __init__(self,name,title,author):
        super().__init__(name)
        self.title=title
        self.author=author
    def display2(self):
        #super().display1()
        print(self.title)
        print(self.author)

class Python(Book):
    def __init__(self,name,title,author,price,no_of_pages):
        super().__init__(name,title,author)
        self.price=price
        self.no_of_pages=no_of_pages
```

```
def display3(self):  
    super().display2()  
    print(self.price)  
    print(self.no_of_pages)  
  
p=Python("ABC Publications","Taming Python","jeeva jose",100,500)  
p.display3()  
q=Python("XYZ Publications","Java programming","E  
Balagurusami",500,1200)  
q.display3()
```

Output

```
Taming Python  
jeeva jose  
100  
500  
Java programming  
E Balagurusami  
500  
1200
```

COURSE OUTCOME 5

35) Write a Python program to read a file line by line and store it into a list.

Source code

```
fp=open("text_file.txt",'r')
lines=[]
for line in fp:
    lines.append(line.strip())
print(lines)
```

Output

```
["Kerala, a state on India's tropical Malabar Coast, has nearly 600km of Arabian
Sea shoreline. It's known for its palm-lined beaches and backwaters, a network
of canals. Inland are the Western Ghats, mountains whose slopes support tea, cof
fee and spice plantations as well as wildlife."]
```

36) Write a Python program to read each row from a given csv file and print a list of strings.

Source code

```
import csv

with open('people.csv', 'r') as file:

    reader = csv.reader(file)
    for row in reader:
        print(row)
```

Output

```
['Name', 'Age', 'Profession']
['John', '30', 'Manager']
['Jerin', '20', 'Accountant']
['Ann', '22', 'Professor']
['Angel', '24', 'Engineer']
['Sree lakshmi', '28', 'Doctor']
```