


```
Q = _ _
   asdevops29@bootcamp: ~/github
  sdevops29@bootcamp:~/github$ git remote add origin https://github.com/asdevops29/gitplayground.git
sdevops29@bootcamp:~/github$ git status
 On branch master
 No commits yet
Untracked files:
(use "git add <file>..." to include in what will be committed)
osdevops29@bootcamp:~/github$ git remote -v origin https://github.com/asdevops29/gitplayground.git (fetch) origin https://github.com/asdevops29/gitplayground.git (push) asdevops29@bootcamp:~/github$ ■
nothing added to commit but untracked files present (use "git add" to track)
                                                                                                asdevops29@bootcamp: ~/github
                                                                                                                                                                                                        Q = - -
   asdevops29@bootcamp:~/github$ git config --list
user.name=Attila Szikora
user.emalt=asdevops29@gmail.com
asdevops29@bootcamp:~/github$ git init
Initialized empty Git repository in /home/asdevops29/github/.git/
asdevops29@bootcamp:~/github$ git clone https://github.com/asdevops29/gitplayground.git
Cloning into 'gitplayground'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0
Unpacking objects: 100% (3/3), 213 bytes | 106.00 KiB/s, done.
asdevops29@bootcamp:~/github$
 user.email=asdevops29@gmail.com
                                                                                                asdevops29@bootcamp: ~/github
                                                                                                                                                                                                        Q = _ _ &
  asdevops29@bootcamp:~/github$ touch newfile
asdevops29@bootcamp:~/github$ ls
 newfile
                        bootcamp:~/github$ git status
No commits yet
Untracked files:
(use "git add <file>..." to include in what will be committed)
 nothing added to commit but untracked files present (use "git add" to track)
nothing added to commit but untracked files present (use "gi
asdevops29@bootcamp:~/github$ git add .
asdevops29@bootcamp:~/github$ git commit -m "First checkin"
[master (root-commit) b55dc19] First checkin
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 newfile
asdevops29@bootcamp:~/github$ git branch newbranch
asdevops29@bootcamp:~/github$ git branch
    newbranch
 asdevops29@bootcamp:~/github$ git checkout newbranch
Switched to branch 'newbranch'
asdevops29@bootcamp:~/github$ touch newbranchfile
asdevops29@bootcamp:~/github$ git add .
asdevops29@bootcamp:~/github$ git commit -m "Checking in newbranchfile to newbranch"
[newbranch d0f55d9] Checking in newbranchfile to newbranch
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 newbranchfile
asdevops29@bootcamp:~/github$ git checkent
 Switched to branch 'master'
 Updating b55dc19..d0f55d9
  ast-forward
  newbranchfile | 0
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 newbranchfile
 On branch master
 nothing to commit, working tree clean
asdevops29@bootcamp:~/github$ git branch -d newbranch Deleted branch newbranch (was d0f55d9).
asdevops29@bootcamp:~/github$
```


```
asdevops29@bootcamp:~/github$ git log
commit d0f55d98b25fe2c36b695687b7d289e0936d94cd (HEAD -> master)
Author: Atttla Szikora <asdevops29@mail.com>
Date: Tue Jul 21 14:40:37 2020 +0200

Checking in newbranchfile to newbranch

commit b55dc19259ea49b67b9c37f928f258347315dfff
Author: Atttla Szikora <asdevops29@gmail.com>
Date: Tue Jul 21 14:38:01 2020 +0200

First checkin
asdevops29@bootcamp:~/github$
```





sdevops29@bootcamp:~/github\$