



ROOT CAUSE UNLOCKED · CONDITION KIT

The Hashimoto's Root Cause *Kit*

Which thyroid numbers matter, what antibodies do and do not tell you, and the treatment question that is genuinely unsettled rather than simply under-discussed.

Dr. Adam Seay, DC

Root Cause Unlocked, Garner, NC · rootcauseunlocked.com · (919) 662-0520

The Hashimoto's Root Cause Kit

BEFORE YOU START

Contents

Read this part first

The drivers behind the antibodies

The thing most Hashimoto's material gets wrong

The core panel

What antibodies do and do not tell you

The treatment question that is genuinely unsettled

Reading your results as a pattern

What else produces this picture

What to ask your clinician

When to seek clinical review

Track what changes

Working with Root Health

The gut, which is the most studied driver after the gland itself

The load (stress, sleep, and infection)

Environmental exposure, and the one panel I order for it

What almost nobody checks, and what it changes

References

Read this part first

Start here: the medication timing detail

The gluten question, and why the usual advice is backwards

The pattern that did outperform

Iodine, the most contested question in Hashimoto's

If you are pregnant or planning pregnancy, iodine requirements rise and the stakes are higher on both sides. That is a conversation with your clinician, not a decision to make from a guide.

Halogens, and why the usual advice points the wrong way

Cruciferous vegetables, which are probably fine

The nutrients that actually explain how you feel

Running a fair experiment

Realistic expectations

When to seek clinical review

The gut connection behind the diet

Working with Root Health

References

Read this part first

Why nutrient evidence looks thinner than it is

The load (stress, sleep, and infection)

The finding this guide is built around

Timing, before anything else

Selenium

Iron, if your ferritin is low

Vitamin D, where two meta-analyses disagree

A probiotic, for quality of life rather than for antibodies

Zinc

What I deliberately left out, and why

Running a fair trial

Where to find quality versions of these

When to seek clinical review

Working with Root Health

Iron, which is easy to miss and common in this population

References

Read this part first

This guide is educational. It is not medical advice, it does not diagnose anything, and reading it does not make you my patient. **Nothing here is a reason to change a thyroid medication dose on your own.**

Levothyroxine has a narrow therapeutic window and self-adjusting it is genuinely risky.

Seek urgent care for chest pain, a resting heart rate persistently over 120, severe confusion or drowsiness, or a rapidly enlarging neck mass or difficulty swallowing or breathing. Thyroid disease has emergencies at both ends and they do not wait.

The drivers behind the antibodies

Unlock Your Hashimoto's works through the things that drive the autoimmune attack rather than only the hormone level. Testing exists to find out which of them are yours, so this guide follows the same order.

Driver	What it means	How you find it
The thyroid itself	How much hormone you are making and converting, and how hard the gland is being pushed	TSH, free T4, free T3, reverse T3
The autoimmune attack	Whether your immune system is targeting the gland, and how hard	TPO and thyroglobulin antibodies
The gut	Barrier integrity and microbial composition, the most studied non-thyroid driver	Celiac serology, stool analysis, permeability markers
The raw materials	Selenium, iron, vitamin D, zinc, B12. You cannot make or convert hormone without them	Blood work, covered below
The load	Chronic stress, poor sleep, and infectious burden acting on an already unstable immune system	History, and a small number of targeted tests

The thing to understand about this list: thyroid hormone replacement addresses the first row. It does nothing to the other four. That is not an argument against taking it, and for most people with Hashimoto's it is genuinely necessary. It is the reason people can be perfectly medicated and still feel unwell, and it is what this kit is built around.

The thing most Hashimoto's material gets wrong

You have almost certainly been told your antibodies matter, and that lowering them is the goal.

Antibody titers are the most-measured, most-discussed, and least outcome-validated number in this condition. Several interventions genuinely lower them. **What nobody has demonstrated is that lowering them makes you feel better or changes where your disease goes.**

Keep monitoring them. Just stop treating them as a scoreboard, and be suspicious of anyone selling you a protocol whose success metric is a falling TPO number.

This guide tells you what each test actually establishes, and flags where the evidence stops.

The core panel

Marker	Unit	Standard lab range	Root Health functional target
TSH	mIU/L	0.4 to 4.0	1.0 to 2.5
Free T4	ng/dL	0.7 to 1.7	0.9 to 1.4
Free T3	pg/mL	2.0 to 4.2	2.8 to 3.6
Reverse T3	ng/dL	0 to 24	0 to 15
TPO antibodies	IU/mL	0 to 35	0 to 9
Thyroglobulin antibodies	IU/mL	up to 20	up to 1
TSI / TRAb	%	0 to 140	0 to 99
Ferritin	ng/mL	25 to 300	50 to 150
Vitamin B12	pg/mL	200 to 1100	500 to 900
Folate (RBC)	ng/mL	400 to 2000	600 to 1500
Zinc (plasma)	ug/dL	60 to 120	70 to 110
Selenium (serum)	ug/L	60 to 160	85 to 140
hs-CRP	mg/L	0 to 1.0	0 to 0.5

These are clinical targets used to guide investigation. **They are not validated diagnostic thresholds**, and a result outside a functional window is not a diagnosis of anything.

What each one is actually for.

TSH is the pituitary's opinion of whether there is enough thyroid hormone, not a direct measure of thyroid hormone. It is the most sensitive single screening test and it is also the one most affected by time of day, recent illness, and biotin supplements. Stop biotin for several days before testing, because it interferes with the assay and can produce results that look like thyroid disease when there is none.

Free T4 and Free T3 measure the hormones themselves. Free T4 is the storage form, Free T3 the active form.

Reverse T3 is worth a specific caution. It is elevated by illness, calorie restriction, and stress, which are exactly the situations where the body deliberately downshifts. A high reverse T3 usually reflects that the body is doing something appropriate in response to a stressor, and the useful question is what the stressor is, not how to lower the number.

TPO and thyroglobulin antibodies establish that the process is autoimmune. See the next section for what they do not do.

Ferritin, B12, folate, zinc, selenium are here because their deficiencies produce fatigue, hair loss, and cognitive fog that get attributed to thyroid disease and then persist after the thyroid is well managed. Low ferritin in particular is extraordinarily common in this population and is the single most frequent reason someone with a perfect TSH still feels terrible.

hs-CRP is a nonspecific screening marker. It says an inflammatory load exists somewhere, not where it is coming from, and it confirms nothing on its own. A single elevated reading after an illness means little; repeat it when you are well.

What antibodies do and do not tell you

What they establish: that your hypothyroidism is autoimmune rather than something else, which is diagnostically useful. Positive antibodies with a normal TSH also predict a higher likelihood of developing hypothyroidism later, which justifies monitoring rather than action.

What they do not establish is how you feel, how fast the disease will progress, or whether a treatment is working.

Two things reliably lower them, and here is the honest read on both.

Vitamin D. A meta-analysis of 12 studies covering 862 people found vitamin D supplementation significantly reduced TPO antibody titers, with a standardized mean difference of 1.084, and thyroglobulin antibodies at 0.996.¹ Those are large effects on the antibody number.

Selenium. An umbrella review of 6 systematic reviews covering 75 randomized trials found TPO antibodies fell significantly at 3 months in levothyroxine-treated patients taking selenium, with a standardized mean difference of 0.53. **Only one of the six reviews was rated high quality.**²

And here is what a Cochrane review found when it asked the harder question. Four randomized trials, 463 participants, all at unclear to high risk of bias. **Change in health-related quality of life was not assessed in a single one of them.** Neither was change in levothyroxine dose requirement. The authors concluded the evidence does not allow confident decision making about selenium in Hashimoto's.³

So: the antibody number moves. Whether the person moves with it has largely not been measured. That is the most important sentence in this guide.

The treatment question that is genuinely unsettled

If your TSH is elevated but your free T4 is normal, that is subclinical hypothyroidism, and whether to treat it is a real controversy rather than a settled question your doctor is getting wrong.

A JAMA systematic review and meta-analysis of 21 publications randomizing 2,192 adults found that thyroid hormone therapy lowered TSH into the normal range compared with placebo, and examined the effect on quality of life and thyroid-related symptoms.⁴

A 2026 systematic review in older adults is titled, in its own words, “no evidence of benefit,” evaluating levothyroxine against placebo or no treatment on health-related quality of life.⁵

But it is not one-sided. A meta-analysis of 13 studies in older patients with subclinical hypothyroidism found levothyroxine significantly reduced total cholesterol, triglycerides, LDL cholesterol, and apolipoprotein B.⁶ So there may be a metabolic argument even where there is not a symptomatic one.

What to do with that. If you have been told your subclinical hypothyroidism does not need treating, your doctor is standing on real evidence, not dismissing you. Feeling no different after treatment is also the expected finding rather than a failure on your part. This is a legitimate judgment call, and it is worth having as a conversation rather than a fight.

Reading your results as a pattern

High TSH, low free T4, positive antibodies. Overt autoimmune hypothyroidism. Treatment is not controversial here.

High TSH, normal free T4, positive antibodies. Subclinical, autoimmune. See the section above. Worth monitoring regardless.

Normal TSH, positive antibodies, feeling unwell. Common, and frustrating. The antibodies confirm autoimmunity but do not explain current symptoms. This is where the ferritin, B12, folate, zinc, and vitamin D rows earn their place, along with sleep and the rule-outs below.

Normal everything, feeling unwell. Thyroid has been investigated. The search should continue, not stop.

Normal TSH on treatment, still symptomatic. The most common scenario in the whole condition. Check ferritin first. Then B12 and vitamin D. Then sleep apnea, which is routinely missed in women and produces exactly this picture.

What else produces this picture

Worth ruling out	Why it mimics
Iron deficiency, with or without anemia	Fatigue, hair loss, cold intolerance, poor exercise tolerance
Vitamin B12 deficiency	Fog, fatigue, nerve symptoms
Vitamin D deficiency	Diffuse aching, fatigue, low mood
Obstructive sleep apnea	Unrefreshing sleep, fatigue, fog. Missed constantly in women
Celiac disease	Coexists with Hashimoto's more often than chance, and is a real diagnosis with real testing
Perimenopause	Overlaps almost completely in the age group where Hashimoto's presents
Depression	Fatigue, cognitive difficulty, sleep disruption
Anemia of any cause	Fatigue, breathlessness on exertion

Celiac deserves a note. It genuinely coexists with autoimmune thyroid disease more often than chance would predict. **Get tested while still eating gluten.** Going gluten free first makes the testing unreliable and costs you a clean answer. The diet guide in this kit covers what a head-to-head trial actually found about gluten-free diets in Hashimoto's, and it is not what most thyroid content will tell you.

What to ask your clinician

- “Can we check ferritin, B12, vitamin D, and zinc alongside the thyroid panel? I want to rule out the things that feel like thyroid.”
- “My TSH is in range but I still feel unwell. What else is worth looking at?”
- “Have I been screened for celiac disease, and do I need to be eating gluten for that test to be valid?”
- “Given my TSH and free T4, what is your view on treating versus monitoring, and what would change your mind?”
- “Should I be screened for sleep apnea?”

Bring: your full result history rather than the latest one, since the trend matters more than any single draw; the time of day you were tested; your full medication and supplement list including biotin; and a symptom timeline.

Testing consistency matters more than people realize. Same lab, same time of day, same relationship to your medication dose. TSH varies through the day, and comparing a morning draw to an afternoon one produces changes that are not real.

When to seek clinical review

Urgently: if you have chest pain, a resting heart rate persistently over 120, severe confusion or drowsiness, a rapidly enlarging neck mass, or difficulty swallowing or breathing.

Promptly: new or rapidly worsening symptoms after a dose change, or symptoms of over-replacement including palpitations, tremor, heat intolerance, and unintended weight loss.

Before going gluten free: if celiac is a question, test first.

If you are pregnant or planning pregnancy: thyroid management changes substantially and requirements usually rise. This needs a clinician, promptly, and it is one of the few areas where the evidence for treating subclinical hypothyroidism is stronger.

Track what changes

TSH is checked every few months. How you actually feel changes week to week, and nobody records it, so the conversation defaults to the number.

Root Tracker: rootcauseunlocked.com/tracker

Free, works anywhere, entries stay on your device. Bring the trend to your next appointment.

Working with Root Health

Book a free Root Discovery Session: rootcauseunlocked.com/discovery

Consultations and ongoing care are both available wherever you are located. Being outside North Carolina is not a barrier to working with me. Tell me where you are when you reach out and I will lay out exactly how we would work together from there.

The request list above also works in any office.

Get in touch: rootcauseunlocked.com/contact

The gut, which is the most studied driver after the gland itself

Key 3 of the ebook is the gut-thyroid connection, and this is where the research has moved fastest.

What the evidence shows. A systematic review and meta-analysis found altered gut microbiota composition in autoimmune thyroid disease at the family, genus, and species levels compared with controls (PMID 34867823). A separate study characterizing the microbiome in primary hypothyroidism concluded that hypothyroidism causes changes in the gut microbiome and that, in mice, an altered flora can in turn affect thyroid function, which is what makes it an axis rather than a one-way street (PMID 32519746).

A 2026 review of the gut-thyroid axis describes dysbiosis, impaired intestinal barrier function, and altered microbial metabolites, particularly short-chain fatty acids, as contributors to immune imbalance, and calls the gut microbiota **a modifiable contributor to thyroid autoimmunity** while naming the honest gap: causality still needs clarifying (PMID 41292506).

Read that carefully. “Modifiable contributor” with causality unresolved is a fair reason to work on the gut. It is not a promise that fixing the gut resolves the antibodies.

What to ask for. Celiac serology first, drawn while you are still eating gluten. Then, if gut symptoms are present, a comprehensive stool analysis. The companion Gut Root Cause Kit covers barrier markers in more depth, and the caution there applies here too: read a barrier panel as a pattern, not as proof from any single marker.

The load (stress, sleep, and infection)

This section was missing from the first version of this kit, and it is a genuine part of the picture rather than a wellness postscript.

Stress, with the citation limits stated plainly. The controlled human work linking stressful life events to autoimmune thyroid disease is in **Graves' disease**, not Hashimoto's. One controlled study found an excess of life events in the year before Graves' onset (PMID 8498147), and another found that patients with Graves' reported more negative stressful life events than a comparison group with toxic nodular goitre, suggesting life events act as a precipitating factor (PMID 11453947).

I am telling you the disease those studies were done in, because most sources citing them do not. The honest position is that stress is an established precipitant in one autoimmune thyroid disease and a reasonable clinical concern in the other, not a proven cause of Hashimoto's.

What follows from that. A daily down-regulating practice, protected sleep, and a realistic look at load are worth doing on their own terms. They are free, they carry no interaction risk, and the mechanism they act on, immune regulation, is the same one the antibodies live in.

- Five to ten minutes daily of slow breathing with a longer exhale than inhale, done consistently.
- A fixed sleep window of seven to nine hours. Hypothyroid fatigue and poor sleep hygiene compound each other, and only one of them is treatable with a tablet.
- Movement you can sustain. Not high-intensity work on a bad fatigue day, which reliably backfires.

Infection, as a plausible driver rather than a certainty. Epstein-Barr virus has drawn sustained attention for a potential role across thyroid disease including Hashimoto's, and a 2025 review integrates the immunological and virological evidence (PMID 41229422). Note what that is: a mechanistic and associational review, not a trial showing that treating a virus changes thyroid antibodies. There is no validated antiviral protocol for Hashimoto's, and anyone selling you one is ahead of the evidence.

Environmental exposure, and the one panel I order for it

Halogens come up constantly in thyroid conversations, usually as the claim that fluoride, bromide, and chlorine are crowding iodine out of your gland. Key 6 of the ebook works through what actually holds up in that literature, compound by compound. This section is narrower. It covers what I test for, how I read it, and what the test cannot tell you.

The mechanism, briefly. Your thyroid takes up iodide through the sodium-iodide symporter, usually written NIS. Several environmental anions are close enough in shape to be carried through the same transporter, and perchlorate is the most potent of them, with the transporter showing higher affinity for perchlorate than for iodide itself.¹³ Pooled human data associate perchlorate exposure with higher TSH.¹⁴

What I order. The Vibrant Wellness Environmental Toxins panel, a urinary panel covering 38 environmental chemicals, of which perchlorate is the one most directly tied to thyroid function. I want to be straight with you about its standing: no trial has shown that running this panel improves outcomes in Hashimoto's, and I am not going to suggest otherwise. I order it because an elevated perchlorate result changes how hard I push on water filtration and how closely I watch iodine status, and because a number in front of someone tends to produce action where general advice does not. That is my clinical practice rather than guideline-concordant care, and you are entitled to know which one you are getting.

What it does not measure. Bromide and fluoride are not on this panel. There is no test in this workup that will find them for you, so for those two you are relying on source control alone. If you are on well water, testing the water itself is the useful move, and it is inexpensive.

Reading a perchlorate result

What it tells you	What it does not tell you
That perchlorate was in your system recently, at roughly what level	That perchlorate caused your thyroid autoimmunity
Whether your exposure sits high or low relative to other people	Your average exposure over months, from one sample
Whether water filtration is worth prioritizing for you	Anything about your bromide or fluoride exposure

Two limits are worth understanding before you read your own result.

It documents recent exposure, not accumulated burden. Perchlorate has a short biological half-life and is excreted quickly in urine.¹⁵ A result reflects roughly the last day, not the last year. This is not a body-burden measurement, and anyone who tells you it is has misunderstood the test.

A single sample is a rough category, not a precise number. In a study tracking children over six months, urinary perchlorate showed poor within-person reproducibility, with an intraclass correlation of 0.10 and more variation inside the same child than between different children.¹⁵ The same study found that a single spot sample still ranked people into exposure categories reasonably well. So read your result as high, middling, or low rather than as a figure to track to the decimal, and do not chase small movements between draws.

What I do with an elevated result

The response is source control, and water is the main lever, because filtration is inexpensive, has no downside, and addresses perchlorate along with the chlorine and fluoride the panel never measured. Reverse osmosis is the option that removes perchlorate. Produce grown with contaminated irrigation water is the other common route, with leafy greens the usual example, and washing helps rather than solves it.

I also look harder at iodine status when perchlorate is elevated, and I want to be careful about what that does and does not mean. The reasoning that perchlorate competes with iodide leads people straight to the conclusion that they should take iodine to win the competition. My position on iodine in Hashimoto's is more permissive than most thyroid material, and the diet guide sets it out in full with the evidence on both sides. But a perchlorate result is not the thing that should trigger that decision. Reduce the exposure, which is what the result is actually telling you to do. If iodine is going to be part of your plan, it gets decided on its own merits, at a known dose, with selenium alongside, and with your thyroid function monitored, and that is a conversation rather than a reaction to one line on a panel.

A normal result does not close the question. Given the short half-life, a low reading tells you that your exposure in the last day was low. If you drink unfiltered water from a source you have never tested, the sensible move is still to test the water or filter it, whatever the urine said.

Where this sits in the workup

This is not a first-line test. The core thyroid panel, the antibodies, and the nutrient markers earlier in this guide come first, and the gut and load sections cover the drivers with the larger evidence base behind them. I run the environmental panel when the picture is not adding up, when someone has a known exposure history or an untested water source, or when we have worked the higher-yield items and want the next layer. Ordering it first would be spending your money in the wrong order.

What almost nobody checks, and what it changes

Everything above is the standard workup done properly. This section is different. These are four things that routinely go unexamined, each of which can change how your panel reads or how well your treatment works, and none of which shows up in a normal thyroid visit.

Whether your stomach can actually absorb your medication

This is the one I wish more people knew about, because it explains a specific and common frustration: your dose keeps going up and your TSH will not settle.

Levothyroxine needs stomach acid to dissolve before your intestine can absorb it. If acid production is low, the tablet stays in a form your gut cannot take up, and the dose on the bottle is not the dose reaching you. In a study published in the New England Journal of Medicine, the daily thyroxine requirement was 22 to 34 percent higher in patients with H. pylori-related gastritis, atrophic gastritis, or both, compared with a reference group. When H. pylori was eradicated, the effect largely reversed.¹⁶ A broader review of levothyroxine absorption reaches the same place and adds celiac disease, lactose intolerance, and several drug interactions to the list of things that get between the tablet and you.¹⁷

Two reasons this matters more in Hashimoto's than in ordinary hypothyroidism. First, H. pylori shows up in the ebook already, as one of the infectious triggers implicated in thyroid autoimmunity through molecular mimicry. If it is present, it may be doing two jobs at once: contributing to the autoimmune process and blocking the treatment for it. Second, autoimmune atrophic gastritis clusters with autoimmune thyroid disease, so the population most likely to have this problem is exactly the population being treated.

What to do about it. If you are on levothyroxine, taking it correctly, and your TSH still will not come into range, absorption belongs on the list before the dose goes up again. Ask about H. pylori testing and, if you have the symptoms for it, about atrophic gastritis. This is a conversation with the clinician managing your prescription.

Whether your estrogen is moving your numbers

Most of your thyroid hormone travels bound to a carrier protein called thyroxine-binding globulin. Oral estrogen raises the amount of that carrier, which increases the bound fraction and lowers the free, usable fraction. In women being treated for hypothyroidism, oral estrogen therapy can raise the levothyroxine dose requirement for this reason.¹⁸

The practical version: starting or stopping an oral contraceptive, or starting or stopping oral hormone replacement, can shift your thyroid numbers without anything having changed in your thyroid. If your labs moved and nobody asked what else changed that month, this is worth raising. The route matters too, since the effect comes from oral estrogen passing through the liver first.

Whether your gut is doing part of the conversion

Most of the active thyroid hormone in your body, T3, is made outside the thyroid by converting T4. The liver and kidneys do the bulk of that work. The gut appears to contribute as well, which the usual explanation leaves out.

Deiodinase activity has been identified in the intestinal wall and may add to total body T3. Separately, bacterial enzymes in the gut, specifically sulfatases and beta-glucuronidases, regulate the deconjugation of thyroid hormones, which affects how much gets recycled back into circulation rather than excreted. Some gut bacteria appear to bind thyroid hormones and act as a reservoir.¹⁹

I want to be careful about the weight of this. Much of it comes from animal and laboratory work rather than from human outcome trials, and the findings are not all pointing the same direction. It is a proposed mechanism, not a settled one. What it does is give a concrete reason why the gut chapters in this kit are not a change of subject from your thyroid, and why gut repair sometimes produces thyroid improvement that the antibody number does not explain.

Whether insulin resistance is sitting underneath it

Fasting insulin is not part of a standard thyroid workup and I run it anyway, because insulin rises years before glucose does and a normal glucose tells you nothing about how hard your body is working to keep it there.

The thyroid link specifically is less settled than the general case for measuring it. A population-based cohort of euthyroid individuals examined thyroid hormones, thyroid antibodies, and insulin resistance together, and the literature as a whole is mixed on whether thyroid autoimmunity independently tracks with insulin resistance in people whose thyroid function is normal.²⁰ So I am not going to tell you that insulin resistance drives Hashimoto's.

What I will tell you is that the symptom overlap is near total. Fatigue, weight that will not move, brain fog, and afternoon crashes are the presenting complaint in both, and a great many people arrive convinced their thyroid explains everything when their fasting insulin has never been drawn. Finding it does not mean your thyroid is fine. It means you have found a second thing, and it is one of the more addressable things on this list.

The common thread

Each of these is a case where the thyroid panel is not wrong, it is just incomplete. A number that will not move, a number that moved for a reason nobody asked about, a conversion step happening somewhere nobody looked, and a parallel problem wearing the same symptoms. None of them requires an exotic test. They require someone to ask the question.

References

1. Effects of vitamin D supplementation on autoantibodies and thyroid function in patients with Hashimoto's thyroiditis: A meta-analysis. *Medicine (Baltimore)*. 2024. PMID 38206745.
2. The Effects of Selenium Supplementation in the Treatment of Autoimmune Thyroiditis: An Overview of Systematic Reviews. *Nutrients*. 2023. PMID 37513612.
3. van Zuuren EJ, Albusta AY, Fedorowicz Z, Carter B, Pijl H. Selenium supplementation for Hashimoto's thyroiditis. *Cochrane Database Syst Rev*. 2013;(6):CD010223. PMID 23744563.
4. Feller M, et al. Association of Thyroid Hormone Therapy With Quality of Life and Thyroid-Related Symptoms in Patients With Subclinical Hypothyroidism: A Systematic Review and Meta-analysis. *JAMA*. 2018;320(13):1349-1359. PMID 30285179.
5. Levothyroxine for subclinical hypothyroidism in older adults: no evidence of benefit. *BMC Geriatr*. 2026. PMID 41922998.
6. Effect of Levothyroxine on Older Patients With Subclinical Hypothyroidism: A Systematic Review and Meta-analysis. *Front Endocrinol*. 2022. PMID 35909574.
7. Gong B, Wang C, Meng F, et al. Association Between Gut Microbiota and Autoimmune Thyroid Disease: A Systematic Review and Meta-Analysis. *Front Endocrinol (Lausanne)*. 2021;12:774362. PMID 34867823
8. Su X, Zhao Y, Li Y, et al. Gut dysbiosis is associated with primary hypothyroidism with interaction on gut-thyroid axis. *Clin Sci (Lond)*. 2020;134(12):1521-1535. PMID 32519746
9. Arawker MH, Habibullah F, Baral S, et al. Microbiome Mediated Immune Crosstalk on the Gut-Thyroid Axis in Autoimmune Thyroid Disease. *Immunol Invest*. 2026;55(2):448-468. PMID 41292506
10. Sonino N, Girelli ME, Boscaro M, et al. Life events in the pathogenesis of Graves' disease. A controlled study. *Acta Endocrinol (Copenh)*. 1993;128(4):293-296. PMID 8498147
11. Matos-Santos A, Nobre EL, Costa JG, et al. Relationship between the number and impact of stressful life events and the onset of Graves' disease and toxic nodular goitre. *Clin Endocrinol (Oxf)*. 2001;55(1):15-19. PMID 11453947
12. Wang Z, Chang X, Cheng X. Epstein-Barr virus in thyroid disease: an integrated immunovirological perspective. *Front Immunol*. 2025;16:1687214. PMID 41229422
13. Perchlorate, nitrate, and thiocyanate: Environmental relevant NIS-inhibitors pollutants and their impact on thyroid function and human health. *Front Endocrinol*. 2022. PMID 36339434.
14. Associations between exposure to sodium/iodide symporter inhibitors and markers of thyroid function: A systematic review and meta-analysis. *Chemosphere*. 2025. PMID 39798720.
15. Mervish N, Blount B, Valentin-Blasini L, et al. Temporal variability in urinary concentrations of perchlorate, nitrate, thiocyanate and iodide among children. *J Expo Sci Environ Epidemiol*. 2012;22(2):212-218. PMID 22166811. *Cohort was children; the reproducibility finding is what is cited here.*
16. Centanni M, Gargano L, Canettieri G, et al. Thyroxine in goiter, Helicobacter pylori infection, and chronic gastritis. *N Engl J Med*. 2006;354(17):1787-1795. PMID 16641395.
17. Skelin M, Lucijanac T, Amidzic Klaric D, et al. Factors Affecting Gastrointestinal Absorption of Levothyroxine: A Review. *Clin Ther*. 2017;39(2):378-403. PMID 28153426.
18. Mazer NA. Interaction of estrogen therapy and thyroid hormone replacement in postmenopausal women. *Thyroid*. 2004;14 Suppl 1:S27-34. PMID 15142374.

19. Knezevic J, Starchl C, Tmava Berisha A, Amrein K. Thyroid-Gut-Axis: How Does the Microbiota Influence Thyroid Function? *Nutrients*. 2020;12(6):1769. PMID 32545596. *Review; the intestinal deiodinase and bacterial sulfatase findings are largely animal and laboratory work.*
20. Amouzegar A, Kazemian E, Gharibzadeh S, et al. Association between thyroid hormones, thyroid antibodies and insulin resistance in euthyroid individuals: A population-based cohort. *Diabetes Metab*. 2015;41(6):480-488. PMID 26049821. *Cited for the question having been studied; the literature is mixed and the guide says so.*

Functional target ranges transcribed from the Root Health blood chemistry range.

For educational purposes only. This guide does not constitute medical advice, diagnosis, or treatment, and reading it does not establish a patient-provider relationship.

Root Health | Dr. Adam Seay, DC | Garner, NC | rootcauseunlocked.com

Read this part first

This guide is educational. It is not medical advice, it does not diagnose anything, and reading it does not make you my patient. Nothing here is a reason to change a thyroid medication dose on your own.

This guide is going to disagree with the most common piece of Hashimoto's diet advice on the internet. Gluten still gets its due here. What I will show you is what the evidence says, and why the standard advice has the order of operations backwards.

Start here: the medication timing detail

Before any diet change, this one is worth more to most readers than everything else in the guide, and it takes no willpower at all.

Levothyroxine absorption is reduced by things people take at breakfast. The prescribing information for levothyroxine lists interference from calcium supplements, iron supplements, and other minerals, and absorption is affected by food generally. Coffee and soy are also commonly implicated.

What to do. Take it on an empty stomach with water, and separate it from coffee, food, calcium, iron, magnesium, and multivitamins. Most guidance suggests 30 to 60 minutes before eating, and separating minerals by around four hours.

Why this matters more than it sounds. If your absorption is inconsistent, your dose is inconsistent, and no diet change will show through that noise. People spend months on elimination diets while taking their thyroid medication with a mineral-fortified breakfast. Fix the timing first, hold it steady for six weeks, and then judge everything else against a stable baseline.

Do not change your dose to compensate. Change the timing, tell your prescriber you have done so, and retest when they suggest.

The gluten question, and why the usual advice is backwards

The standard recommendation is: you have Hashimoto's, go gluten free. Two separate lines of evidence say that is the wrong first move.

A head-to-head comparison. A pilot study compared the Mediterranean diet, a gluten-free diet, and a free diet in people with Hashimoto's, measuring oxidative stress markers over 12 weeks.¹

The Mediterranean group showed significantly lower advanced glycation end products and significantly higher glutathione peroxidase, thioredoxin, and total antioxidant capacity, both compared with their own baseline and compared with the other two groups. **In the gluten-free group, the oxidative stress parameters did not change significantly.**

And one finding applied to all three arms. **There was no significant change in TSH, free T4, thyroglobulin antibodies, or TPO antibodies in any group.** No diet moved thyroid function or thyroid antibodies in twelve weeks.

The authors' own conclusion is that a gluten-free diet does not significantly influence markers of oxidative stress or thyroid autoimmunity and function. It is a pilot study and should be read as one.

A genetic causality analysis. A Mendelian randomisation study examined whether the relationships here are causal.² Two findings.

Hashimoto's disease **increases the risk of celiac disease**, with an odds ratio of 1.544 and a confidence interval of 1.153 to 2.068. That association holds, and it runs in that direction.

And the study "does not support genetic liability related to GFD with AITD," concluding that **a gluten-free diet has no protective effect on autoimmune thyroid disease** and that any benefit people experience may work through other mechanisms.

A 2026 review states the position well: in celiac disease the pathogenic role of gluten is firmly established, but in Hashimoto's, gluten is better viewed as a **candidate modifier rather than a proven universal trigger**.³

So what should you actually do

Get tested for celiac disease, while still eating gluten. The standard advice skips this step, and it is the one that matters. Hashimoto's raises your celiac risk measurably. Celiac is a real diagnosis with real testing and a treatment that genuinely works, and the testing depends on you currently eating gluten. Go gluten free first and you lose the ability to get a clean answer without a deliberate gluten challenge later.

If celiac testing is positive, gluten free is the treatment. Not a wellness experiment, a treatment, and it matters enormously.

If celiac testing is negative and you still want to try it, that is reasonable. Run it as a time-limited experiment with a defined endpoint, judged on how you feel rather than on a repeat antibody panel, since the antibody panel did not move in the trial. Give it eight to twelve weeks and then decide honestly.

What I would not do is adopt a permanent restriction, on the strength of evidence that does not support it, in a condition where the same trial showed a Mediterranean pattern outperforming it.

The pattern that did outperform

In the only head-to-head in this guide, the Mediterranean pattern was the one that moved markers.¹ It is also less restrictive, cheaper, easier to sustain, and better supported for general health than any elimination diet.

Build meals from:

Vegetables in volume and variety, across colors. Olive oil as the main fat. Fish, particularly oily fish, a couple of times a week. Legumes. Whole grains if you tolerate them and celiac has been excluded. Nuts and seeds. Fruit, with an emphasis on berries. Herbs and spices generously.

Moderate: red meat, and processed meat more so. Refined carbohydrate and added sugar. Alcohol.

This is not a thyroid intervention and I am not going to sell it as one. No diet in that trial changed thyroid function or antibodies. What the Mediterranean arm changed was oxidative stress markers, which is a mechanistic outcome rather than a symptom one. It is a good way to eat with the best available support in this specific condition. That is the honest size of the claim.

Iodine, the most contested question in Hashimoto's

This is the question I get asked most, and it is the one where I differ from a lot of thyroid material, including some of what you will find under my own condition's name elsewhere on the internet.

Iodine is required to make thyroid hormone. There is no thyroid hormone without it. That much is not controversial.

The case against iodine in Hashimoto's has real evidence behind it, and I am not going to hide it from you. In a study of risk factors for autoimmune thyroid disease, median urinary iodine was significantly higher in the autoimmune group than in controls.⁴ Mechanistic work found that excessive iodine activates a hypoxia pathway promoting apoptosis of thyroid follicular cells, described by the authors as potentially an important risk factor contributing to Hashimoto's development.⁵ Those are the findings that produced the standard advice to avoid iodine, and if you have read that advice elsewhere, it did not come from nowhere.

What that advice usually leaves out is the time course. The largest natural experiment on this is what happened when countries introduced salt iodization. A 2024 review tracked the pattern across populations and found antibody prevalence rising in the first several years, then declining, and then settling back toward pre-iodization levels over the longer term. In Denmark, TPO antibody prevalence rose from 14.3 percent to 23.8 percent within about five years. In Sri Lanka, a follow-up group went from 46.9 percent down to 23.8 percent over the next three years, and twenty years on the prevalence sat lower than it had during the peak. Throughout all of it, the authors describe minimal disruption of actual biochemical thyroid function, with overt or subclinical dysfunction remaining uncommon.¹³

So the antibody rise is real. What the population data suggest is that it is a phase rather than a permanent state, and that it is not accompanied by the thyroid failure you would expect if the antibodies told the whole story.

Selenium is the part of this that is not optional. Making thyroid hormone requires hydrogen peroxide, which thyroid peroxidase uses to oxidize iodide. Selenium-dependent glutathione peroxidase is what clears that hydrogen peroxide before it damages the gland, which is why selenium status matters most precisely when iodine intake goes up.¹⁴ If you are going to raise iodine, selenium is not a nice addition, it is the other half of the same reaction. The supplement guide in this kit covers the dose.

Where I land. I use iodine clinically, including kelp, in Hashimoto's patients. What I see matches the pattern above. Antibodies often rise, then come back down, and people feel better in the meantime. That is my clinical observation across the patients I have treated, not a controlled trial, and you should file it accordingly. Dr. David Brownstein has written extensively on iodine and reports the same rise-then-settle pattern from his own practice; his work is published as books and clinical experience rather than randomized trials, and I am telling you that so you can weigh it for what it is.

I hold this position knowing the literature above runs the other way on the association. The reason I hold it is that the antibody number is not the outcome I am treating. Which brings up the thing this guide says elsewhere and will say again here.

Do not judge this on your antibody titer. The lab guide in this kit explains why antibody levels are a poor success metric in general, and this is the clearest example of it. If your antibodies rise on iodine and you feel better, the titer is not the emergency it looks like. Feeling worse while they rise is different: that is information, and a reason to stop and talk to me rather than push through.

How to actually do it. Not alone, and not by working up to a large dose because a book said so. Pair it with selenium from the start. Have your thyroid function rechecked rather than tracking antibodies alone. Kelp in particular delivers large and highly variable doses depending on the product, so if you use it, use a product that states its iodine content. And if you are on

thyroid medication, changing your iodine intake is a conversation with the clinician managing that prescription, because your dose requirement can shift.

If you are pregnant or planning pregnancy, iodine requirements rise and the stakes are higher on both sides. That is a conversation with your clinician, not a decision to make from a guide.

Halogens, and why the usual advice points the wrong way

Right after the iodine conversation, most people run into the halogen argument, which says that fluoride, bromide, and chlorine are chemically similar to iodine, that they crowd iodine out of your thyroid, and that removing them is the fix. It is worth walking through, because the compounds are not equal and the usual ranking of them is wrong.

The mechanism is real. Your thyroid takes up iodide through a transporter called the sodium-iodide symporter. Several environmental compounds are close enough in shape to ride that same transporter, and while they do, iodide is not moving through it.⁸ That is established biology, not a fringe claim.

The compounds are not equal, and the ranking is not the one you have read.

Perchlorate is the most potent of them, and the transporter actually prefers it to iodide.⁸ It shows up in some drinking water and in produce grown with contaminated irrigation water. A 2025 meta-analysis of the human studies found perchlorate exposure positively associated with TSH.⁹ It has the best evidence of the group and gets the least attention.

Bromide does compete at the transporter, confirmed in the European Food Safety Authority's 2025 assessment, which names the thyroid as a target organ.¹⁰ But in the human data reviewed there, thyroid hormone levels only shifted at intakes around 9 mg per kilogram of body weight per day, and even then stayed within normal limits.¹⁰ That is far above what a normal diet delivers. Reduce it where it is easy, which mostly means citrus-flavored soft drinks and, if you want to go further, conventionally grown produce that may carry fumigation residue.

Fluoride is where the published evidence thins out considerably. The best dose-response meta-analysis found no change in TSH across the lower exposure range, with levels beginning to rise only above roughly 2.5 mg/L in water.¹¹ US municipal fluoridation targets 0.7 mg/L. A separate 2024 systematic review rated overall confidence in the fluoride and thyroid evidence as low across every outcome it examined.¹² If you are on well water, testing it is cheap and sensible.

Chlorine completes the pattern on the periodic table and not much else. I could not find human evidence linking chlorinated drinking water at treatment concentrations to thyroid problems, and I looked for it.

Where I land, which is not identical to where the evidence stops. I think limiting fluoride, chlorine, and bromine is worth doing for your thyroid and for your health generally, and I tell patients so. That is my clinical judgment about total halogen load rather than a conclusion I can point you to a trial for, and you should be able to tell those two things apart. Filtering your water is inexpensive, carries no downside, and covers all three at once, so the cost of my being wrong about it is close to zero. That is the basis I act on.

Now the part that matters most for your diet. Every version of the halogen argument concludes that you are effectively iodine-starved, and the intuitive next step is to take more iodine to win the competition. The harms from these compounds are in fact documented mainly in iodine-deficient populations, in pregnancy, and in children.⁸ Hashimoto's is not an iodine-deficiency condition, so that reasoning does not transfer cleanly, and a halogen result is not by itself a reason to start iodine.

The iodine section above covers where I land on iodine itself, which is more permissive than most thyroid material and comes with selenium attached. The point here is narrower: reduce these exposures because reducing them is cheap and sensible, not because a halogen reading tells you to go take something.

What that looks like in practice. Filter your drinking water. Reverse osmosis is the better option where the budget allows, since it removes perchlorate and handles fluoride in one step, and a carbon filter costs much less, reduces chlorine, and beats doing nothing. If you are on well water, test it first. Skip the citrus soft drinks. Use glass rather than plastic for hot and

acidic foods. And treat iodine as its own decision, made the way the iodine section describes, rather than as a reflex response to a halogen worry.

Cruciferous vegetables, which are probably fine

Broccoli, cabbage, kale, and Brussels sprouts contain compounds that can interfere with iodine uptake, which is why they carry a reputation in thyroid circles.

The practical reality is that the amounts required to affect thyroid function are far beyond normal consumption, cooking reduces the effect substantially, and these are among the more nutritious foods available. In a population where iodine excess is the more relevant concern than iodine deficiency, avoiding them is solving the wrong problem.

Eat them. If you are eating raw kale in very large daily quantities and have low iodine intake, that is worth mentioning to your clinician. Otherwise this is a worry you can put down.

The nutrients that actually explain how you feel

The lab guide in this kit covers testing. From a food standpoint:

Iron is the big one. Low ferritin is extremely common in this population and produces fatigue, hair loss, and cold intolerance that get attributed to the thyroid and then persist after the thyroid is managed. Red meat, poultry, fish, legumes, and dark leafy greens, with vitamin C at the same meal to aid absorption from plant sources. **Take iron supplements away from levothyroxine.**

Selenium is found in seafood, eggs, and Brazil nuts. Brazil nuts are extremely concentrated and vary enormously nut to nut, so a couple a day is plenty and a handful is too many.

Zinc from shellfish, meat, legumes, and seeds.

Vitamin D is difficult to get from food in meaningful quantities. Testing beats guessing.

B12 from animal foods, with the caveat from the lab guide that certain medications interfere with absorption.

Running a fair experiment

Fix the medication timing first. hold it six weeks, and let a stable baseline establish itself. Everything else is measured against that.

Then change one thing. Mediterranean pattern first, since it is the one with head-to-head support and it costs you the least.

Give it eight to twelve weeks. The trial ran twelve.

Do not judge it on antibodies. No diet arm in the trial moved them. Judge it on energy, sleep, cognition, and how you actually feel, recorded rather than remembered.

Track it: rootcauseunlocked.com/tracker

Realistic expectations

No diet in the available head-to-head changed thyroid function or thyroid antibodies.¹ A gluten-free diet has no demonstrated protective effect on autoimmune thyroid disease.² Gluten is a candidate modifier, not a proven universal trigger.³

What diet realistically offers here is a better background: lower oxidative stress on a Mediterranean pattern, better nutrient status for the deficiencies that masquerade as thyroid symptoms, and the avoidance of two specific mistakes, excess iodine and poorly timed medication.

That is worth doing. It is not a cure and it will not replace treatment.

And the most valuable single action in this guide remains the celiac test, taken while still eating gluten, because that is the one path where a dietary change is genuinely the treatment.

When to seek clinical review

Urgently: if you have chest pain, a resting heart rate persistently over 120, severe confusion or drowsiness, or difficulty swallowing or breathing.

Before going gluten free: get celiac testing while still eating gluten.

Before taking iodine or kelp: ask, particularly with autoimmune thyroid disease.

If you change medication timing: tell your prescriber, because absorption may improve and your dose may need review.

If pregnant or planning pregnancy: thyroid and iodine requirements both change and this needs clinical management.

The gut connection behind the diet

Diet is one input into the gut-thyroid axis, so it helps to know what that axis looks like. A systematic review and meta-analysis found altered gut microbiota composition in autoimmune thyroid disease compared with controls (PMID 34867823), and a 2026 review describes dysbiosis, impaired barrier function, and altered short-chain fatty acid production as contributors to immune imbalance, calling the microbiota a modifiable contributor while noting that causality is still being worked out (PMID 41292506).

Practically that means fiber diversity and fermented foods have a rationale here beyond general health advice, and it also means no diet has been shown to reverse thyroid autoimmunity. Both things are true.

Working with Root Health

Book a free Root Discovery Session: rootcauseunlocked.com/discovery

Consultations and ongoing care are both available wherever you are located. Being outside North Carolina is not a barrier to working with me. Tell me where you are when you reach out and I will lay out exactly how we would work together from there.

Get in touch: rootcauseunlocked.com/contact

References

1. Effects of Dietary Habits on Markers of Oxidative Stress in Subjects with Hashimoto's Thyroiditis: Comparison Between the Mediterranean Diet and a Gluten-Free Diet. *Nutrients*. 2025. PMID 39861493. *Pilot study*.
2. Autoimmune thyroid diseases, celiac disease and gluten-free diet: a Mendelian randomisation study. *Br J Nutr*. 2026. PMID 40676996.
3. Beyond celiac disease: the potential role of gluten in Hashimoto's thyroiditis. *Front Endocrinol*. 2026. PMID 42147111.
4. Analysis of risk factors for autoimmune thyroid disease based on blood indicators. *Front Endocrinol*. 2024. PMID 39583966.
5. Excessive iodine induces thyroid follicular epithelial cells apoptosis by activating the HIF-1alpha mediated hypoxia pathway in Hashimoto thyroiditis. *Mol Biol Rep*. 2023. PMID 36807042. *Mechanistic study, not a human outcome trial. A published correction exists (Mol Biol Rep. 2023 Jun;50(6):5523, PMID 37029876). It is a correction notice, not a retraction, and the paper stands.*
6. Gong B, Wang C, Meng F, et al. Association Between Gut Microbiota and Autoimmune Thyroid Disease: A Systematic Review and Meta-Analysis. *Front Endocrinol (Lausanne)*. 2021;12:774362. PMID 34867823
7. Arawker MH, Habibullah F, Baral S, et al. Microbiome Mediated Immune Crosstalk on the Gut-Thyroid Axis in Autoimmune Thyroid Disease. *Immunol Invest*. 2026;55(2):448-468. PMID 41292506
8. Perchlorate, nitrate, and thiocyanate: Environmental relevant NIS-inhibitors pollutants and their impact on thyroid function and human health. *Front Endocrinol*. 2022. PMID 36339434. *Narrative review of transporter mechanism and exposure sources.*
9. Associations between exposure to sodium/iodide symporter inhibitors and markers of thyroid function: A systematic review and meta-analysis. *Chemosphere*. 2025. PMID 39798720.
10. Risks to human and animal health from the presence of bromide in food and feed. *EFSA Journal*. 2025. PMID 39877303. *Regulatory risk assessment, not a clinical trial.*
11. Does fluoride exposure affect thyroid function? A systematic review and dose-response meta-analysis. *Environ Res*. 2024. PMID 38029816. *Included studies were largely cross-sectional and largely in children.*
12. Is there any association between fluoride exposure and thyroid function modulation? A systematic review. *PLOS ONE*. 2024. PMID 38593166. *Authors rated overall confidence in the evidence as low for all outcomes.*
13. Atapattu N, et al. Thyroid Autoimmunity During Universal Salt Iodisation: Possible Short-Term Modulation with Longer-Term Stability. *Nutrients*. 2024;16(24):4299. PMID 39770919. *Population-level iodization data, not individual supplementation trials.*
14. Negro R. Selenium and thyroid autoimmunity. *Biologics*. 2008;2(2):265-273. PMID 19707359. *Review of the selenium and hydrogen peroxide mechanism.*

Levothyroxine absorption guidance reflects the product prescribing information rather than a specific trial.

For educational purposes only. This guide does not constitute medical advice, diagnosis, or treatment, and reading it does not establish a patient-provider relationship.

Root Health | Dr. Adam Seay, DC | Garner, NC | rootcauseunlocked.com

Read this part first

This guide is educational. It is not medical advice, it does not diagnose anything, and reading it does not make you my patient. **Nothing here is a reason to change a thyroid medication dose on your own.**

Every supplement in this guide has to be timed around levothyroxine. It is the most consequential practical point in the document, which is why it gets its own section.

Why nutrient evidence looks thinner than it is

A large outcome trial costs tens to hundreds of millions of dollars, and that money only exists when a patent can pay it back. You cannot patent magnesium, an herb, or a food. So the evidence hierarchy this guide grades against is not neutral: it systematically over-documents patentable drugs and under-documents nearly everything else. That is measurable, not rhetorical. A Cochrane methodology review found that manufacturer sponsorship of drug and device studies produces more favourable results and conclusions than independent funding, through a bias that standard quality checks do not catch (PMID 28207928).

Two honest consequences follow, and they pull in opposite directions.

First, “no evidence” has three different meanings, and this guide tries to always tell you which one applies. *Tested and failed:* a real trial ran and the answer was no. *Never properly tested:* nobody could afford the trial, so absence of evidence is not evidence of absence. *Tested small and won:* real but modest trials, usually measuring markers rather than outcomes, because markers are what a small budget can afford.

Second, the asymmetry earns nutrients humility, not automatic credit. When isolated nutrients have received large publicly funded trials, the results have been mixed, with some genuine wins, some nulls, and some harms. Small nutrient trials also carry their own publication bias toward positive results, just as drug trials tilt toward their sponsor. So this guide applies one rule in both directions. It names the funding and the evidence tier, and lets you see both.

The load (stress, sleep, and infection)

This section was missing from the first version of this kit, and it is a genuine part of the picture rather than a wellness postscript.

Stress, with the citation limits stated plainly. The controlled human work linking stressful life events to autoimmune thyroid disease is in **Graves' disease**, not Hashimoto's. One controlled study found an excess of life events in the year before Graves' onset (PMID 8498147), and another found that patients with Graves' reported more negative stressful life events than a comparison group with toxic nodular goitre, suggesting life events act as a precipitating factor (PMID 11453947).

I am telling you the disease those studies were done in, because most sources citing them do not. The honest position is that stress is an established precipitant in one autoimmune thyroid disease and a reasonable clinical concern in the other, not a proven cause of Hashimoto's.

What follows from that. A daily down-regulating practice, protected sleep, and a realistic look at load are worth doing on their own terms. They are free, they carry no interaction risk, and the mechanism they act on, immune regulation, is the same one the antibodies live in.

- Five to ten minutes daily of slow breathing with a longer exhale than inhale, done consistently.
- A fixed sleep window of seven to nine hours. Hypothyroid fatigue and poor sleep hygiene compound each other, and only one of them is treatable with a tablet.
- Movement you can sustain. Not high-intensity work on a bad fatigue day, which reliably backfires.

Infection, as a plausible driver rather than a certainty. Epstein-Barr virus has drawn sustained attention for a potential role across thyroid disease including Hashimoto's, and a 2025 review integrates the immunological and virological evidence (PMID 41229422). Note what that is: a mechanistic and associational review, not a trial showing that treating a virus changes thyroid antibodies. There is no validated antiviral protocol for Hashimoto's, and anyone selling you one is ahead of the evidence.

The finding this guide is built around

Two studies, read side by side, tell you something no single one of them says.

The intervention that most improved quality of life did not change antibodies at all. In a double-blind randomised study, women with Hashimoto's received nutritional education plus either a probiotic (*Lactiplantibacillus plantarum* 299v) or placebo. The probiotic group improved overall quality of life far more, 60.94 points versus 35.94, and improved in 12 of 14 domains versus 3 of 14.¹

And: anti-TPO levels did not improve in either group. The authors conclude the benefits “appear to be independent of anti-TPO levels.”

Meanwhile the interventions that reliably lower antibodies have never been shown to make anyone feel better. The Cochrane review of selenium found that health-related quality of life was not assessed in a single one of the four trials.

Put those together and you get the operating principle for this whole guide: **the antibody number and how you feel are two different outcomes, and the things that move one are not necessarily the things that move the other.** Most Hashimoto's supplement advice optimizes the number. This guide tries to optimize you.

Timing, before anything else

Levothyroxine absorption is reduced by minerals and by food. The prescribing information lists interference from calcium and iron supplements in particular.

The rules:

- Levothyroxine on an empty stomach with water, 30 to 60 minutes before eating
- **Calcium, iron, magnesium, zinc, and multivitamins separated by around four hours**
- Coffee separated from the dose
- Consistency matters more than perfection. Same routine daily beats an optimal routine done erratically

Why this outranks every supplement below. If your absorption swings, your effective dose swings, and nothing you add will be interpretable through that noise. Fix timing, hold it six weeks, then start experimenting.

If you change your timing, tell your prescriber. Absorption may improve, which can mean you are now on a higher effective dose than intended.

Tier 1: The one with the most support

Selenium

What the evidence shows, in both directions.

A network meta-analysis comparing different supplements in Hashimoto's concluded, after examining the alternatives, that patients should be given an appropriate amount of selenium as an auxiliary treatment alongside standard care.² An umbrella review of 6 systematic reviews covering 75 trials found TPO antibodies fell significantly at 3 months in levothyroxine-treated patients on selenium, standardized mean difference 0.53, though only one of the six reviews rated high quality.³

And the Cochrane review, which asked the harder question. Four trials, 463 participants, all at unclear to high risk of bias. **Change in quality of life was not measured in any of them.** Neither was change in levothyroxine dose requirement. The authors concluded the evidence does not permit confident decision making.⁴

My honest read. Selenium has the best antibody evidence of anything here and the weakest evidence that it changes your life. It is reasonable to trial, it is inexpensive, and you should not expect to feel it.

Commonly studied amount: 200 mcg daily in the trials. **Functional serum target I use at Root Health:** 85 to 140 ug/L. This is one worth testing rather than assuming. **Cautions, and these matter:** selenium has a genuinely narrow window. Chronic high intake causes selenosis, with hair and nail changes, garlic breath, and gastrointestinal upset. **Do not stack multiple products containing selenium**, and remember Brazil nuts are extremely concentrated and vary enormously nut to nut. A couple a day is plenty; a handful is too many. This is not a more-is-better nutrient.

Tier 2: Depends on your situation

Iron, if your ferritin is low

Not a thyroid treatment. It is on this list because **low ferritin is the single most common reason someone with a well-controlled TSH still feels terrible**, and because the symptoms overlap almost completely (fatigue, hair loss, cold intolerance, poor exercise tolerance).

Functional ferritin target I use at Root Health: 50 to 150 ng/mL, against a standard range of 25 to 300. A great many people sit between 25 and 50, get told it is normal, and are symptomatic.

Cautions: test before supplementing, because iron overload is a real condition and iron is not a benign supplement.

Separate from levothyroxine by four hours. Take with vitamin C, away from calcium and coffee.

Vitamin D, where two meta-analyses disagree

I am going to show you the disagreement rather than pick the answer I prefer.

One meta-analysis of 12 studies covering 862 people found vitamin D significantly reduced TPO antibodies, standardized mean difference 1.084 with a confidence interval of 1.624 to 0.545, and thyroglobulin antibodies at 0.996.⁵

A network meta-analysis found vitamin D did not effectively reduce TPO antibodies, with a standardized mean difference of 2.54 and a confidence interval running from 6.51 to positive 1.42, which crosses zero.²

Different methods, different included trials, opposite conclusions. When two meta-analyses of the same question disagree this cleanly, the honest summary is that the answer is not settled.

What I would do anyway: correct a documented deficiency, because that is defensible on general grounds regardless of what it does to antibodies. Do not take it as an antibody treatment.

Functional target: 40 to 80 ng/mL. Test rather than guess. Fat soluble and genuinely possible to overdo.

A probiotic, for quality of life rather than for antibodies

Based on the study that opens this guide.¹ *Lactiplantibacillus plantarum* 299v, added to nutritional change, improved quality of life substantially more than nutritional change alone, across 12 of 14 domains.

Be precise about the claim. Neither anti-TPO nor BMI changed. What changed was how people reported feeling, in a double-blind randomised design. That is a legitimate and under-valued outcome, and it is the specific thing most Hashimoto's supplement protocols never measure.

Caution: this is one strain in one study. Do not generalize it to probiotics as a category.

Zinc

Included because deficiency is common and produces overlapping symptoms, and because it is on the functional panel. Functional target 70 to 110 ug/dL. **Separate from levothyroxine by four hours.** Zinc taken long term can drive copper deficiency, so this is not one to take indefinitely without a reason.

Tier 3: Ask your practitioner first

I have left products and purchase links out of this tier on purpose. These are things worth raising with a clinician, and selling them from a page to someone I have never assessed would contradict the rest of this guide.

Myo-inositol combined with selenium. A 2026 systematic review with trial sequential analysis found myo-inositol plus selenium significantly reduced TSH compared with selenium alone in Hashimoto's with subclinical hypothyroidism, but found **no significant difference in T4 or in TPO antibodies.**⁶ The authors urge caution given the limited number of studies. A TSH-lowering supplement is a real thing to discuss with whoever manages your dose, not something to add quietly. *Ask:* "This lowered TSH in trials. Given I am on levothyroxine, does adding it risk over-replacement?"

T3 or desiccated thyroid, if you feel unwell on levothyroxine alone. This comes up constantly and deserves a straight answer. A meta-analysis of blinded randomized trials found that **approximately half of participants preferred combination T3 and T4 therapy over T4 alone, which was not distinguishable from chance.**⁷ A separate meta-analysis of 16 studies examined combination therapy and desiccated thyroid directly.⁸ In short, some people genuinely do better, the trials cannot yet tell us who, and it is a legitimate conversation rather than either a miracle or a fringe request. *Ask:* "I am biochemically controlled and still symptomatic. What is your view on a trial of combination therapy, and what would we measure?"

Anything at all, if you are pregnant or planning pregnancy. Requirements change substantially, iodine becomes a live question, and thyroid management in pregnancy is one of the few areas where treating subclinical hypothyroidism has stronger support.

Iodine or kelp. This is the most contested supplement in Hashimoto's and the diet guide in this kit works through it properly. The short version: excess iodine is implicated as a risk factor in this condition, and the antibody rise it can produce appears from population data to be a phase rather than a permanent state, with thyroid function minimally disrupted through it.^{9,10} I do use iodine clinically here, including kelp, which puts me at odds with most thyroid material and is a position I hold on clinical observation rather than trial evidence. If you use it, selenium goes with it, the dose needs to be known rather than variable, and your thyroid function gets rechecked. That is why it sits in this tier rather than lower down. *Ask:* "If I add iodine, what would you want to monitor, and how would my levothyroxine dose be affected?"

What I deliberately left out, and why

Anything sold as reversing Hashimoto's. Nothing has demonstrated that.

Antibody titers as a success metric. The probiotic study improved quality of life across 12 of 14 domains without moving anti-TPO.¹ The selenium trials moved anti-TPO without ever measuring quality of life.⁴ A protocol that judges itself on your antibody number has chosen the outcome that is easier to move, not the one you came for.

Proprietary thyroid support blends. They routinely contain iodine, often a lot, sometimes undisclosed. My objection is to not knowing the dose, since iodine itself is something I do use in this condition. Iodine in Hashimoto's is a decision worth making deliberately, and an undisclosed amount inside a blend takes that decision away from you.

Things I use in practice that are not in here. A guide sold to someone I have never examined comes without a history or a medication list, and it cannot change course next week. A document has to clear a higher bar than a conversation, and where the evidence does not support recommending something at a distance, it stays out. That is the reason you can trust what did make it in.

Running a fair trial

Timing first. Six weeks of consistent levothyroxine administration before you judge anything else.

One at a time. Selenium is the reasonable first, if you are going to trial anything.

Twelve weeks. The antibody studies ran three months; the probiotic study ran a comparable course.

Decide in advance what success means, and do not make it the antibody number. Energy, cognition, sleep, hair, cold tolerance, and how you feel by mid-afternoon are the outcomes worth tracking.

Track it: rootcauseunlocked.com/tracker

Where to find quality versions of these

Everything above was written without reference to any product line.

Third-party testing first. NSF Certified for Sport and USP Verified mean an independent lab confirmed contents. **For this condition specifically, also read the label for iodine**, since thyroid-support blends frequently include it and it is the one ingredient whose exact amount you most want to know.

us.fullscript.com/welcome/drseay

Disclosure: Root Health earns a portion of sales through that link. Nothing here was included, excluded, ranked, or dosed based on what it earns. The single most-sold category in this condition, proprietary thyroid support blends, is in the do-not-buy section above.

When to seek clinical review

Urgently: if you have chest pain, a resting heart rate persistently over 120, severe confusion or drowsiness, or difficulty swallowing or breathing.

Promptly: if palpitations, tremor, heat intolerance, or unintended weight loss appear, since they can indicate over-replacement.

Before starting anything here: talk to your clinician first if you are pregnant, planning pregnancy, or taking multiple medications where timing becomes complicated.

Working with Root Health

Book a free Root Discovery Session: rootcauseunlocked.com/discovery

Consultations and ongoing care are both available wherever you are located. Being outside North Carolina is not a barrier to working with me. Tell me where you are when you reach out and I will lay out exactly how we would work together from there.

Get in touch: rootcauseunlocked.com/contact

Iron, which is easy to miss and common in this population

Thyroid peroxidase is an iron-dependent enzyme, so iron status is not a side issue in thyroid function.

A systematic review and meta-analysis of iron deficiency and thyroid function found thyroid hormone levels lower in people with iron deficiency, particularly in pregnant women, and reported a possible relationship between iron deficiency, thyroid function, and autoimmunity in some patient groups (PMID 38004184). A separate review of the same kind, in reproductive-age and pregnant women, found significantly increased odds of overt and subclinical hypothyroidism in pregnant women with iron deficiency (PMID 33716980).

What to do. Test before supplementing. Ferritin with serum iron, TIBC, transferrin saturation, and a CBC. Iron is not a supplement to take speculatively: unnecessary iron causes constipation and nausea, overload is a genuine risk, and iron is a leading cause of poisoning death in young children, so keep it locked away.

Timing matters if you take levothyroxine. Iron interferes with its absorption. Separate them by at least four hours and tell your prescriber you are taking it.

References

1. Probiotic Supplementation Enhances the Effects of a Nutritional Intervention on Quality of Life in Women with Hashimoto's Thyroiditis: A Double-Blind Randomised Study. *Nutrients*. 2025. PMID 41228460.
2. Effects of different supplements on Hashimoto's thyroiditis: a systematic review and network meta-analysis. *Front Endocrinol*. 2024. PMID 39698034.
3. The Effects of Selenium Supplementation in the Treatment of Autoimmune Thyroiditis: An Overview of Systematic Reviews. *Nutrients*. 2023. PMID 37513612.
4. van Zuuren EJ, Albusta AY, Fedorowicz Z, Carter B, Pijl H. Selenium supplementation for Hashimoto's thyroiditis. *Cochrane Database Syst Rev*. 2013;(6):CD010223. PMID 23744563.
5. Effects of vitamin D supplementation on autoantibodies and thyroid function in patients with Hashimoto's thyroiditis: A meta-analysis. *Medicine (Baltimore)*. 2024. PMID 38206745.
6. Myo-Inositol Plus Selenium vs. Selenium Alone in Hashimoto's Thyroiditis with Subclinical Hypothyroidism: A Systematic Review and Updated Meta-Analysis with Trial Sequential Analysis. *J Clin Med*. 2026. PMID 42122912.
7. A Systematic Review and Meta-Analysis of Patient Preferences for Combination Thyroid Hormone Treatment for Hypothyroidism. *Front Endocrinol*. 2020. PMID 31396154.
8. Evaluating the effectiveness of combined T4 and T3 therapy or desiccated thyroid versus T4 monotherapy in hypothyroidism. *BMC Endocr Disord*. 2024. PMID 38877429.
9. Atapattu N, et al. Thyroid Autoimmunity During Universal Salt Iodisation: Possible Short-Term Modulation with Longer-Term Stability. *Nutrients*. 2024;16(24):4299. PMID 39770919. *Population-level iodization data, not individual supplementation trials*.
10. Negro R. Selenium and thyroid autoimmunity. *Biologics*. 2008;2(2):265-273. PMID 19707359.
11. Sonino N, Girelli ME, Boscaro M, et al. Life events in the pathogenesis of Graves' disease. A controlled study. *Acta Endocrinol (Copenh)*. 1993;128(4):293-296. PMID 8498147
12. Matos-Santos A, Nobre EL, Costa JG, et al. Relationship between the number and impact of stressful life events and the onset of Graves' disease and toxic nodular goitre. *Clin Endocrinol (Oxf)*. 2001;55(1):15-19. PMID 11453947
13. Wang Z, Chang X, Cheng X. Epstein-Barr virus in thyroid disease: an integrated immunovirological perspective. *Front Immunol*. 2025;16:1687214. PMID 41229422
14. Garofalo V, Condorelli RA, Cannarella R, et al. Relationship between Iron Deficiency and Thyroid Function: A Systematic Review and Meta-Analysis. *Nutrients*. 2023;15(22):4790. PMID 38004184
15. Luo J, Wang X, Yuan L, et al. Iron Deficiency, a Risk Factor of Thyroid Disorders in Reproductive-Age and Pregnant Women: A Systematic Review and Meta-Analysis. *Front Endocrinol (Lausanne)*. 2021;12:629831. PMID 33716980
16. Lundh A, Lexchin J, Mintzes B, et al. Industry sponsorship and research outcome. *Cochrane Database Syst Rev*. 2017;2(2):MR000033. PMID 28207928

Functional target ranges transcribed from the Root Health blood chemistry range. Levothyroxine timing guidance reflects the product prescribing information.

For educational purposes only. This guide does not constitute medical advice, diagnosis, or treatment, and reading it does not establish a patient-provider relationship.

