
AgentsDim
---
agent_id (int 'pk')
agent_name (string)
agent_email (string)
agent_phone (int)
skill_level (string)
hire_date (date)
team_name (string)
avg_handle_time_min (doub
resolution_rate (float)
csat_score (float)
is_active (boolean)
created_at (datetime)
updated_at(datetime)
CustomersDim
---
customer_id (int PK)
full_name (string)
email (string)
phone (int)
signup_date (date)
gender (string)
created_at (datetime)
updated_at (datetime)
segment_name (string)
priority_support (boolean)
discount_pct (float)


ChannelsDim
---
channel_id (int)
channel_name (string)
FactTickets (1 row per Ticket)
Transaction_id (int) (surrogate key)
ticket_id (degenerate dimension) (strir
order_id (degenerate dimension) (strir
customer_id (int)
agent_id (int)
driver_id (int)
restaurant_id (int)
region_id (int)
reason_id (int)
date_key_created (int)
date_key_first_response (int)
date_key_resolved (int)
Status(string)
order_amount (double)
delivery_fee (double)
channel_id (int)
discount_amount (float)
total_amount (double)
revenue_impact(double)
refund_amount(double)
resolution_time_min(double)
first_response_time_min(double)
sla_first_response_breached(boolean
sla_resolution_breached(boolean)
DriversDim
---
driver_id(int)
driver_name(string)
driver_phone(int)
national_id(int)
shift(string)
vehicle_type(string)
hire_date(date)
rating_avg (float)
on_time_rate (float)
cancel_rate(float)
completed_deliveries(int)
is_active(boolean)
created_at(datetime)
updated_at(datetime)
ReasonsDim
---
reason_id(int)
reason_name(string)
reason_category_name(strir
severity_level(int)
typical_refund_pct(float)


DateDim
date_id (int PK)
full_date (date)
day (string)
month (string)
quarter (string)
year (int)
day_of_week (int)
is_weekend (boolean)


RegionsDim
---
region_id (int)
region_name (string)
city_id (int)
delivery_base_fee (float)
CitiesDim
---
city_id (int)
city_name (string)
country (string)
timezone (string)
RestaurantsDim
restaurant_id (int)
category name (string)
restaurant_name (string)
price_tier (string)
rating_avg (float)
prep_time_avg_min (int)
is_active(boolean)
created_at (datetime)
updated_at (datetime)