QA Test Report — Work · Queue (triage lanes)

MapKMigGon38571 · Map King Discovery & Foundation · Sprint 4 · Base: Map King Hub · Version 7 (runs 1–4)

Story	MapKMigGon38571 — Triage lanes (On Fire, This Week, Waiting On, Queued, Icebox)
Component	Interface 2 → page “Work · Queue” (custom interface component, *WorkQueuePage.tsx*)
Test date	2026-10-13
Tested by	Claude, executed in the in-app browser on behalf of Andrés Serrón (signed in as Washington Andrés Serrón Ifran)
Runs	**Run 1** (tests 1–6): Interface Designer preview, first published version. **Run 2** (tests 7–13): published page after the fixes and after the new event logging for Done / Drop / +7d. **Run 3** (tests 14–18): published page driven with Claude in Chrome (stale badges, duplicates, Today regression, bulk actions); test 19 is the server-side check. **Run 4** (test 20): required-field check, done by Andrés in the Interface Designer preview.
Method	Manual end-to-end tests through the UI. Every write was verified server-side by reading *task_lanes* and *priority_events* through the Airtable API.
Test data	Three records in *command_center_tasks* (source Manual, title “TEST - QA 38571 · …”, description “SAFE TO DELETE”): recl8aPKRu8Jy7BSI (Done), recc11H2rWfF1lfcf (Drop), recu8l8vKkqDF6e3z (+7d, move, delegate).
Overall result	**All executed tests pass.** Two configuration defects were found in run 1 (primary fields not exposed in the Data panel) and fixed. Done, Drop and +7d now leave a *triage_action* event like Move and Delegate. The component’s User actions toggles “Edit records inline” and “Add records inline” must be ON (they grant the SDK write permission); with them OFF, writes fail. Not run in this report: simulation of a partial Loom run (E2E-6, only the pending-triage banner was seen) and a live open task with an empty last-activity date (covered by unit test U3; a QA procedure to create one is in the QA guide).

1. Test summary

#	Test	Spec ref	Run	Result
1	Page loads with real data and lane counts	E2E-2	1	**PASS**
2	Filter by one domain (Sales)	E2E-1	1	**PASS**
3	Open task detail panel	E2E-2, E2E-5	1	**PASS**
4	Move a task with no lane row (creates row)	E2E-3	1	**PASS (note)**
5	Move a task that already has a lane row	E2E-3	1	**FAIL → PASS**
6	Detail panel crash after first fix	—	1	**FAIL → PASS**
7	Final version loads; incomplete-data banner	E2E-6 (partial)	2	**PASS**
8	Done	R2	2	**PASS**
9	Drop	R2	2	**PASS**
10	Reschedule +7d (with event)	R2	2	**PASS**
11	Move to Waiting On (task with no lane row)	E2E-3	2	**PASS**
12	Delegate to a person	E2E-5	2	**PASS**
13	Combined filters and empty state	E2E-1, E2E-8	2	**PASS**
14	Stale badges and excluded sources	E2E-4	3	**PASS**
15	Possible duplicate and ambiguous match	E2E-9	3	**PASS**
16	Regression: Today page	R1	3	**PASS**
17	Bulk actions: retag domain and reassign owner	R2	3	**PASS**
18	Bulk action: push to next week	R2	3	**PASS (note)**
19	Server-side verification (writes and events)	5.4	3	**PASS**
20	Required fields hidden (designer preview)	E2E-7, 5.4	4	**PASS**

Not covered here: simulated partial Loom run (E2E-6) and a live open task with an empty last-activity date (unit test U3 covers the rule). Automation tests A1–A5 were run separately by the developer (dry run, live load, idempotent second run).

Run 1 — first published version


Test 1 — Page loads with real data and lane counts

Spec ref	E2E-2
Precondition	Automation has populated command_center_triages (838 rows, 146 open tasks). Signed in to Airtable.
Expected	Queue tab shows tasks with source/domain tags, lane badges (MANUAL LANE / SUGGESTED), AI category, delegable, ambiguous and stale tags; lane tabs show counts.
Actual	All 146 · On Fire 2 · This Week 38 · Waiting On 4 · Queued 68 · Icebox 35. Tags rendered as expected.
Result	**PASS**

Steps

1. Open Interfaces → Interface 2 → Work · Queue.

2. Wait for the component to render.




Work · Queue loaded with real data and lane counts.

Test 2 — Filter by one domain


Spec ref	E2E-1
Precondition	Test 1 passed.
Expected	Only Sales tasks are listed; lane counts follow the filter; a “Clear filters” link appears.
Actual	All dropped from 146 to 13; “Clear filters” appeared.
Result	**PASS**

Steps

1. Click the domain pill “Sales”.



Data panel of the component (6 tables, 52 fields) shown while the component was selected.




Domain filter = Sales (All 13).

Test 3 — Open task detail panel

Spec ref	E2E-2, E2E-5
Precondition	Task “Set up and grant VISIT Milwaukee portal access…” has no manual lane (rule suggestion this_week) and is delegable.
Expected	Detail panel with lane provenance, stale reason, actions (Done / Drop / +7d), Move to… and the delegate prompt.
Actual	Panel showed “Lane: This Week (suggested)”, stale reason, actions, Move to… and “Delegable… Delegate to whom?”.
Result	**PASS**

Steps

1. Click the task title.




Detail panel for a task on a suggested lane.

Test 4 — Move a task that has no lane row


Spec ref	E2E-3
Precondition	Task from test 3 has no row in task_lanes for the current user.
Expected	A task_lanes row is created for the user; the badge becomes manual; a triage_action event is logged.
Actual	Row recQOcNJrcTKwv2SM created (lane icebox). Event rectNXuFvfjDBQjJ6 “Lane this_week (rule) → icebox”, source extension, status ok. Panel showed “Lane: Icebox (you placed it)”. Note: the keyboard selection landed on Icebox instead of the intended Waiting On; repeated correctly in test 11.
Result	**PASS (note)**

Steps

1. In “Move to…”, choose a different lane (native select, driven with the keyboard).




Move to… dropdown with the five lanes.



After the move: “Lane: Icebox (you placed it)”.

Test 5 — Move a task that already has a lane row


Spec ref	E2E-3
Precondition	Task has an existing task_lanes row for the user.
Expected	The existing row is updated; badge changes; event logged.
Actual (1st run)	Alert: “Could not move the task: No field with ID fldzVlkvjlweW446r in table ‘task_lanes’”. Reported by Andrés on the published page.
Root cause	*rank_id* (autoNumber) is the **primary field** of task_lanes and was not exposed in the component’s Data panel. The SDK needs the primary field of every table. Test 4 created a row, which did not hit this path.
Fix	Expose *rank_id* in the Data panel (51 → 52 visible fields) and republish.
Result	**FAIL** → **PASS** (see test 6)




Failure on the published page when moving a task that already had a lane row.

Test 6 — Detail panel after the first fix


Precondition	rank_id exposed (52 visible fields).
Steps	Reload the designer page, click a task title.
Expected	Detail panel opens.
Actual (1st run)	Component crashed: “Something went wrong”. Error details: *No field with ID fldMarnRXhQIb1898 in table ‘cct_triage_configs’* (its primary field *name*).
Root cause	Same class of defect: primary fields of *cct_triage_configs* (name), *command_center_triages* (normalized_task_id) and *loom_sync_runs* (run_id) were also not exposed.
Fix	Expose the three primary fields in the Data panel. Omni’s “Fix for me” was **not** used, to avoid unreviewed configuration changes.
Actual (after fix)	Detail panel opens. Moving a task that already had a lane row works: “Lane: This Week (you placed it)”, no alert. Event recgjAC2ykufjWB4j “Lane on_fire (manual) → this_week” for attio:d7507ef4-69d5-4396-83da-79812f46c2af at 04:11:50 UTC.
Result	**FAIL → PASS**




Component crash after opening a task (before the primary-field fix).



Error details: missing field in cct_triage_configs.



After the fix: detail panel opens on a task in On Fire (manual).



After moving to This Week: “Lane: This Week (you placed it)”.

Run 2 — final published version


Published after adding *triage_action* events to Done, Drop and +7d. The three test tasks are filtered with the Source pill “Manual”.

Test 7 — Final version loads; incomplete-data banner


Spec ref	E2E-6 (partial)
Precondition	Three new open tasks in command_center_tasks have no row in command_center_triages yet (automation runs hourly).
Expected	The page renders; a banner warns that the list may be incomplete; the test tasks appear with the fallback lane.
Actual	Banner “This list may be incomplete or out of date. 3 open tasks have no triage yet”. Queued went from 68 to 71. With Source = Manual the three tests appear as SUGGESTED / Queued.
Result	**PASS**

Steps

1. Open the published page Work · Queue.
2. Click the Source pill “Manual”.



Final version: incomplete-data banner and Queued 71.




Source = Manual shows the three test tasks.

Test 8 — Done


Spec ref	R2
Precondition	Task “TEST - QA 38571 · test Done” (manual:qa-38571-done), no lane row.
Expected	task_lanes row with action_status = done and synced_to_source = false; a triage_action event; “done · local only” tag.
Actual	Tag “done · local only”; panel text “done · not synced to source”. task_lanes row rec3cVTI1S95T5klk action_status done. Event recBgUjVCvmJBWAK1 “done · manual:qa-38571-done”, message “Action none → done; local only, not synced to source”, source extension.
Result	**PASS**

Steps

1. Click the task title.
2. Click “Done”.



Task detail before Done.




After Done: “done · local only”.

Test 9 — Drop


Spec ref	R2
Precondition	Task “TEST - QA 38571 · test Drop” (manual:qa-38571-drop).
Expected	task_lanes row with action_status = dropped; a triage_action event; “dropped · local only” tag.
Actual	Tag “dropped · local only”. task_lanes row recy1rK2gOsStQeFW action_status dropped. Event recmW29zvmIdQ0HPB “dropped · manual:qa-38571-drop”, message “Action none → dropped; local only, not synced to source”.
Result	**PASS**

Steps

1. Click the task title.
2. Click “Drop”.



Task detail before Drop.




After Drop: “dropped · local only”.

Test 10 — Reschedule +7d (with event)


Spec ref	R2
Precondition	Task “TEST - QA 38571 · test +7d” (manual:qa-38571-push).
Expected	action_status = rescheduled and rescheduled_date = today + 7; a triage_action event that says the task was pushed; “rescheduled · local only” tag.
Actual	Tag “rescheduled · local only”. task_lanes row recX1Vl487q0w82zF: action_status rescheduled, rescheduled_date 2026-10-20. Event recvMSW9ZZQNIB9ln “rescheduled +7d · manual:qa-38571-push → 2026-10-20”, message “Action none → rescheduled; pushed to 2026-10-20; local only, not synced to source”. This closes the gap found in run 1 (+7d logged no event).
Result	**PASS**

Steps

1. Click the task title.
2. Click “+7d”.



Task detail before +7d.




After +7d: “rescheduled · local only”.

Test 11 — Move to Waiting On

Spec ref	E2E-3
Precondition	Same +7d test task; it has a lane row only for the action (no lane).
Expected	Lane becomes Waiting On (manual); MANUAL LANE badge; a triage_action event.
Actual	Panel “Lane: Waiting On (you placed it)”, MANUAL LANE badge, Waiting On count 1. Event recEmOPi8ceYRKTUx “move · manual:qa-38571-push → waiting_on”, message “Lane queued (rule) → waiting_on”.
Result	**PASS**

Steps

1. Choose “Waiting On” in “Move to…”.




After moving to Waiting On.

Test 12 — Delegate to a person


Spec ref	E2E-5
Precondition	Task from test 11; no delegate suggestion (roster pending).
Expected	delegated_to is written on task_lanes; a triage_action event; a DELEGATED tag.
Actual	Tag “DELEGATED · QA-DELEGATE-TEST”. delegated_to = QA-delegate-test. Event recJCX90fC37PQjCf “delegate · manual:qa-38571-push → QA-delegate-test”, message “Delegated to QA-delegate-test (no suggestion)”.
Result	**PASS**

Steps

1. Click “Delegate to someone else?”.
2. Type “QA-delegate-test” and click Confirm.



Inline delegate field.




After confirming: DELEGATED · QA-DELEGATE-TEST.

Test 13 — Combined filters and empty state


Spec ref	E2E-1, E2E-8
Precondition	Source = Manual is already selected.
Expected	Ops + Manual returns the three tests; adding Carlos Olivares returns an empty state without errors.
Actual	Ops + Manual: three tests. Adding Carlos Olivares: “Nothing matches these filters”, all lane counts 0. In run 1, Sales + Carlos + Attio gave the same empty state on the published page.
Result	**PASS**

Steps

1. Click the domain pill “Ops”.
2. Click the owner pill “Carlos Olivares”.



Domain Ops + Owner Carlos Olivares + Source Manual: empty state.



Run 1: Sales + Carlos + Attio: empty state.

Run 3 — Claude in Chrome (published page)


Same published page, driven in Chrome. Only the Manual test task was used for write actions.

Test 14 — Stale badges and excluded sources


Spec ref	E2E-4
Precondition	Published page; Source filter available.
Expected	Calendar tasks (excluded source) show no stale badge; Airtable, Attio and Linear tasks past their limits show “Stale · …”.
Actual	Google Calendar: 14 tasks, none with a Stale badge. Airtable: badges such as “Stale · Overdue 71 days (limit 2)” and “Stale · 66 days without activity (limit 7)”.
Result	**PASS**

Steps

1. Click the Source pill “Google Calendar”.
2. Clear filters and click “Airtable”.



Source = Google Calendar: no stale badges.




Source = Airtable: stale badges.

Test 15 — Possible duplicate and ambiguous match

Spec ref	E2E-9
Precondition	Source = Airtable selected.
Expected	Coastal Realty follow-up and its approval carry POSSIBLE DUPLICATE; the INDYCAR invoice and its approvals carry AMBIGUOUS MATCH.
Actual	Both pairs show the expected badges (Coastal Realty Group — Follow-up and Follow-up Approval; INDYCAR Deposit Invoice, Approve: INDYCAR Deposit Invoice and Invoice Approval).
Result	**PASS**

Steps

1. Scan the Airtable list.




Source = Airtable: duplicate and ambiguous badges.

Test 16 — Regression: Today page

Spec ref	R1
Precondition	Work · Queue published; Today in the same interface.
Expected	Today loads with no errors and its counts agree with the queue.
Actual	Header “0 fires · 7 need you · 7 waiting over 3 days”; Power Hour and Needs You list the 7 pending approvals; “No fires ranked yet” matches On Fire 0.
Result	**PASS**

Steps

1. Click “Today” in the sidebar.



Today page.


Test 17 — Bulk actions: retag domain and reassign owner

Spec ref	E2E-2
Precondition	Task “TEST - QA 38571 · test +7d” in Waiting On, ticked.
Expected	Domain and owner change on the selected task; one triage_action event per bulk operation.
Actual	Domain Ops → QA; owner QA-owner-test (also appears as an Owner filter pill). Events recmxVGrXskD5vYCr “bulk retag · 1 of 1” and recpJU43T0deYS8EY “bulk reassign · 1 of 1” (0 failed).
Result	**PASS**


Steps

1. Choose “QA” in “Retag domain…”.


2. Click “Reassign owner…” and enter “QA-owner-test” in the prompt (typed by Andrés).



One task selected; bulk bar visible.



After retag: domain QA.




After reassign: owner QA-owner-test.

Test 18 — Bulk action: push to next week

Spec ref	E2E-2
Precondition	Same test task ticked.
Expected	The selection clears and a bulk push event is written.
Actual	No dialog; selection cleared. Event recaBdvtpYZpyLykG “bulk push · 1 of 1” (1 written, 0 failed). The task already had 2026-10-20, so the date did not visibly change.
Result	**PASS (note)**

Steps

1. Click “Push to next week”.




After push: selection cleared.

Test 19 — Server-side verification

Method	Airtable API: list priority_events (triage_action) and read the task_lanes rows for the test tasks; check row counts and test-task state.
Result	New rows only in *task_lanes* (rec3cVTI1S95T5klk, recy1rK2gOsStQeFW, recX1Vl487q0w82zF; the last also holds the bulk retag/reassign) and *priority_events* (recBgUjVCvmJBWAK1, recmW29zvmIdQ0HPB, recvMSW9ZZQNIB9ln, recEmOPi8ceYRKTUx, recJCX90fC37PQjCf, plus bulk retag recmxVGrXskD5vYCr, reassign recpJU43T0deYS8EY and push recaBdvtpYZpyLykG). command_center_triages still has 838 rows; the three test tasks in command_center_tasks are unchanged (lifecycle open): the page writes nothing to either table.
Result	**PASS**

Test 20 — Required fields hidden (Interface Designer preview)

Spec ref	E2E-7, spec 5.4
Precondition	Fields removed from the component's Data panel in the Interface Designer preview; page not published in that state.
Expected	A message naming each missing field and its table; the triage list is not rendered as if it were complete.
Actual	Red panel "Work · Queue cannot show a complete list: some fields are not available to this page", listing each field as table.name with its field ID (for example command_center_tasks.title, task_lanes.actionStatus, command_center_triages.staleState) and ending with "Expose them in the page Data panel (see docs/stories/MapKMigGon38571/schema.md)." No lane list and no "Nothing matches these filters".
Restored	After re-exposing the fields the designer shows "No changes · Last published Oct 13, 2026", Fields 52 visible, and the list, counts and banner are back. User actions toggles: see F2 (they must stay ON for Edit and Add).
Result	**PASS**



Designer preview with fields hidden: the page names every missing field.

2. Findings and open items

ID	Status	Description
F1	High	The primary field of every table must be exposed in the component's Data panel. Fixed for task_lanes, cct_triage_configs, command_center_triages and loom_sync_runs. Add this to the story's setup notes.
F2	Closed	The User actions toggles are not only UI: for a custom component they control the SDK permissions. With "Edit records inline" and "Add records inline" OFF, the page could not write (bulk push alert "1 of 1 items failed to push"; code throws "No permission to update task_lanes" and skips events). With all three ON, bulk push wrote task_lanes and event recwPJ22KxvDJRqDI "bulk push · 1 of 1" (1 written, 0 failed). Required setting: Edit ON, Add ON. Delete is not used by Work · Queue and may stay OFF; Click into record details OFF. Not a risk to remove.
F3	Closed	Done, Drop and +7d did not log events in run 1. Fixed: each now writes a triage_action with the previous and new status, the date for +7d and the sync state (tests 8–10).
F4	Low	Test data left in production: three SAFE-TO-DELETE tasks in command_center_tasks (recl8aPKRu8Jy7BSI, recc11H2rWfF1Ifcf, recu8l8vKkqDF6e3z) with their task_lanes rows (the +7d one now has domain QA and owner QA-owner-test from the bulk tests); lane row recQOcNJrcTKwv2SM (VISIT Milwaukee task: icebox, delegated TEST-delegate, rescheduled 2026-10-20); task attio:d7507ef4-… moved from On Fire to This Week. priority_events is append-only, so the events stay.
F5	Info	The component runs in a cross-origin iframe, so DOM tools cannot read it and screenshots are the only UI evidence. Native select dropdowns need keyboard input.
F6	Info	The incomplete-data banner appears whenever tasks have no triage row yet (up to one hourly automation cycle). Behaviour is as specified.