

Healme patitent tables

Hover columns to read the comments 24-04-2022 @ DbSchema





Healme patitent tables

Table activeliving

* Pk	active_living_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	active	integer
	additional_instructions	varchar(255)
	completed	integer
	program_week_id	bigint
Indexe	es	
ы		

Pk activeliving_pkey active_living_id

Foreign Keys

fkk7mwxg710eupfydu2a5m1fo1g (program_week_id) ref programweeks (program_week_id)

Table aleducation

* Pk	education_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	completed	integer
	education_desc	varchar(255)
	education_feature	varchar(255)
	feature_desc	varchar(255)
	active_living_id	bigint
Indexe	S	
Pk	aleducation_pkey	education_id
Foreign	n Keys	
	fkgwkg9uetj29qysfqtcwdflfr2 (active_living_id) ref act	tiveliving (active_living_id)

Table algoals

* Pk	goal_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	completed	integer
	goal_desc	varchar(255)
	goal_type	varchar(255)
	goal_value	varchar(255)
	active_living_id	bigint
Indexe	S	

Pk algoals_pkey goal_id

Foreign Keys

fkcou9imhw81afgkaj0bn272ts4 (active_living_id) ref activeliving (active_living_id)

Table alroutines

* Pk	routine_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)

Table alroutines

	last_modified_date	timestamp
	active	integer
	completed	integer
	active_living_id	bigint
Indexe	es	
Pk	alroutines_pkey	routine_id
Foreign Keys		
	fk4x0g6y5s2qlifcfkt7yqq30sn (active_living_id) ref ac	ctiveliving (active_living_id)

Table cohorts

* Pk	cohort_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	active	integer
*	cohort_name	varchar(50)
	cohort_startdate	date
	group_id	bigint
Indexe	es	
Pk	cohorts_pkey	cohort_id
Foreig	n Keys	

fk67jtq8roaw4ovpr89x6c36ir9 (group_id) ref groups (group_id)

* Pk component permission id

* Pk	component_permission_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	access_level	integer
	active	integer
	all_level	integer
	component_type	varchar(255)
	delete_level	integer
	edit_level	integer
	new_level	integer
	read_level	integer
	role_permission_id	bigint
Indexe	S	
Pk	componentpermissions_pkey	component_permission_id
Foreign	n Keys	
	fkgut0rh9vml189estbbox0tnhx (role_permission_id) r	ef rolepermissions (role_permission_id)

Table customeducations

* Pk	custom_education_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	active	integer
	completed	integer
	education_desc	varchar(255)

Table customeducations

education_feature	varchar(255)
feature_desc	varchar(255)
custom_feature_id	bigint

Indexes

Pk customeducations_pkey custom_education_id

Foreign Keys

fkfv1dfpce9t0j55824r25ltv86 (custom_feature_id) ref customfeatures (custom_feature_id)

Table customfeatures

* Pk	custom_feature_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	active	integer
	additional_instructions	varchar(255)
	custom_name	varchar(255)
	program_week_id	bigint
Indexe	es	
Pk	customfeatures_pkey	custom_feature_id

Foreign Keys

fk2cesyw44nm9c96sfgeom2y6cr (program_week_id) ref programweeks (program_week_id)

Table customsurveys

* Pk	custom_survey_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	active	integer
	comment	varchar(255)
	custom_id	bigint
Indexe	S	
Б.		

customsurveys_pkey custom_survey_id

Foreign Keys

fk8dq12m8s788nfuas1e08yd12l (custom_id) ref customfeatures (custom_feature_id)

Table educationmaterials

* Pk	education_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	completed	integer
	education_desc	varchar(255)
	education_feature	varchar(255)
	feature_desc	varchar(255)
	healthy_eating_id	bigint
Indexe	S	
Pk	educationmaterials_pkey	education_id
Foreign	n Keys	

fkr972aqowgmfegs9rsttealq3c (healthy_eating_id) ref healthyeatings (healthy_eating_template_id)

Table exercise_body_regions

* Pk	region_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
*	region_name	varchar(255)
	exercise_id	bigint
Indexe	s	

Pk exercise_body_regions_pkey region_id

Foreign Keys

fkrbjg61yxk98kg4sqgsyeutico (exercise_id) ref exercises (exercise_id)

Table exercise_categories

* Pk	category_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
*	category_name	varchar(255)
	exercise_id	bigint
Indexe	S	
Pk	exercise_categories_pkey	category_id
Espeia.	. Varia	

Foreign Keys

fklmtajh3sxy3vdfe5cb43fnk6m (exercise_id) ref exercises (exercise_id)

Table exercise_complexity

* Pk	complexity_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
*	complexitylevel_name	varchar(255)
	exercise_id	bigint
Indexes		
Pk	exercise_complexity_pkey	complexity_id
Foreign	n Keys	

fkhgdpl23abwr4mc4o3ct6qogok (exercise_id) ref exercises (exercise_id)

Table exercise equipment

* Pk	equipment_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
*	equipment_name	varchar(255)
	exercise_id	bigint
Indexe	s	
Pk	exercise_equipment_pkey	equipment_id

Foreign Keys

fk6bhh7dtlj9n8mmt578q4hma8q (exercise_id) ref exercises (exercise_id)

Table exercise_families

* Pk family_id bigint

Table exercise_families

	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
*	family_name	varchar(255)
	exercise_id	bigint
Indexe	es	
Dk	overeise families pkov	family id

Pk exercise_families_pkey family_id

Foreign Keys

fk4m53lukpdxr9xl8jhifcdufpr (exercise_id) ref exercises (exercise_id)

Table exercise_fitnesstype

* Pk	fitnesstype_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
*	fitnesstype_name	varchar(255)
	exercise_id	bigint
Indexes		
Pk	exercise_fitnesstype_pkey	fitnesstype_id
Foreig	n Kevs	

fkl7rkrcme8mus6m2x3mtkts3m1 (exercise_id) ref exercises (exercise_id)

Table exercise_functional_values

* Pk	value_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
*	value_name	varchar(255)
	exercise_id	bigint
Indexes		
Pk	exercise_functional_values_pkey	value_id

fk4yhsk8amtuljm9u867q12ourv (exercise_id) ref exercises (exercise_id)

Table exercise_orientations

Foreign Keys

* Pk	orientation_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
*	orientation_name	varchar(255)
	exercise_id	bigint
Indexe	S	
Pk	exercise_orientations_pkey	orientation_id

Foreign Keys

fk4e4c9fr4mb3gquls6p4kulwgj (exercise_id) ref exercises (exercise_id)

Table exercise_patterns

* Pk	pattern_id	bigint
	created_by	varchar(255)

Table exercise_patterns

	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
*	pattern_name	varchar(255)
	exercise_id	bigint
Indexes		
Pk	exercise_patterns_pkey	pattern_id
Foreig	n Keys	
_		

fk8lomersxva15qves4str1kqar (exercise_id) ref exercises (exercise_id)

Table exercises

* Pk	exercise_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
*	exercise_level	varchar(50)
*	exercise_name	varchar(50)
*	exercise_screenshot	varchar(50)
	tags	varchar(50)
*	video_coach	varchar(50)
*	video_coach_demo	varchar(50)
*	video_coach_demo_w_music	varchar(50)
*	video_coach_w_music	varchar(50)
*	video_intro_demo	varchar(50)
*	video_intro_demo_w_music	varchar(50)
	routine_id	bigint
Indexe	es	
Pk	exercises_pkey	exercise_id
Foreig	n Keys	
	fkgg3le62809vriygb1i6px86e1 (routine_id) ref routin	es (routine_id)

Table generaleducation

* Pk	general_education_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	active	integer
	category	varchar(255)
	education_name	varchar(255)
	program_week_id	bigint
Indexe	S	
Pk	generaleducation_pkey	general_education_id

fkdbwmnx3rriughcw5c7edq65oe (program_week_id) ref programweeks (program_week_id)

Table groups

Foreign Keys

* Pk	group_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp

Tal	h	9	a	ro	ш	ns
ı a	\mathbf{v}		ч	ı	u	ρ

Tubic	greape	
	active	integer
*	group_name	varchar(255)
	subgroup_name	varchar(255)
	survey_token	varchar(255)
	survey_url	varchar(255)
	organization_id	bigint
	user_id	bigint
Indexe	es	
Pk	aroune nkey	aroun id

Pk groups_pkey group_id

Foreign Keys

fk31649la4w7ommiwsskfrpkm1x (organization_id) ref organizations (organization_id)

fk4cygfv5el2o2v3hbkdkscfw5q (user_id) ref users (user_id)

Table groupusers

* Pk	group_user_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	survey_record	varchar(255)
	cohort_id	bigint
	group_id	bigint
	user_id	bigint
Indexe	S	
Pk	groupusers_pkey	group_user_id
Foreig	n Keys	
	fkdua3ea5f5l9otsnx9jtlo7d18 (cohort_id) ref cohorts ((cohort_id)
	fkpv04nf5ei8yc67jfqfkpy6tak (group_id) ref groups (g	group_id)
	fkft4ds04ndrquosa71sbb7ghhv (user_id) ref users (u	user_id)

Table healthyeatings

Table healthyeatings	
* Pk healthy_eating_template_id	bigint
created_by	varchar(255)
created_date	timestamp
last_modified_by	varchar(255)
last_modified_date	timestamp
active	integer
additional_instructions	varchar(255)
completed	integer
program_week_id	bigint
Indexes	
Pk healthyeatings_pkey	healthy_eating_template_id
Foreign Keys	

fkf7d7ti51snijkfriioteitrcb (program_week_id) ref programweeks (program_week_id)

Table hegoals

* Pk	goal_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	completed	integer
	goal_desc	varchar(255)

Ta	ᆈ	_	Ь.	_	~	_	\sim	_
-12	r זו	$\boldsymbol{\omega}$	m	$\boldsymbol{\omega}$	п	()	21	15
ı u	νı			S	ч	v	u	o

	3	
	goal_type	varchar(255)
	goal_value	varchar(255)
	healthy_eating_id	bigint
Indexes		
Pk	hegoals_pkey	goal_id

Foreign Keys

fk6tlcj9mdn99xaefjwyobfcmmk (healthy_eating_id) ref healthyeatings (healthy_eating_template_id)

Table herecipes

* Pk	he_recipe_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	active	integer
	healthy_eating_id	bigint
	recipe_id	bigint
Indexe	es	
Pk	herecipes_pkey	he_recipe_id

Foreign Keys

fk7wlj47tb3y0bwqsyb9fphj69n (healthy_eating_id) ref healthyeatings (healthy_eating_template_id) fkcbhyu6un5aq8xr0p0iv8i3sj1 (recipe_id) ref recipes (recipe_id)

Table meeducation

* Pk	education_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	completed	integer
	education_desc	varchar(255)
	education_feature	varchar(255)
	feature_desc	varchar(255)
	mindful_energy_id	bigint
Index	es	
Pk	meeducation_pkey	education_id
Foreig	gn Keys	

fk8xkfjvgcxnj3ho19ivpamr1vi (mindful_energy_id) ref mindfulenergys (mindful_energy_id)

Table megoals

* Pk	goal_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	completed	integer
	goal_desc	varchar(255)
	goal_type	varchar(255)
	goal_value	varchar(255)
	mindfule_energy_id	bigint
Indexe	s	
Pk	megoals_pkey	goal_id

Foreign Keys

fko6x0lugsg0794s3vspf0gkvnn (mindfule_energy_id) ref mindfulenergys (mindful_energy_id)

Table meroutines

* Pk	me_routine_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	active	integer
	completed	integer
	mindful_energy_id	bigint
	routine_id	bigint
Indexe	S	

Pk meroutines_pkey me_routine_id

Foreign Keys

 $fkbw188cototdta4txwtnwsan9w\ (\ mindful_energy_id\)\ ref\ mindfulenergys\ (\ mindful_energy_id\)$

fkk6gxt42b5151upexdw1jbewef (routine_id) ref routines (routine_id)

Table mindfulenergys

* Pk	mindful_energy_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	active	integer
	additional_instructions	varchar(255)
	completed	integer
	program_week_id	bigint
Indexe	es	
Pk	mindfulenergys_pkey	mindful_energy_id
Forcio	un Kovo	

Foreign Keys

fk8i194ueg1080qr60aff0tflw3 (program_week_id) ref programweeks (program_week_id)

Table motivationsmessages

* Pk	motivational_message_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	active	integer
	message_desc	varchar(255)
	program_id	bigint
Indexe	s	
Pk	motivationsmessages_pkey	motivational_message_id
Foreig	n Keys	
	rams (program_id)	

Table organizations

* Pk	organization_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp

_			2.5	
Inh	Oro	ODI	zatio	SOC
100		14111	<i>/</i> a : : : :	11 15
1 40	 0.0	1001111		,,,,

	o organizationo	
	active	integer
	allow_active_living	integer
	allow_education	integer
	allow_healthy_eating	integer
	allow_messaging	integer
	allow_mindful_energy	integer
	allow_resources	integer
	allow_scheduling	integer
*	organization_name	varchar(50)
Index	es	
Pk	organizations_pkey	organization_id

Table programs

* Pk	program_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	active	integer
	description	varchar(255)
	duration	integer
	inc_active_living	integer
	inc_healthy_living	integer
	inc_mindful_energy	integer
	inc_motivational_messages	integer
*	program_name	varchar(50)
	safety_check	integer
*	startdate	timestamp
	group_user_id	bigint
Indexe	es es	
Pk	programs_pkey	program_id
Foreig	n Keys	
	fk7ehtl9hjmj9n58ik093c0jwyi (group_user_id) ref gro	oupusers (group_user_id)

Table programweeks

program_week_id	bigint
created_by	varchar(255)
created_date	timestamp
last_modified_by	varchar(255)
last_modified_date	timestamp
active	integer
survey_content	varchar(255)
survey_instrument	varchar(255)
program_id	bigint
S	
programweeks_pkey	program_week_id
n Keys	
	created_by created_date last_modified_by last_modified_date active survey_content survey_instrument program_id

Table recipedetails

* Pk	recipe_detail_id	bigint
	created_by	varchar(255)
	created_date	timestamp

 $fknnpwx162vuulyt50j4vxgn8m3 \ (\ program_id \) \ ref \ programs \ (\ program_id \)$

Tal	hl	ρ	re	ci	ne	d	ρi	ail	10
ı a	vi	C		OI.	νc	u	C	a	JO

	last_modified_by	varchar(255)
	last_modified_date	timestamp
	calories	integer
	carbohydrate	integer
	fibre	integer
*	recipe_size	varchar(50)
	sodium	integer
	recipe_id	bigint
Indexe	es	
Pk	recipedetails_pkey	recipe_detail_id

fkpcefbwr84musx486kknkd064g (recipe_id) ref recipes (recipe_id)

Table recipeproteins

Foreign Keys

* Pk	recipe_protein_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
*	portion_size	integer
	protein_type_id	integer
	recipe_detail_id	bigint
la da ca		

Indexes

Pk recipeproteins_pkey recipe_protein_id

Foreign Keys

fk70t434u60uexqlnlu81kfoqbv (recipe_detail_id) ref recipedetails (recipe_detail_id)

Table recipes

* Pk	recipe_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	active	integer
*	image_url	varchar(50)
*	meal_type	varchar(50)
*	recipe_name	varchar(50)
	tags	varchar(50)
*	target_goals	varchar(50)
Indexe	es	
Pk	recipes_pkey	recipe_id

Table resources

* Pk	resource_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	active	integer
*	resource_category	varchar(50)
*	resource_content	varchar(50)
*	resource_name	varchar(50)
*	resource_type	varchar(50)

Table resources

tags	varchar(255)
al_education_id	bigint
custom_education_id	bigint
ge_education_id	bigint
he_education_id	bigint
me_education_id	bigint
Indexes	

Pk resources_pkey resource_id

Foreign Keys

fk4x1dy3f7p0c5ear1tt86y28ip (al_education_id) ref aleducation (education_id)

fkfwx05cn5o24r3hb3xvpg28d2g (custom_education_id) ref customeducations (custom_education_id)

fkk3p2tdvrmr3ag5mt6x8u2xtuq (he_education_id) ref educationmaterials (education_id)

fkcpgfybpggdi83dyfiakil50oj (ge_education_id) ref generaleducation (general_education_id)

fkfxtk5b2fr0prhuskjreopk23h (me_education_id) ref meeducation (education_id)

Table rolepermissions

* Pk	role_permission_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	access_level	integer
	active	integer
	all_level	integer
	delete_level	integer
	edit_level	integer
	programfeature	varchar(255)
	new_level	integer
	read_level	integer
	role_id	bigint
Indexe	es	
Dk	rolonormicoiono nkov	role permission id

Pk rolepermissions_pkey role_permission_id

Foreign Keys

fkj416ag5kec27bisrck1lvkjfy (role_id) ref roles (role_id)

Table roles

* Pk	role_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	active	integer
*	role_display_name	varchar(50)
	role_desc	varchar(255)
*	role_name	varchar(50)
	organization_id	bigint
Indexes	3	
Pk	roles_pkey	role_id

Foreign Keys

fkqjj9a6xa11cu9ch24cjo4a7lc (organization_id) ref organizations (organization_id)

Table routines

* Pk routine_id

_				100		
12	h	ΙД	ro	1 111	n	AC

1 00010	7 10 4 (11 10 0	
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	active	integer
	completed	integer
*	duration	varchar(50)
*	routine_category	varchar(50)
*	routine_desc	varchar(50)
*	routine_name	varchar(50)
*	routine_type	varchar(50)
*	tags	varchar(50)
Indexe	es	
Pk	routines_pkey	routine_id

Table routinesurveys

. 0.10 . 4	100.00.000	
* Pk	routine_survey_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	active	integer
	comment	varchar(255)
*	work_hard_scale	integer
	routine_id	bigint
Indexe	S	
Pk	routinesurveys_pkey	routine_survey_id
Foreig	n Keys	

 $fk4bsjg6br8opupjy2eq6kl05mh\ (\ routine_id\)\ ref\ routines\ (\ routine_id\)$

Table sessions

* Pk	session_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	active	integer
	completed	integer
	session_date	timestamp
	session_duration	integer
	session_type	varchar(255)
	group_user_id	bigint
	trainer_id	bigint
Indexe	es	
Pk	sessions nkey	session id

Pk sessions_pkey session_id

Foreign Keys

fkl5l67kcs0yqr17wx0hghnkigu (group_user_id) ref groupusers (group_user_id)

fkg0j0o0iorhxysx2xga645rwg (trainer_id) ref users (user_id)

Table symptoms

* Pk	symptom_id	bigint
	created_by	varchar(255)
	created_date	timestamp

٦	Га	h	Р	SI	/m	nto	ms
	и	v		0	y 1 I I	$\rho \iota \iota$	11113

<u>I able</u>	symptoms	
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	active	integer
	scale_0_legend	varchar(255)
	scale_0	integer
	scale_10_legend	varchar(255)
	scale_10	integer
	scale_1_legend	varchar(255)
	scale_1	integer
	scale_2_legend	varchar(255)
	scale_2	integer
	scale_3_legend	varchar(255)
	scale_3	integer
	scale_4_legend	varchar(255)
	scale_4	integer
	scale_5_legend	varchar(255)
	scale_5	integer
	scale_6_legend	varchar(255)
	scale_6	integer
	scale_7_legend	varchar(255)
	scale_7	integer
	scale_8_legend	varchar(255)
	scale_8	integer
	scale_9_legend	varchar(255)
	scale_9	integer
	symptom_name	varchar(255)
	custom_survey_id	bigint
	post_survey_id	bigint
	pre_survey_id	bigint
	routine_survey_id	bigint
Indexe	S	
Pk	symptoms_pkey	symptom_id
Foreign	n Keys	
	fkk48rhh1955ouephrrkxnax60w (custom_survey_id) r	ref customsurveys (custom_survey_id)

fkk48rhh1955ouephrrkxnax60w (custom_survey_id) ref customsurveys (custom_survey_id) fkpbecgkje1neydqmygo1fxfe5f (routine_survey_id) ref routinesurveys (routine_survey_id)

Table userroles

* Pk	user_role_id	bigint
	created_by	varchar(255)
	created_date	timestamp
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	group_user_id	bigint
	role_id	bigint
Indexes	S	
Pk	userroles_pkey	user_role_id
Foreign	n Keys	

 ${\tt fkqbl38j8ev5ogflph3mmyyffts (\ group_user_id\)\ ref\ groupusers\ (\ group_user_id\)}$

fk1kbnhele2bs3c8vf71u7a7jqf (role_id) ref roles (role_id)

Table users

* Pk	user_id	bigint
	created_by	varchar(255)
	created_date	timestamp

Table users

1 001	0 400.0	
	last_modified_by	varchar(255)
	last_modified_date	timestamp
	active	integer
*	email_addr	varchar(50)
*	first_name	varchar(50)
*	last_name	varchar(50)
	recipe_serving_size	varchar(255)
	req_new_password	integer
*	user_name	varchar(50)
*	user_type	varchar(255)
	group_id	bigint
	organization_id	bigint
*	gender	varchar(20)
Indexes		
Pk	users_pkey	user_id

Foreign Keys

fkemfuglprp85bh5xwhfm898ysc (group_id) ref groups (group_id)

 $fkqpugllwvyv37klq7ft9m8aqxk\ (\ organization_id\)\ ref\ organizations\ (\ organization_id\)$