



Creating Buckets



In cloud computing, a **bucket** is a logical cloud folder used to store

- files,
- images,
- videos, and
- datasets.

In Oracle Cloud Infrastructure (OCI), buckets are the core component of **Object Storage**.



Bucket Are Needed

1) For The OCI Console UI:

If you are testing text extraction manually in the Oracle Cloud Console, the interface will require you to click "Select to change output location" and designate an Object Storage bucket before it runs the extraction.

2) For Batch / Asynchronous Jobs:

If you are processing multiple documents at once, handling very large files, or using the CreateProcessorJob API, you **must set up an OCI Object Storage bucket as your output location.**

Why: The AI service processes the files in the background and saves the final data extraction directly as a .json file in your bucket.





Buckets Are Not Needed For Single Documents / Real-time Rest APIs:

If you are extracting text from a single file in real time using the synchronous `AnalyzeDocument` API, you do not need an output storage location.

Why: The document is passed inline (often encoded as Base64). The service processes it immediately and returns the extracted text directly inside the API response body

cloud.oracle.com/resourcemanager/quickstarts/manage?region=ap-hyderabad-1

jobs misc tutorial transcripts past_contacts abroad Cool_projects AI-ML Math temp2 IOT Ste

 Cloud

Search resources, services, documentation, and Marketplace



Home

Tenancy: [ash322ash422](#)

We value your input

Take our survey to let us know what's working and what we should improve.

Resources

My recently viewed

Recently created

Resource collections

India South (Hyderabad)

As you view and work with infrastructure resources in the tenancy, you can see them listed here.



Resource Explorer



Cloud



Search resources, services, documentation, and Marketplace

Search

Home

Compute

Storage ✓

Networking

Oracle AI Database

Databases

Analytics & AI

Developer Services

Identity & Security

Observability & Management

Storage

Block Storage

[Block Volumes](#)

[Block Volume Backups](#)

[Block Volume Replicas](#)

[Volume Groups](#)

[Volume Group Backups](#)

[Volume Group Replicas](#)

[Backup Policies](#)

File Storage

[File Systems](#)

[Mount Targets](#)

Object Storage & Archive Storage

[Buckets](#) ✓

[Private Endpoints](#)



Cloud



Search resources, services, documentation, and Marketplace



Storage



Object Storage & Archive
Storage

Buckets

Private Endpoints

Buckets

Object Storage provides unlimited, high-performance, durable, and secure data storage. Data is uploaded as objects that are stored in buckets. [Learn more](#)

Information

You can use **10 GiB** of Object Storage and **10 GiB** of Archive Storage for free in your home region. You are using approximately **0 bytes** of combined Object Storage and Archive Storage.

Show details



Search and Filter

Applied filters

Compartment [AI-Training](#)

Create bucket

View or manage logs

Name

Default storage tier

Visibility

No items to display

Create new items or search again using different filters or search terms.



Cloud



Search resources, services, documentation, and Marketplace

Create bucket

Bucket name
bucket-20260620-1224 ✓

Bucket scope
Namespace

Default storage tier
Standard

Keep everything
default.

→ create bucket

Enable auto-tiering



Automatically move infrequently accessed objects from the Standard tier to less expensive storage. [Learn more](#)

Enable object versioning



Create an object version when a new object is uploaded, an existing object is overwritten, or when an object is deleted. [Learn more](#)

Emit object events



Create automation based on object state changes using the [Events Service](#).

Uncommitted multipart uploads cleanup



hive

Buckets

Object Storage provides unlimited, high-performance, durable, and secure data storage. Data is uploaded as objects that are stored in buckets. [Learn more](#)

Information

You can use **10 GiB** of Object Storage and **10 GiB** of Archive Storage for free in your home region. You are using approximately **0 bytes** of combined Object Storage and Archive Storage. If you use more than **20 GiB** and have not upg

Show details

Q Search and Filter

Applied filters

Compartment [AI-Training](#)

Create bucket

View or manage logs

Name ^	Default storage tier	Visibility	Time created
bucket-20260620-1224 ✓	Standard	Private	Jun 20, 2026, 06:58 UTC



Page 1 of 1 (1 - 1 of 1 total items)

