

INTERNSHIP PROJECT REPORT

ON

INTERNET OF THINGS

Completed

at



Project Name

SMART AGRICULTURE SYSTEM BASED ON IOT - SB38531

Submitted by

A.L ABISHEK.

Project ID

SPS_PRO_101

Intern ID

IISPS-INT-2322

TABLE OF CONTENT

S.NO	CONTENT	PAGE NO
1	INTRODUCTION	
	1.1 OVERVIEW	01
	1.2 PURPOSE	01
2	LITERATURE SURVEY	
	2.1 SMART AGRICULTURAL SYSTEM	02
	2.1 EXISTING SOLUTION	04
	2.3 PROPOSED SOLUTION	04
3	THEORITICAL ANALYSIS	
	3.1 BLOCK DIAGRAM	05
	3.2 SOFTWARE DESIGNING	06
4	EXPERIMENTAL INVESTIGAGTION	
	4.1 SETTING THE DEVICE IN IOT PLATFORM IN IBM CLOUD	07
	4.2 GENERATING THE DEVICE API	13
	4.3 SETTING THE IOT SENSOR SIMULATOR	14
	4.4 SETTING UP THE UI USING NODE-RED	15
	4.5 SETTING UP THE IBM IoT OUT SIMULATOR	23
	4.6 SETTING THE API FROM OPEN WEATHER.	29
5	FLOW CHART	33
6	RESULT	
	6.1 HOMEPAGE	34

	6.2 SENSOR SIMULATOR AND MOTOR CONTROL PAGE	34
	6.3 IBM SENSOR SIMULATOR	35
	6.4 WEATHER API DATA STREAMING	36
7	ADVANTAGE AND DISADVANTAGE	37
8	APPLICATION	38
9	CONCLUSION	39
10	RESULT	40
11	BIBLOGRAPHY	41
	APPENDIX A) PYTHON CODE B) NODE RED FLOW	

CHAPTER-01

INTRODUCTION

1.1 OVERVIEW

Agriculture plays a important role in country's economy and provides a large-scale employment to the people. However, agriculture is highly dependent upon weather and climate. For example, changes in temperature, soil moisture, carbon dioxide may result in low yield of crops. It is Significant to monitor environmental parameters in order to manage crop growth and increase the agricultural production yield. The sensed information is not only important for decision making but also for evaluating impacts of agricultural practices on environment.

Nowadays, it is more necessary than ever to increase the crop yields food grain production. Cloud connected, wireless system aid in this crop yield maximization, which automates day-to-day agricultural tasks and real time monitoring for smart decision-making.

1.2 PURPOSE

- Need for technology to monitor important parameters like soil moisture, temperature, Humidity etc. to improve the cultivation process.
- Need for technology to monitor weather of particular area with reliable source to save the crops at the time of natural calamities like flood, cyclone etc.
- Development of certain techniques to reduce the workforce, energy and time for cultivation.
- Development of a feasible method to control the electrical equipment in the farm from any part of the world.

CHAPTER-02

LITERATURE SURVEY

2.1 SMART AGRICULTURAL SYSTEM

Sukpal Singh Gill et al (2017) modeled an cloud based autonomic information system for delivering Agriculture-as-a-service, through the use of clouds and big data technology. From the experimental results it was observed that the proposed system offers better service and the quality of service was also better in terms of Qos parameter.

Ravi Kishore Kodali et al(2016) proposed a low cost weather monitoring device to retrieve the weather condition of any location from cloud data base management system. Since it is not using any peripheral device monitoring the weather. It was observed that cost of the device can be reduced.

Ibrahim Mat et al (2018) developed a smart Agricultural system using Iot. It was concluded that above proposed system using IoT can play a important role in conventional and large farming area. And a comparison b/w IoT and Conventional Mushrom farming was conducted. It was observed that the farm monitored by IoT had better growth rate than the conventional method.

Prathibha et al (2017) modeled a smart farming using IoT. The important parameters like Temperature and Humidity in agricultural field was monitored by using CC3200 chip and camera was interfaced with CC3200 to capture image and the captured image was forwarded to the farmer using MMS. The proposed system can be used in green house and temperature dependent plants.

Yifan Bo et al (2011) conducted a study on integrating cloud computing and IoT in the field of agriculture. It was observed that cloud computing and IoT had high reliability, expansibility and high accuracy.

Tien Wo-Hoang et al (2017) proposed an IoT System architecture based on wireless Sensor Network. The various parameters like temperature, relative humidity, luminosity, air pressure etc were monitored from a web browser. A WIFI interface device was used to transfer this environmental data's from sensor to the web browser. It was observed that yield of crops can be improved by this method.

M.K.Gayatri et al (2015) proposed a technology to hold the huge data's coming from the agrarian output. ZigBee module was used to measure various parameters like temperature, humidity, and illumination. A Wireless communication was used to communicate between the sensor and the data centre.

Samudra et al (2019) developed an intelligent farming with wireless Networking and MQTT, to monitor the real time agricultural environment. The parameters like luminicence, Soil moisture and Temperature were monitored. By comparing these data's the output like motor was controlled.

Qiulan Wu et al (2017) developed an smarter agricultural system based on technologies like GIS, Cloud computing, IoT, Big data and sensing technology. This method allows the user to get the information at faster rate. This method will reduce the cost and energy consumption.

2.2 EXISTING PROBLEM

1. Controlling the device from longer distance from web application.
2. Getting the weather data from weather station.
3. Transfer of node data to the gateway at faster rate.
4. Unavailability of data's such as PH level, potassium, Nitrogen etc related to the soil.


2.3 PROPOSED SOLUTION

1. To control a device from longer distance from web application.
2. To get the weather details like wind speed, temperature, humidity from weather station through weather API.
3. To display the data in the web application.


CHAPTER-03

THEORITICAL ANALYSIS

3.1 BLOCK DIAGRAM



3.2 SOFTWARE DESIGNING




CHAPTER-04


EXPERIMENTAL INVESTIGATION

4.1 SETTING THE DEVICE IN IOT PLATFORM IN IBM CLOUD


Step1: After logging into the system a dash board will appear and in the search pane type IBM IoT platform.




Step2: Select the London option from drop down list and click create.




Step3: Click on the Launch button.




Step4: Click on the Device type.



Step5: Click on the add device button



Step6: Enter the Device name and Description and click Next.



Step7: No need to fill the field of the Device Information and click Finish.

IBM Watson IoT Platform

Browse Action **Device Types** Interfaces

Identity Device Information

These attributes will be used as a template for new devices that are assigned this device type

Edit Metadata

Serial Number Enter Serial Number

Model Enter Model

Description Enter Description

Hardware Version Enter Hardware Version

Manufacturer Enter Manufacturer

Device Class Enter Device Class

Firmware Version Enter Firmware Version

Descriptive Location Enter Descriptive Location

Back Finish

Activate Windows
Go to Settings to activate Windows.

Step8: Click on the Register Device.

IBM Watson IoT Platform

Browse Action **Device Types** Interfaces

Register Device Advanced Flow

Optional

Register Devices, Define Interfaces

Now that you added a device type, you can register and connect devices for this type.

Register Devices

Activate Windows
Go to Settings to activate Windows.

Cancel Next

Cookie Preference

Step9: Enter the device name and click Next.

The screenshot shows the 'Add Device' wizard in the IBM Watson IoT Platform. The 'Identity' step is active, indicated by a blue circle and checkmark. The progress bar shows four steps: Identity, Device Information, Security, and Summary. Below the progress bar, a message states: 'Select a device type for the device that you are adding and give the device a unique ID.' There are two input fields: 'Device Type' with the value 'IOTDevice' and 'Device ID' with the value 'Nodem'. At the bottom right, there are 'Cancel' and 'Next' buttons. The 'Next' button is highlighted with an orange border. Below the main form area, there is a 'Browse Devices' section with 'All Devices' and 'Diagnose' buttons. At the bottom right, there are links for 'Activate Windows', 'Go to Settings to activate Windows.', and 'Cookie Preference'.

Step10: No need to fill the field and click Next button.

The screenshot shows the 'Add Device' wizard in the IBM Watson IoT Platform, now at the 'Device Information' step. The progress bar shows four steps: Identity, Device Information, Security, and Summary. The 'Device Information' step is active, indicated by a blue circle and checkmark. Below the progress bar, a message states: 'You can modify the default device information and enter more information about the device for identification purposes.' There are two columns of input fields. The left column contains: 'Serial Number' (Enter Serial Number), 'Model' (Enter Model), 'Description' (Enter Description), and 'Hardware Version' (Enter Hardware Version). The right column contains: 'Manufacturer' (Enter Manufacturer), 'Device Class' (Enter Device Class), 'Firmware Version' (Enter Firmware Version), and 'Descriptive Location' (Enter Descriptive Location). At the bottom left, there is an 'Add Metadata' button with a plus icon. At the bottom right, there are links for 'Activate Windows', 'Go to Settings to activate Windows.', and 'Cookie Preference'. A 'Back' button is also visible near the bottom right.

Step11: Filling the Authentication token and click Next button.

The screenshot shows the 'Add Device' wizard in the IBM Watson IoT Platform. The 'Security' tab is selected, showing two options for authentication: 'Auto-generated authentication token (default)' and 'Self-provided authentication token'. The 'Self-provided authentication token' option is chosen, and a text input field labeled 'Authentication Token' contains the placeholder text 'Enter an optional token'. Below the input field, a note states: 'Make a note of the generated token. Lost authentication tokens cannot be recovered. Tokens are encrypted before being stored.' Another note below says: 'Authentication token are encrypted before we store them.'

IBM Watson IoT Platform

durgaprasad@thesmartbridge.com
ID: 3pvvda

Browse Action Device Types Interfaces

Identity Device Information Security Summary

There are two options for selecting a device authentication token.

Auto-generated authentication token (default)

Allow the service to generate an authentication token for you. Tokens are 18 characters and contain a mix of alphanumeric characters and symbols. The token is returned to you at the end of the device registration process.

Self-provided authentication token

Provide your own authentication token for this device. The token must be between 8 and 36 characters and contain a mix lowercase and uppercase letters, numbers, and symbols, which can include hyphens, underscores, and periods. Do not use repeated characters, dictionary words, user names, or other predefined sequences.

Authentication Token

Make a note of the generated token. Lost authentication tokens cannot be recovered. Tokens are encrypted before being stored.

Authentication token are encrypted before we store them.

Activate Windows
Go to Settings to activate Windows.

Cookie Preferences

Step12: Final summary tab will show the device type and device name information.

The screenshot shows the 'Add Device' wizard in the IBM Watson IoT Platform, now on the 'Summary' tab. The 'Summary' tab is selected, and the wizard displays the following information: 'Device Type: IOTDevice', 'Device ID: Arduino', and 'Security Token: 123456789'. A 'View Metadata' button is visible below the device ID. The wizard also includes a progress bar at the top and a 'Done' button at the bottom right.

IBM Watson IoT Platform

durgaprasad@thesmartbridge.com
ID: 3pvvda

Browse Action Device Types Interfaces

Identity Device Information Security Summary

Verify that the following information is correct then select Done

Device Type
IOTDevice

Device ID
Arduino

[View Metadata](#)


Security Token
123456789

Activate Windows
Go to Settings to activate Windows.


Cookie Preferences

4.2 GENERATING THE DEVICE API


Step1: Click on the app icon and click on generate api key button.



Step2: Click on the standard application from the drop down list and click generate key.




Step3: Note the Api key and authentication token for future reference




4.3 SETTING THE IOT SENSOR SIMULATOR

Step1: Enter the details like Organisation ID, Device Type, Device ID and Device token.





4.4 SETTING UP THE UI USING NODE-RED

Step1: Select the IBM IoT in node from the pallet.




Step2: Double click the IBM IoT node, select the API option from the drop down and click the **Device Event**.







Step3: Click the pencil key icon in the API key.




Step4: Enter the API key, API token and click update button.




Step5: click on the Done button and click the deploy button.




Step6: After deploying Connection indication will be highlighted in the IBM IoT node.




Step7: Place the debug node in the flow editor and click on deploy to see the temperature and humidity value in the debug tab.




Step8: Drag and Place the function node in the flow editor to separate the temperature and humidity value.




Step9: Type `msg.payload=msg.payload.d.temperature` in one function and type `msg.payload=msg.payload.d.humidity` in another function to separate the humidity and temperature values from payload and click deploy.







Step10: Humidity and temperature values appear separately.




Step11: Add the gauge node from the dashboard.




Step12: Double click the gauge and Select the Group name, type the label and unit of the gauge.



Step13: After editing the node, click the deploy button.




Step14: output of the UI will be obtained by typing the local host address/ui.




4.5 SETTING UP THE IBM IoT OUT SIMULATOR

Step1: Drag and Place the IBM IoT Output Node in the flow editor.




Step2: Give the device credentials and API Key in the IBM IoT Output node and deploy it so that the status of the IBM IoT Output Node will be in connected status


1. Select the API Key in the Authentication




2. Select the option in the Output Type as Device Command and fill the device credentials




Step3: Click the pencil icon in the dialog box.




Step4: Enter the API key and API token in the dialog box and click update button.




Step5: Click on the deploy button



Step6: IBM Iot Output node will show a connected status.




Step7: Add the Button from the dashboard and connect the buttons to the IBM IoT node.




Step8: Enter the tab name, Group name for the button and click Done button.


Repeat this procedure for other button



Step9: output of the UI will be obtained by typing the local host address/ui.




Step10: The template had been added to the node to give the background to the web page. The flow has been added to the Github repository.




4.6 SETTING THE API FROM OPEN WEATHER.



Step1: Timestamp node will trigger the API for certain interval of time. Set the required timing for the triggering.





Step2: In the API node, give the API link and Return type as Jason parson to separate the API data.




Step3: In the change node separate temperature value from the payload by following code given in the image. Repeat the same procedure for wind speed and Humidity.



Step4: To get set the different images based on the cloud condition. We need to get the id of the image and to concatenate the id to the API link.



Step5: To display the image in the HTML. A template node was created and image will be displayed in the particular layout.



Edit template node > Text editor

```

1 <iframe id="myFrame" width="140" height="140" src = ""></iframe>
2
3 <script>
4 (function(scope) {
5   // watch msg object from Node-RED
6   scope.$watch('msg', function(msg) {
7     // new message received
8     var x = document.getElementById('myFrame');
9     x.setAttribute('src', msg.payload);
10    });
11  })(scope);
12 </script>
13
14
15
16

```

Cancel Done

info

Information

Node "ed2981e9.7f509"

Type ui_template

Description

Node Help

The template widget can contain any valid html and Angular/Angular-Material directives. This node can be used to create a dynamic user interface element that changes its appearance based on the input message and can send back messages to Node-RED.


For example:

Activate Windows
Go to Settings to activate Windows.

CHAPTER-05

FLOW CHART

5.1 METHODOLOGY



CHAPTER-06

RESULT



6.1 HOME PAGE





6.2 SENSOR SIMULATOR AND MOTOR CONTROL PAGE



6.3 IBM SENSOR SIMULATOR FOR TEMPERATURE AND HUMIDITY PARAMETER



6.4 WEATHER API DATA STREAMING



CHAPTER-07

ADVANTAGE AND DISADVANTAGE

7.1 ADVANTAGE

1. Communicating the device at larger distance through web application. It will play an important role in reducing the man power and travelling expenses of a farmer.
2. Monitoring the parameter like temperature, humidity etc will play an important role in improving the growth of the plant.
3. Integrating the weather station to the web browser will provide the details of status of the cloud, wind speed etc. It will allow the farmer to prevent their plants from natural calamities.

7.2 DISADVANTAGE

1. Since the real time sensor will be connected to the controller, the controller requires continuous supply of internet to transfer the data.
2. Non availability of weather prediction for long period of time. Since the long weather prediction require additional payment to open weather.

CHAPTER-08

APPLICATIONS

8.1 APPLICATIONS

1. This technique can be used to in the field of home automation.
2. This method can also be used in the field of POKA YOKE verification in industry.
3. It can also in the field where maintaining the process parameters are essential.
4. It can also be used in controlling the wheel chair for physically challenged people.
5. It can be used in hospital to monitor the patient temperature, heart rate etc.
During this COVID- 19 situation, it will play a huge role.
6. It can also be used in material handling equipment in hospitals.

CHAPTER-09

CONCLUSION

The various parameters like temperature, humidity etc were monitored using web application. The data from weather station like wind speed, temperature, humidity etc were displayed in the web browser. The device like motor, light etc can also controlled by the web application.

CHAPTER-10

FUTURE SCOPE

- The various data's of soil nutrients is not added in the web browser, that can be added to the web application.
- Long range forecast is not available in the web application, it can also be added to provide accurate information about weather.
- Controlling the device through mobile application and voice will play important role in enhancing this project.
- Providing the GPS and GIS information will also improve productivity of the farmer.

CHAPTER-11

BIBLIOGRAPHY

- [1] S. S. Gill, I. Chana, C. Science, and R. Buyya, “IoT Based Agriculture as a Cloud and Big Data Service : The Beginning of Digital India,” vol. 29, no. 4, pp. 1–23, 2017.
- [2] R. K. Kodali and A. Sahu, “An IoT based Weather Information Prototype Using WeMos,” no. 1, pp. 612–616, 2016.
- [3] I. Mat, M. Rawidean, M. Kassim, A. N. Harun, I. M. Yusoff, and M. Berhad, “Smart Agriculture Using Internet of Things,” *2018 IEEE Conf. Open Syst.*, pp. 54–59, 2018.
- [4] S. R. Prathibha, A. Hongal, and M. P. Jyothi, “IOT BASED MONITORING SYSTEM IN SMART AGRICULTURE,” pp. 5–8, 2017.
- [5] Y. Bo and H. Wang, “The Application of Cloud Computing and The Internet of Things in Agriculture and Forestry,” pp. 168–172, 2011.
- [6] Tien Cao Huang and Can Nugyen Duy, “Environment Monitoring for Agricultural Application Based on Wireless Sensor Network.”, *april16-17*.
- [7] M. K. Gayatri, “Providing Smart Agricultural Solutions to Farmers for better yielding using IoT,” no. Tiar, pp. 40–43, 2015.
- [8] S. V. Mukherji, R. Sinha, S. Basak, and S. P. Kar, “Smart Agriculture using Internet of Things and MQTT Protocol,” *2019 Int. Conf. Mach. Learn. Big Data, Cloud Parallel Comput.*, pp. 14–16, 2019.

APPENDIX

A. PYTHON CODE

```
import time
import sys
import ibmiotf.application # to install pip install ibmiotf
import ibmiotf.device

#Provide your IBM Watson Device Credentials
organization = "*****" #replace the ORG ID
deviceType = "*****"#replace the Device type wi
deviceId = "*****"#replace Device ID
authMethod = "*****"
authToken = "*****" #Replace the authtoken

def myCommandCallback(cmd): # function for Callback
    print("Command received: %s" % cmd.data)
    print(cmd.data['command'])
    if cmd.data['command']=='Turned on Motor':
        print("MOTOR ON IS RECEIVED")

    elif cmd.data['command']=='Turned off Motor':
        print("MOTOR OFF IS RECEIVED")

    if cmd.command == "setInterval":

        if 'interval' not in cmd.data:
            print("Error - command is missing required
information: 'interval'")
        else:
            interval = cmd.data['interval']
    elif cmd.command == "print":
        if 'message' not in cmd.data:
            print("Error - command is missing required
information: 'message'")
        else:
            output=cmd.data['message']
            print(output)

try:
    deviceOptions = {"org": organization, "type": deviceType, "id":
deviceId, "auth-method": authMethod, "auth-token": authToken}
    deviceCli = ibmiotf.device.Client(deviceOptions)
    #.....

except Exception as e:
    print("Caught exception connecting device: %s" % str(e))
    sys.exit()

# Connect and send a datapoint "hello" with value "world" into the cloud
as an event of type "greeting" 10 times
deviceCli.connect()
```

```

while True:

    deviceCli.commandCallback = myCommandCallback

# Disconnect the device and application from the cloud
deviceCli.disconnect()

```

B. NODE RED FLOW

```

[{"id":"62175924.f41e58","type":"tab","label":"Home
page","disabled":false,"info":""},{ "id":"dadfba4d.b46e58","type":"tab","la
bel":"sensor
simulator","disabled":false,"info":""},{ "id":"cb37b69.ead5248","type":"tab
","label":"Weather
API","disabled":false,"info":""},{ "id":"2a4abd11.a253a2","type":"ui_group"
,"z":"","name":"Default","tab":"","order":1,"disp":true,"width":"8","colla
pse":true},{ "id":"ebdab6bb.7fbe78","type":"ui_base","theme":{"name":"theme
-
dark","lightTheme":{"default":"#0094CE","baseColor":"#0094CE","baseFont":"
-apple-system,BlinkMacSystemFont,Segoe UI,Roboto,Oxygen-
Sans,Ubuntu,Cantarell,Helvetica Neue,sans-
serif","edited":true,"reset":false},"darkTheme":{"default":"#097479","base
Color":"#097479","baseFont":"-apple-system,BlinkMacSystemFont,Segoe
UI,Roboto,Oxygen-Sans,Ubuntu,Cantarell,Helvetica Neue,sans-
serif","edited":true,"reset":false},"customTheme":{"name":"Untitled Theme
1","default":"#4B7930","baseColor":"#4B7930","baseFont":"-apple-
system,BlinkMacSystemFont,Segoe UI,Roboto,Oxygen-
Sans,Ubuntu,Cantarell,Helvetica Neue,sans-
serif","reset":false},"themeState":{"base-
color":{"default":"#097479","value":"#097479","edited":false},"page-
titlebar-backgroundColor":{"value":"#097479","edited":false},"page-
backgroundColor":{"value":"#111111","edited":false},"page-sidebar-
backgroundColor":{"value":"#000000","edited":false},"group-
textColor":{"value":"#0eb8c0","edited":false},"group-
borderColor":{"value":"#555555","edited":false},"group-
backgroundColor":{"value":"#333333","edited":false},"widget-
textColor":{"value":"#eeeeee","edited":false},"widget-
backgroundColor":{"value":"#097479","edited":false},"widget-
borderColor":{"value":"#333333","edited":false},"base-font":{"value":"-
apple-system,BlinkMacSystemFont,Segoe UI,Roboto,Oxygen-
Sans,Ubuntu,Cantarell,Helvetica Neue,sans-
serif"}}, "angularTheme":{"primary":"indigo","accents":"blue","warn":"red",
"background":"grey"}}, "site":{"name":"Node-RED
Dashboard","hideToolbar":"false","allowSwipe":"false","lockMenu":"false","
allowTempTheme":"true","dateFormat":"DD/MM/YYYY","sizes":{"sx":73,"sy":73,
"gx":100,"gy":100,"cx":8,"cy":8,"px":1,"py":10}}},{ "id":"c2ee47c8.e2e7f8",
"type":"ui_group","name":"Group
2","tab":"","order":2,"disp":true,"width":6},{ "id":"5f4c2ea5.dc4e3","type"
:"ui_tab","z":"","name":"Home","icon":"dashboard","disabled":false,"hidden

```

```

":false},{ "id":"ba217aad.c78538","type":"ui_group","z":"","name":"Default",
,"tab":"722893fc.b5334c","order":1,"disp":true,"width":"6","collapse":false},
{"id":"722893fc.b5334c","type":"ui_tab","z":"","name":"tab2","icon":"dashboard",
,"disabled":false,"hidden":false}, {"id":"e52dd10d.2c0e2","type":"ui_group",
,"z":"","name":"test","tab":"5f4c2ea5.dc4e3","order":2,"disp":true,"width":"6",
,"collapse":true}, {"id":"5a9be2a7.35e99c","type":"ui_group","z":"","name":"Default",
,"tab":"5f4c2ea5.dc4e3","order":2,"disp":true,"width":"6","collapse":false},
{"id":"3ad9dda2.b60802","type":"ui_group","z":"","name":"Video","tab":"9fa49f18.f031f",
,"order":1,"disp":true,"width":"12","collapse":true}, {"id":"9fa49f18.f031f",
,"type":"ui_tab","z":"","name":"Home","icon":"dashboard","order":1,"disabled":false,
,"hidden":false}, {"id":"a79fa658.687a18","type":"ui_group","z":"","name":"Log
Live2","tab":"83617363.dfc41","order":2,"disp":true,"width":"12"}, {"id":"4f29fbcf.9770b4",
,"type":"ui_group","z":"","name":"Humidity","tab":"","order":2,"disp":true,
,"width":"6","collapse":false}, {"id":"52bfe1b3.03a98","type":"ui_base",
,"theme":{"name":"theme-custom","lightTheme":{"default":"#0094CE","baseColor":"#0094CE",
,"baseFont":"-apple-system,BlinkMacSystemFont,Segoe UI,Roboto,Oxygen-Sans,Ubuntu,Cantarell,Helvetica Neue,sans-serif",
,"edited":true,"reset":false},"darkTheme":{"default":"#097479","baseColor":"#e83c11",
,"baseFont":"-apple-system,BlinkMacSystemFont,Segoe UI,Roboto,Oxygen-Sans,Ubuntu,Cantarell,Helvetica Neue,sans-serif",
,"edited":true,"reset":false},"customTheme":{"name":"Untitled Theme 1",
,"default":"#4B7930","baseColor":"#4B7930","baseFont":"Tahoma,Geneva,sans-serif",
,"reset":false},"themeState":{"base-color":{"default":"#4B7930","value":"#4B7930",
,"edited":true},"page-titlebar-background-color":{"value":"#4B7930",
,"edited":false},"page-background-color":{"value":"#ffffff",
,"edited":true},"page-sidebar-background-color":{"value":"#000000",
,"edited":false},"group-text-color":{"value":"#6db046",
,"edited":false},"group-border-color":{"value":"#ffffff",
,"edited":true},"group-background-color":{"value":"#ffffff",
,"edited":true},"widget-text-color":{"value":"#eeeeee",
,"edited":false},"widget-background-color":{"value":"#4b7930",
,"edited":false},"widget-border-color":{"value":"#333333",
,"edited":false},"base-font":{"value":"Tahoma,Geneva,sans-serif"}},
,"angularTheme":{"primary":"indigo","accents":"blue","warn":"red",
,"background":"grey"}}, {"site":{"name":"Node-RED Dashboard",
,"hideToolbar":"false","allowSwipe":"false","lockMenu":"false",
,"allowTempTheme":"true","dateFormat":"DD/MM/YYYY","sizes":{"sx":48,"sy":48,
,"gx":6,"gy":100,"cx":6,"cy":6,"px":0,"py":0}}}, {"id":"c32179bd.abb8b8",
,"type":"ui_group","name":"Group 3","tab":"","order":3,"disp":true,
,"width":6}, {"id":"b5c9da48.f84b98","type":"ui_group","z":"","name":"","tab":"1cd56407.2997fc",
,"order":1,"disp":false,"width":"8","collapse":false,"info":"`body.nr-dashboard-theme md-content md-card {\n    background-color: transparent !important;\n}`"}, {"id":"c8e66f7c.55093",
,"type":"ui_group","z":"","name":"Humidity","tab":"","order":1,"disp":true,
,"width":"6","collapse":false}, {"id":"dfd65f46.13d34",
,"type":"ui_group","z":"","name":"button","tab":"","order":2,"disp":false,
,"width":"1","collapse":false}, {"id":"6a80f6fb.f719d8",
,"type":"ui_group","z":"","name":"","tab":"","order":1,"disp":false,
,"width":"6","collapse":false}, {"id":"68d9f7bb.b52f68",
,"type":"ui_group","z":"","name":"","tab":"","order":1,"disp":false,
,"width":"6","collapse":false}, {"id":"772faaeb.762584",
,"type":"ui_group","z":"","name":"","tab":"","order":1,

```

```

disp":false,"width":"6","collapse":false},{ "id":"1cd56407.2997fc","type":"
ui_tab","z":"","name":"Home","icon":"","disabled":false,"hidden":false},{ "
id":"6a2b8e04.38be9","type":"ui_group","z":"","name":"Default","tab":"","o
rder":1,"disp":true,"width":"12","collapse":false},{ "id":"f4167b05.dd3e48"
,"type":"ui_group","z":"","name":"Sensor
Data's","tab":"31982360.199acc","order":1,"disp":true,"width":"6","collaps
e":false},{ "id":"31982360.199acc","type":"ui_tab","z":"","name":"Sensor
Simulator
Data","icon":"dashboard","disabled":false,"hidden":false},{ "id":"b35299e.6
af0e68","type":"ui_group","z":"","name":"dialy
chart","tab":"31982360.199acc","order":2,"disp":true,"width":"6","collapse
":false},{ "id":"9c0e9d4d.ab071","type":"ui_group","z":"","name":"command",
"tab":"31982360.199acc","order":2,"disp":true,"width":"6","collapse":false
},{ "id":"44f8efa8.4128a","type":"ui_group","z":"","name":"Circulating Pump
Control","tab":"","order":4,"disp":true,"width":"5"},{ "id":"77c4795e.ed0b3
8","type":"ui_group","z":"","name":"Test","tab":"d896a9d7.7bb6a8","order":
1,"disp":true,"width":"6","collapse":false},{ "id":"d896a9d7.7bb6a8","type"
:"ui_tab","z":"","name":"Home","icon":"dashboard"},{ "id":"ca1296ca.b61118"
,"type":"ui_tab","z":"","name":"Weather
API","icon":"dashboard","disabled":false,"hidden":false},{ "id":"591d0897.d
960e8","type":"ui_group","z":"","name":"humidity","tab":"","order":2,"disp
":true,"width":"6","collapse":false},{ "id":"ecfb6aff.fc7ef8","type":"ui_gr
oup","z":"","name":"station","tab":"ca1296ca.b61118","order":1,"disp":fals
e,"width":"6","collapse":false},{ "id":"b192fe09.37fa5","type":"ui_group","
z":"","name":"Dialy
Chart","tab":"ca1296ca.b61118","order":2,"disp":false,"width":"6","collaps
e":false},{ "id":"b0e785db.6b97d8","type":"ui_group","z":"","name":"Video",
"tab":"de10e3be.ed211","order":1,"disp":true,"width":"12","collapse":true}
,{ "id":"de10e3be.ed211","type":"ui_tab","z":"","name":"Home","icon":"dashb
oard","order":1,"disabled":false,"hidden":false},{ "id":"5915a070.6ccce","t
ype":"ui_group","z":"","name":"Group
2","tab":"2089677b.420188","order":2,"disp":true,"width":"6"},{ "id":"c5b8e
227.e2d78","type":"ui_group","z":"","name":"Humidity","tab":"","order":2,"
disp":true,"width":"6","collapse":false},{ "id":"5d5a9329.45830c","type":"u
i_base","theme":{"name":"theme-
custom","lightTheme":{"default":"#0094CE","baseColor":"#0094CE","baseFont"
:"-apple-system,BlinkMacSystemFont,Segoe UI,Roboto,Oxygen-
Sans,Ubuntu,Cantarell,Helvetica Neue,sans-
serif","edited":true,"reset":false},"darkTheme":{"default":"#097479","base
Color":"#e83c11","baseFont":"-apple-system,BlinkMacSystemFont,Segoe
UI,Roboto,Oxygen-Sans,Ubuntu,Cantarell,Helvetica Neue,sans-
serif","edited":true,"reset":false},"customTheme":{"name":"Untitled Theme
1","default":"#4B7930","baseColor":"#4B7930","baseFont":"Tahoma,Geneva,san
s-serif","reset":false},"themeState":{"base-
color":{"default":"#4B7930","value":"#4B7930","edited":true},"page-
titlebar-backgroundColor":{"value":"#4B7930","edited":false},"page-
backgroundColor":{"value":"#ffffff","edited":true},"page-sidebar-
backgroundColor":{"value":"#000000","edited":false},"group-
textColor":{"value":"#6db046","edited":false},"group-
borderColor":{"value":"#ffffff","edited":true},"group-
backgroundColor":{"value":"#ffffff","edited":true},"widget-
textColor":{"value":"#eeeeee","edited":false},"widget-
backgroundColor":{"value":"#4b7930","edited":false},"widget-
borderColor":{"value":"#333333","edited":false},"base-

```



```

font":{"value":"Tahoma,Geneva,sans-
serif"}}, {"angularTheme":{"primary":"indigo","accents":"blue","warn":"red",
"background":"grey"}}, {"site":{"name":"Node-RED
Dashboard","hideToolbar":"false","allowSwipe":"false","lockMenu":"false",
allowTempTheme":"true","dateFormat":"DD/MM/YYYY","sizes":{"sx":48,"sy":48,
"gx":6,"gy":100,"cx":6,"cy":6,"px":0,"py":0}}}, {"id":"44e0d3b8.c0fccc","ty
pe":"ui_group","name":"Group
3","tab":"","order":3,"disp":true,"width":6},{ "id":"9a508108.3b4a3","type"
:"ui_group","z":"","name":"","tab":"d3c201ab.296e6","order":1,"disp":false
,"width":"8","collapse":false,"info":"`body.nr-dashboard-theme md-content
md-card {\n      background-color: transparent
!important;\n}`"}, {"id":"c0257e3d.6a627","type":"ui_group","z":"","name":"
Humidity","tab":"","order":1,"disp":true,"width":"6","collapse":false},{ "i
d":"f1cdff57.7e8cc","type":"ui_group","z":"","name":"button","tab":"","ord
er":2,"disp":false,"width":"1","collapse":false},{ "id":"148ce04b.b466f","t
ype":"ui_group","z":"","name":"","tab":"","order":1,"disp":false,"width":"
6","collapse":false},{ "id":"7fb38b36.661984","type":"ui_group","z":"","nam
e":"","tab":"","order":1,"disp":false,"width":"6","collapse":false},{ "id":
"f9211e96.05279","type":"ui_group","z":"","name":"","tab":"","order":1,"di
sp":false,"width":"6","collapse":false},{ "id":"d3c201ab.296e6","type":"ui_
tab","z":"","name":"Home","icon":"","disabled":false,"hidden":false},{ "id"
:"7594a8bf.79b0d8","type":"ui_group","z":"","name":"Default","tab":"","ord
er":1,"disp":true,"width":"12","collapse":false},{ "id":"45f5d45.0eef62c","
type":"ui_group","z":"","name":"Sensor
Data's","tab":"3a666498.20ecac","order":1,"disp":true,"width":"6","collaps
e":false},{ "id":"3a666498.20ecac","type":"ui_tab","z":"","name":"Sensor
Simulator
Data","icon":"dashboard","disabled":false,"hidden":false},{ "id":"4816d4ed.
17cd7c","type":"ui_group","z":"","name":"dialy
chart","tab":"3a666498.20ecac","order":2,"disp":true,"width":"6","collapse
":false},{ "id":"6e875c3a.812374","type":"ui_group","z":"","name":"command"
,"tab":"3a666498.20ecac","order":2,"disp":true,"width":"6","collapse":fals
e},{ "id":"5f31b6f3.e12928","type":"ui_group","z":"","name":"Circulating
Pump
Control","tab":"","order":4,"disp":true,"width":"5"}, {"id":"90477d44.52d7"
,"type":"ui_group","z":"","name":"Test","tab":"e819aa4e.f5f318","order":1,
"disp":true,"width":"6","collapse":false},{ "id":"e819aa4e.f5f318","type":"
ui_tab","z":"","name":"Home","icon":"dashboard"}, {"id":"cb2b5167.2049a","t
ype":"ui_tab","z":"","name":"Weather
API","icon":"dashboard","disabled":false,"hidden":false},{ "id":"a0b1c53.69
e2838","type":"ui_group","z":"","name":"humidity","tab":"","order":2,"disp
":true,"width":"6","collapse":false},{ "id":"413eab00.fbce94","type":"ui_gr
oup","z":"","name":"station","tab":"cb2b5167.2049a","order":1,"disp":false
,"width":"6","collapse":false},{ "id":"b5b2c1fd.58f38","type":"ui_group","z
":"","name":"Dialy
Chart","tab":"cb2b5167.2049a","order":2,"disp":false,"width":"6","collapse
":false},{ "id":"ab66f8c0.2a6958","type":"ui_group","z":"","name":"Video","
tab":"513e92a0.840a9c","order":1,"disp":true,"width":"12","collapse":true}
,{ "id":"513e92a0.840a9c","type":"ui_tab","z":"","name":"Home","icon":"dash
board","order":1,"disabled":false,"hidden":false},{ "id":"d360fef.cefbd","t
ype":"ui_group","z":"","name":"Group
2","tab":"efd4581a.281728","order":2,"disp":true,"width":"6"}, {"id":"da210
3b4.5ef0d","type":"mqtt-
broker","z":"dadfba4d.b46e58","broker":"localhost","port":"1883","clientid

```

```

": "Node-
Red", "usetls": false, "compatmode": true, "keepalive": "60", "cleansession": true
, "birthTopic": "", "birthQos": "0", "birthPayload": "", "willTopic": "", "willQos":
: "0", "willPayload": ""}, {"id": "6a8804bf.9003ac", "type": "ui_tab", "z": "cb37b6
9.ead5248", "name": "New
Test", "icon": "dashboard"}, {"id": "d11be2d8.f389a", "type": "ui_template", "z":
"62175924.f41e58", "group": "9a508108.3b4a3", "name": "", "order": 1, "width": 0, "
height": 0, "format": "<!DOCTYPE html>\n<html>\n<head>\n      \n<style>\nbody
{\n  background-image:
url('https://wallpaperaccess.com/full/137487.jpg');\n  background-repeat:
no-repeat;\n  background-attachment: cover;\n  background-size: 100%
100%;\n  background-color: white;\n}\n\nh1 {text-align:
center;}\n</style>\n\n</head>\n<body >\n<h1> IOT BASED SMART AGRICULTURAL
SYSTEM </h1>\n
\n</body>\n</html>", "storeOutMessages": true, "fwdInMessages": true, "resendOn
Refresh": true, "templateScope": "local", "x": 260, "y": 240, "wires": [[]], {"id":
"9695654b.2062b8", "type": "ibmiot
in", "z": "dadfba4d.b46e58", "authentication": "apiKey", "apiKey": "991cb717.625
c88", "inputType": "evt", "logicalInterface": "", "ruleId": "", "deviceId": "agril
", "applicationId": "", "deviceType": "iotagri", "eventType": "+", "commandType":
"", "format": "json", "name": "IBM
IoT", "service": "registered", "allDevices": "", "allApplications": "", "allDevic
eTypes": "", "allLogicalInterfaces": "", "allEvents": true, "allCommands": "", "al
lFormats": "", "qos": 0, "x": 220, "y": 740, "wires": [{"b49754e5.8139c8", "8213f8cc
.b6b458", "931972cd.631c"}]}, {"id": "5098ba2e.dba3f4", "type": "ibmiot
out", "z": "dadfba4d.b46e58", "authentication": "apiKey", "apiKey": "991cb717.62
5c88", "outputType": "cmd", "deviceId": "control", "deviceType": "motor", "eventC
ommandType": "command", "format": "json", "data": "data", "qos": 0, "name": "IBM
IoT", "service": "registered", "x": 700, "y": 1040, "wires": []}, {"id": "b49754e5.8
139c8", "type": "function", "z": "dadfba4d.b46e58", "name": "temperature", "func":
": msg.payload = msg.payload.d.temperature;\nreturn
msg;", "outputs": 1, "noerr": 0, "x": 400, "y": 660, "wires": [{"3aa89619.1d9a0a", "9
31972cd.631c", "e90d9e9c.eff34"}]}, {"id": "8213f8cc.b6b458", "type": "function
", "z": "dadfba4d.b46e58", "name": "humidity", "func": "msg.payload=msg.payload.
d.humidity;\nreturn
msg;", "outputs": 1, "noerr": 0, "x": 380, "y": 840, "wires": [{"cfca84ef.13a248", "9
31972cd.631c", "39f3117f.948ede"}]}, {"id": "3aa89619.1d9a0a", "type": "ui_gaug
e", "z": "dadfba4d.b46e58", "name": "", "group": "45f5d45.0eef62c", "order": 1, "wi
dth": 0, "height": 0, "gtype": "gage", "title": "Temperature", "label": "degree
celcius", "format": "{value}", "min": 0, "max": "60", "colors": ["#00b500", "#e6e
600", "#ca3838"], "seg1": "", "seg2": "", "x": 680, "y": 660, "wires": []}, {"id": "cfc
a84ef.13a248", "type": "ui_gauge", "z": "dadfba4d.b46e58", "name": "", "group": "4
5f5d45.0eef62c", "order": 2, "width": 0, "height": 0, "gtype": "gage", "title": "Hum
idity", "label": "Percentage", "format": "{value}", "min": 0, "max": "100", "colo
rs": ["#00b500", "#e6e600", "#ca3838"], "seg1": "", "seg2": "", "x": 680, "y": 840, "w
ires": []}, {"id": "931972cd.631c", "type": "debug", "z": "dadfba4d.b46e58", "name
": "", "active": true, "tosidebar": true, "console": false, "tostatus": false, "comp
lete": "true", "targetType": "full", "x": 570, "y": 740, "wires": []}, {"id": "c8f8c1
28.8d39c", "type": "ui_button", "z": "dadfba4d.b46e58", "name": "", "group": "45f5
d45.0eef62c", "order": 3, "width": 0, "height": 0, "passthru": false, "label": "Moto
r
On", "tooltip": "", "color": "", "bgcolor": "", "icon": "", "payload": "{\\\"command\\
\": \"Turned on
Motor\\\"}", "payloadType": "json", "topic": "", "x": 310, "y": 1020, "wires": [{"9319

```

```

72cd.631c", "dc26559d.533228"]]}, {"id": "6f998c69.808b04", "type": "ui_button",
"z": "dadfba4d.b46e58", "name": "", "group": "45f5d45.0eef62c", "order": 4, "width": 0, "height": 0, "passthru": false, "label": "Motor Off", "tooltip": "", "color": "", "bgcolor": "", "icon": "", "payload": "{\\\"command\\\": \\\"Turned off Motor\\\"}", "payloadType": "json", "topic": "", "x": 360, "y": 1100, "wires": [{"931972cd.631c", "dc26559d.533228"}]}, {"id": "e90d9e9c.eff34", "type": "ui_chart", "z": "dadfba4d.b46e58", "name": "", "group": "4816d4ed.17cd7c", "order": 1, "width": 0, "height": 0, "label": "Temperature daily chart", "chartType": "line", "legend": "false", "xformat": "HH:mm:ss", "interpolate": "linear", "nodata": "", "dot": false, "ymin": "", "ymax": "", "removeOlder": 1, "removeOlderPoints": "", "removeOlderUnit": "3600", "cutout": 0, "useOneColor": false, "useUTC": false, "colors": ["#1f77b4", "#aec7e8", "#ff7f0e", "#2ca02c", "#98df8a", "#d62728", "#ff9896", "#9467bd", "#c5b0d5"], "useOldStyle": false, "outputs": 1, "x": 750, "y": 600, "wires": [[]]}, {"id": "39f3117f.948ede", "type": "ui_chart", "z": "dadfba4d.b46e58", "name": "", "group": "4816d4ed.17cd7c", "order": 1, "width": 0, "height": 0, "label": "Humidity chart", "chartType": "line", "legend": "false", "xformat": "HH:mm:ss", "interpolate": "linear", "nodata": "", "dot": false, "ymin": "", "ymax": "", "removeOlder": 1, "removeOlderPoints": "", "removeOlderUnit": "3600", "cutout": 0, "useOneColor": false, "useUTC": false, "colors": ["#1f77b4", "#aec7e8", "#ff7f0e", "#2ca02c", "#98df8a", "#d62728", "#ff9896", "#9467bd", "#c5b0d5"], "useOldStyle": false, "outputs": 1, "x": 750, "y": 900, "wires": [[]]}, {"id": "2b42e1f8.4cc9de", "type": "ui_template", "z": "dadfba4d.b46e58", "group": "4816d4ed.17cd7c", "name": "", "order": 1, "width": 0, "height": 0, "format": "<!DOCTYPE html>\\n<html>\\n<head>\\n\\n<style>\\nbody {\\n  background-image: url('https://wallpaperaccess.com/full/137487.jpg');\\n  background-repeat: no-repeat;\\n  background-attachment: cover;\\n  background-size: 100% 100%;\\n  background-color:white;\\n}\\n\\nh1 {text-align: center;}\\n</style>\\n\\n</head>\\n<body >\\n\\n\\n</body>\\n</html>", "storeOutMessages": true, "fwdInMessages": true, "resendOnRefresh": true, "templateScope": "local", "x": 540, "y": 500, "wires": [[]]}, {"id": "dc26559d.533228", "type": "ui_text", "z": "dadfba4d.b46e58", "group": "4816d4ed.17cd7c", "order": 3, "width": 0, "height": 0, "name": "", "label": "STATUS", "format": "{\\\"msg.payload.command\\\"}", "layout": "row-spread", "x": 680, "y": 980, "wires": []}, {"id": "af66d4b0.54cfd8", "type": "inject", "z": "cb37b69.ead5248", "name": "", "topic": "", "payload": "", "payloadType": "date", "repeat": "", "crontab": "", "once": false, "onceDelay": "1", "x": 160, "y": 320, "wires": [{"3202fc83.528544"}]}, {"id": "3202fc83.528544", "type": "http request", "z": "cb37b69.ead5248", "name": "api", "method": "GET", "ret": "obj", "paytoqs": false, "url": "", "tls": "", "persist": false, "proxy": "", "authType": "", "x": 350, "y": 320, "wires": [{"28b6c56c.7c90fa", "d39f2592.828328", "df5cd1c.32f5f3", "72ff78c1.363498", "387ca108.2b5d1e", "a6c2d3b9.af258"}]}, {"id": "28b6c56c.7c90fa", "type": "debug", "z": "cb37b69.ead5248", "name": "", "active": true, "tosidebar": true, "console": false, "tostatus": false, "complete": "false", "x": 580, "y": 320, "wires": []}, {"id": "d39f2592.828328", "type": "change", "z": "cb37b69.ead5248", "name": "Temperature", "rules": [{"t": "set", "p": "payload", "pt": "msg", "to": "payload.main.temp", "tot": "msg"}], "action": "", "property": "", "from": "", "to": "", "reg": false, "x": 390, "y": 140, "wires": [{"53cadd52.72b534", "a135fcf3.13d5f"}]}, {"id": "53cadd52.72b534", "type": "ui_gauge", "z": "cb37b69.ead5248", "name": "", "group": "413eab00.fbce94", "order": 1, "width": 0, "height": 0, "gtype": "gage", "title": "Temperature", "label": "Celsius", "format": "{\\\"value\\\"}", "min": 0, "max": 75, "colors": ["#00b500", "#00e60f", "#14f05d"], "seg1": "", "seg2": "", "x": 650, "y": 140, "wires": []}, {"id": "df5cd1c.32f5f3", "type": "change", "z": "c

```

```

b37b69.ead5248","name":"Humidity","rules":[{"t":"set","p":"payload","pt":"msg","to":"payload.main.humidity","tot":"msg"}],"action":"","property":"","from":"","to":"","reg":false,"x":480,"y":440,"wires":[[{"id":"1f5e2683.a2d579","type":"ui_gauge","z":"cb37b69.ead5248","name":"","group":"413eab00.fbce94","order":2,"width":0,"height":0,"gtype":"wave","title":"Humidity","label":"%","format":"{{value}}","min":0,"max":100,"colors":["#00b500","#00e608","#3acb43"],"seg1":"","seg2":"","x":710,"y":440,"wires":[]},{id":"72ff78c1.363498","type":"change","z":"cb37b69.ead5248","name":"Wind Speed","rules":[{"t":"set","p":"payload","pt":"msg","to":"payload.wind.speed","tot":"msg"}],"action":"","property":"","from":"","to":"","reg":false,"x":550,"y":220,"wires":[[{"id":"855da7d2.744108","type":"ui_gauge","z":"cb37b69.ead5248","name":"","group":"413eab00.fbce94","order":4,"width":0,"height":0,"gtype":"donut","title":"Wind Speed","label":"m/s","format":"{{value}}","min":0,"max":100,"colors":["#00b500","#04e600","#0de744"],"seg1":"","seg2":"","x":770,"y":220,"wires":[]},{id":"7aebbd1b.174834","type":"ui_template","z":"cb37b69.ead5248","group":"413eab00.fbce94","name":"","order":3,"width":0,"height":0,"format":"<!DOCTYPE html>\n<html>\n<head>\n  \n<style>\nbody {\n  background-image: url('https://wallpaperaccess.com/full/137487.jpg');\n  background-repeat: no-repeat;\n  background-attachment: cover;\n  background-size: 100% 100%;\n  background-color:white;\n}\n\n</style>\n</head>\n<body >\n\n\n</body>\n</html>","storeOutMessages":true,"fwdInMessages":true,"resendOnRefresh":true,"templateScope":"local","x":140,"y":140,"wires":[[]]},{id":"273947b1.f70c28","type":"ui_chart","z":"cb37b69.ead5248","name":"","group":"b5b2c1fd.58f38","order":2,"width":6,"height":5,"label":"Humidity","chartType":"line","legend":"false","xformat":"HH:mm:ss","interpolate":"linear","nodata":"","dot":false,"ymin":0,"ymax":70,"removeOlder":1,"removeOlderPoints":"","removeOlderUnit":3600,"cutout":0,"useOneColor":false,"useUTC":false,"colors":["#1f77b4","#aec7e8","#ff7f0e","#2ca02c","#98df8a","#d62728","#ff9896","#9467bd","#c5b0d5"],"useOldStyle":false,"outputs":1,"x":720,"y":500,"wires":[[]]},{id":"1af8ecdc.76e5f3","type":"ui_chart","z":"cb37b69.ead5248","name":"","group":"b5b2c1fd.58f38","order":3,"width":6,"height":5,"label":"Wind Speed","chartType":"line","legend":"false","xformat":"HH:mm:ss","interpolate":"linear","nodata":"","dot":false,"ymin":"","ymax":"","removeOlder":1,"removeOlderPoints":"","removeOlderUnit":3600,"cutout":0,"useOneColor":false,"useUTC":false,"colors":["#1f77b4","#aec7e8","#ff7f0e","#2ca02c","#98df8a","#d62728","#ff9896","#9467bd","#c5b0d5"],"useOldStyle":false,"outputs":1,"x":820,"y":280,"wires":[[]]},{id":"a135fcf3.13d5f","type":"ui_chart","z":"cb37b69.ead5248","name":"","group":"b5b2c1fd.58f38","order":1,"width":6,"height":4,"label":"Temperature","chartType":"line","legend":"false","xformat":"HH:mm:ss","interpolate":"linear","nodata":"","dot":false,"ymin":"","ymax":"","removeOlder":1,"removeOlderPoints":"","removeOlderUnit":3600,"cutout":0,"useOneColor":false,"useUTC":false,"colors":["#1f77b4","#aec7e8","#ff7f0e","#2ca02c","#98df8a","#d62728","#ff9896","#9467bd","#c5b0d5"],"useOldStyle":false,"outputs":1,"x":690,"y":80,"wires":[[]]},{id":"387ca108.2b5d1e","type":"change","z":"cb37b69.ead5248","name":"type of weather","rules":[{"t":"set","p":"payload","pt":"msg","to":"payload.weather[0].description","tot":"msg"}],"action":"","property":"","from":"","to":"","reg":false,"x":220,"y":560,"wires":[[{"id":"317fcdac.222ff2"}]},{id":"4214bb b7.794114","type":"ui_template","z":"cb37b69.ead5248","group":"413eab00.fb

```

```

ce94", "name": "", "order": 5, "width": 0, "height": 0, "format": "<iframe
id=\"myFrame\" width=\"140\" height=\"140\" src =
\"\"></iframe>\n\n<script>\n(function(scope) {\n    // watch msg object
from Node-RED\n    scope.$watch('msg', function(msg) {\n        // new
message received\n        var x = document.getElementById('myFrame');\n
x.setAttribute('src', msg.payload); \n
});\n})(scope);\n</script>\n\n\n\n\n", "storeOutMessages": true, "fwdInMessages
": true, "resendOnRefresh": true, "templateScope": "local", "x": 840, "y": 580, "wir
es": [[]], {"id": "a6c2d3b9.af258", "type": "function", "z": "cb37b69.ead5248", "
name": "parsing icon from
api", "func": "msg.payload=\"http://openweathermap.org/img/wn/\"+msg.payload
.weather[0].icon+\"@2x.png\"\n\n\nreturn
msg;", "outputs": 1, "noerr": 0, "x": 620, "y": 580, "wires": [[{"4214bbb7.794114", "2
8b6c56c.7c90fa"}]]}, {"id": "317fcdac.222ff2", "type": "ui_text", "z": "cb37b69.e
ad5248", "group": "b5b2c1fd.58f38", "order": 4, "width": 6, "height": 3, "name": "",
"label": "Status", "format": "{{msg.payload}}", "layout": "row-
spread", "x": 410, "y": 560, "wires": []]}

```