SCOPE CERTIFIED APPLICATION INSTALLATION AND CONFIGURATION GUIDE

Google Threat Intelligence for ServiceNow SecOps Integration - Installation Guide (1.0.0)

VERSION CONTROL

#	Document Version	Date	Owner	Document Status	Comments
1	1.0.0	9th Jul, 2025	Crest	Complete	Initial release

Contents

Overview 6

GTI for SecOps ServiceNow Integration 7

Application overview and intended use 7

Compatibility Matrix 7

Installation 8

1. Pre-Requisites 8
   1.1. ServiceNow: 8
   1.2. GTI 8
2. Create Users 8
   2.1. Permissions and Roles 9
3. Application Download and Installation 10
4. System Properties 11
5. Configure the integration instance parameters 12
6. Deactivate the capability implementations 13

Use Cases 14

Tile Configuration 14

DTM Data collection 15

Schedule 15

Filters 16

Integration Field mapping 18

View fetched DTM Alerts and Security Incident 19

View associated “DTM Alerts” referenced in Security Incident 20

View associated observables related to Security Incident of DTM Alert 23

ASM Data collection 25

Schedule 25

Filters 26

Integration Field Mapping 28

View fetched ASM Alerts and Security Incident 28

View associated “ASM Alerts” reference in Security Incident 29

View associated observables related to Security Incident of ASM Issues 33

IoC Stream Data Collection 35

Schedule 35

Filters 37

View Observables 37

Integration Scheduling Guidelines 38

Case 1: Concurrent Scheduling of All Jobs 38

Case 2: Sequential Scheduling Using 'Next Integration' 39

Case 3: Time-Based Scheduling with Fixed Intervals 39

Threat lookup 39

Steps to execute 39

GTI: Get Curated Threat Objects 42

Prerequisites 42

Filter conditions 43

Steps to execute 43

Monitoring 44

Results 44

Observable Enrichment 47

Steps to execute 47

GTI: Get IoC Scan Report 49

Prerequisites 49

Filter conditions 49

Steps to execute 49

Monitoring 50

Results 50

GTI: Get File Sandbox Reports 52

Prerequisites 52

Filter conditions 52

Steps to execute 53

Monitoring 53

Results 53

GTI: Get Passive DNS Data 55

Prerequisites 55

Filter conditions 55

Steps to execute 56

Monitoring 56

Results 56

Sandbox Submission 58

Steps to execute 58

GTI: Private Scan 60

Prerequisites 60

Filter conditions 60

Steps to execute 60

Monitoring 61

Results 61

GTI: Public Scan 63

Prerequisites 63

Filter conditions 63

Steps to execute 63
Monitoring 64
Results 64
Dashboard 66
Observable Mapping 70
DTM Alerts Observable Mapping 70
ASM Issues Observable Mapping 70
IoC Stream Observable Mapping 71
Limitations 71
1. Excessive Data Volume Can Affect Instance Stability 71
2. Improper Scheduling Can Lead to Overlapping Executions 72
Troubleshooting 72
1. Instance is getting stuck/performance constraints 72
2. Able to see configuration for inactive Sandbox submission capabilities implementation 73
3. Getting “Error invoking http request: undefined” or “String object has exceeded maximum permitted size of 33554432” in the application logs. 73
Uninstallation 75

Overview

Google Threat Intelligence (GTI) delivers unparalleled visibility into the global threat landscape, enabling security teams to understand who is targeting them, how, and why. With insights drawn from defending billions of users, analyzing millions of phishing attempts, and conducting hundreds of thousands of incident investigations, GTI empowers organizations with the context and intelligence needed to stay ahead of threats.

GTI allows teams to **turn insights into action** by focusing on the most relevant threats, understanding attacker tactics, techniques, and procedures (TTPs), and proactively setting defenses. With deep integrations into your workflows, analysts can hunt and respond to novel threats within minutes.

By combining the capabilities of **Mandiant's elite threat analysts** and the **Gemini AI engine**, Google Threat Intelligence acts as a true extension of your team. Analysts can get real-time support from Mandiant experts directly within the console, while Gemini optimizes workflows, highlights high-priority threats, and continuously adapts to your organization's unique risk profile.

The **Threat Intelligence Workbench** simplifies collaboration and investigation by centralizing malware data, contextual threat analysis, hunting tools, and custom workflows—all in a single interface. With GTI, your team gains the expertise, automation, and agility to tackle the most sophisticated threats efficiently and effectively.

GTI for SecOps ServiceNow Integration

This application integrates Google Threat Intelligence (GTI) with the ServiceNow Security Incident Response (SIR) module to deliver automated alert ingestion, incident lifecycle management, observable enrichment, threat lookup and sandbox submission.

DTM (Detection & Threat Management) and ASM (Attack Surface Management) alerts are fetched from GTI and used to create Security Incidents in ServiceNow. These incidents are linked to custom DTM/ASM records for context preservation.

The integration also supports scheduled ingestion of Indicators of Compromise (IoCs), which are created as Observables in ServiceNow. Analysts can enrich these with threat context, perform lookups, and submit files for sandbox analysis directly from the platform.

Security Incident state updates in ServiceNow are synced back to GTI.

The integration utilizes the ServiceNow Capability Framework 2.0 to support observable enrichment, threat lookup and sandbox submission capabilities.

Application overview and intended use

The main features of the integration include:

1. Ability to fetch filtered DTM alerts from the GTI platform and create corresponding Observables and Security Incidents in ServiceNow.
2. Ability to fetch filtered ASM issues from the GTI platform and create corresponding Observables and Security Incidents in ServiceNow.
3. Ability to fetch IoC streams from the GTI platform and create Observables in ServiceNow for enrichment and correlation.
4. Ability to request private scans for files or URLs directly from ServiceNow.
5. Ability to initiate threat scans for IP addresses, domains, files, and URLs.
6. Ability to retrieve passive DNS data for IPs and domains to support threat investigation.
7. Ability to fetch file sandbox reports for deeper file analysis.
8. Ability to the IoC scan report.
9. Ability to retrieve curated threat intelligence on malware, campaigns, threat actors, report & software toolkits.

Compatibility Matrix

ServiceNow Version: Xanadu, Yokohama and Zurich
GTI API Version: v3
Deployment: On-Cloud

Installation

This section describes how to download and install the "**Google Threat Intelligence for ServiceNow SecOps**" application from the store.

1. Pre-Requisites

1.1. ServiceNow:

These ServiceNow plugins must be activated:

1. Security Incident Response v13.6.7
2. Threat Intelligence v13.3.2

To install these plugins:

1. Login to your instance with your user credentials.
2. Verify you have the System Administrator (admin) role.
3. Navigate to **System Definition** > **Plugins** in your instance.
4. Search and install the above plugins.

1.2. GTI

To use this integration, a valid API key is required. You can obtain this key by creating an account or logging into the VirusTotal Community. Once logged in, navigate to your "Profile" > "API key" to locate your personal access key.

2. Create Users

The ServiceNow platform admin should create various users required for the application and assign them appropriate roles.

Username (for example)	Role to be assigned
GTI Admin	sn_sec_cmn.admin, x_goog_gti_secops.admin, x_goog_gti_secops.user, sn_si.admin, sn_ti.admin, personalize_read_dictionary, dashboard_admin
GTI User	sn_sec_cmn.read, x_goog_gti_secops.user, sn_si.analyst, sn_ti.read, personalize_read_dictionary, dashboard_admin

Below is the example showing how to create a user and assign the role to it.
Role Required: System Administrator (admin)

Procedure:

1. Navigate to **Organization** > **Users**.
2. Click the **Users** module.



3. On the Users list that is displayed, click **New**. A new user form is displayed.
4. Fill in the form.
   Note: The values for User ID title and email address shown in the following table and figure are example values

Field	Description
User ID	Unique User ID for the role in your ServiceNow Platform instance.
First Name	The first name of the user.
Last Name	The last name of the user.
Title	Job Title, for example gti_admin
Password	The unique password created for this role.
Email	Unique email address.

5. Click **Submit**. Once submitted, you can assign the role.
6. On the Users list in the User ID column, click on the name of the new user you created.
7. Once the record is open, go to the Roles section, and click **Edit**.
8. On the Edit Members form that is displayed, enter all the roles mentioned for the user in the Collection field.
9. Click **Save**.

2.1. Permissions and Roles

These are the ServiceNow User and the permissions that users have in the application.

User	Permissions
GTI Admin	● Configure integrations - DTM, ASM, IoC. ○ Filters ○ Scheduling ● Configure field mappings for DTM/ASM. ● Execute capability implementations. ● View the Support contact & App privacy policy page. ● Application logs. ● System properties.
GTI User	● View integration configurations - DTM, ASM, IoC. ● View field mappings for DTM/ASM. ● Execute capability implementations. ● View the Support contact & App privacy policy page. ● View the System Properties.

3. Application Download and Installation

Roles required: System Administrator (admin)

1. Get the **Google Threat Intelligence for ServiceNow SecOps** integration app from the ServiceNow Store for the ServiceNow instance by clicking on **Get** and entering your user credentials.
2. Log in to the instance on which you want to install the application.
3. Navigate to **System Applications > All Available Applications > All** (ServiceNow supported versions areXanadu, Yokohama, Zurich).



4. Click the **Not Installed** tab. A list of applications available for installation is displayed.
5. Locate the **Google Threat Intelligence for ServiceNow SecOps** Integration, select it, and click **Install**.
6. The application will be installed in your instance.

4. System Properties

In the **Google Threat Intelligence for ServiceNow SecOps** Integration, the system properties are as listed below:

a. x_goog_gti_secops.asm_issue_status_map: JSON mapping between Google Threat Intelligence (GTI) ASM Issue statuses and ServiceNow Security Incident statuses. Used both during ingestion of ASM Issues into ServiceNow and when updating status changes from ServiceNow back to GTI.

GTI ASM to SNow Security Incident Status Mapping		
GTI ASM Alert Status	**Mapped Security Incident state in ServiceNow**	**ServiceNow Security Incident Close Code (Applicable for Closed state only)**
Open	Draft	NA
Triaged	Analysis	NA
In Progress	Contain	NA
Resolved	Closed	Investigation completed
Duplicate	Closed	False positive
Out of Scope	Closed	Not Resolved
Mitigated	Closed	Threat Mitigated
Benign	Closed	Threat Mitigated
Risk Accepted	Closed	Threat Mitigated
False Positive	Closed	False Positive
Unable to Reproduce	Closed	False Positive
Tracked Externally	Closed	Not Resolved
Closed	Closed	Investigation completed

SNow Security Incident to GTI ASM status Mapping		
Security Incident state in ServiceNow	**ServiceNow security incident Close Code (Applicable for Closed state only)**	**Mapped GTI ASM Alert Status**
Draft	NA	Open
Analysis	NA	Triaged
Contain	NA	In Progress
Closed	Investigation completed	Closed
Closed	Threat mitigated	Mitigated
Closed	False positive	False Positive
Closed	Not Resolved	Out of Scope
Closed	Patched Vulnerability	Resolved
Closed	Invalid Vulnerability	False Positive

b. x_goog_gti_secops.dtm_alert_status_map: JSON mapping between Google Threat Intelligence (GTI) DTM Alert statuses and ServiceNow Security Incident statuses.Used when ingesting alerts from GTI into ServiceNow and when updating status changes from ServiceNow back to GTI.

GTI DTM to SNow Security Incident Status Mapping		
GTI DTM Alert Status	**Mapped Security Incident state in ServiceNow**	**ServiceNow security incident Close Code (Applicable for Closed state only)**
New	Draft	NA

GTI DTM to SNow Security Incident Status Mapping		
Read	Analysis	NA
Escalated	Analysis	NA
In Progress	Contain	NA
Resolved	Closed	Investigation completed
No Action Required	Closed	Threat mitigated
Duplicate	Closed	False positive
Not Relevant	Closed	False positive
Tracked External	Closed	Not resolved

SNow Security Incident to GTI DTM status Mapping		
Security Incident state in ServiceNow	**ServiceNow security incident Close Code (Applicable for Closed state only)**	**Mapped GTI DTM Alert Status**
Draft	NA	New
Analysis	NA	Read
Contain	NA	In Progress
Closed	Investigation completed	Resolved
Closed	Threat mitigated	No Action Required
Closed	False positive	Not Relevant
Closed	Not Resolved	Tracked External
Closed	Patched Vulnerability	Resolved
Closed	Invalid Vulnerability	No Action Required

c. x_goog_gti_secops.hours_of_lookup_for_obs: Hours between next lookup on the same observable (In numbers).
d. x_goog_gti_secops.set_timeout: Set timeout in milliseconds.
e. x_goog_gti_secops.wait_for_response_in_sec: Wait for a response in seconds.
f. x_goog_gti_secops.logging.verbosity: This property controls the logging verbosity level of the application. The levels of verbosity, in order from most to least verbose, are: debug, info, warn, and error.

To update these properties, follow these steps:

1. Navigate to sys_properties.LIST in the ServiceNow instance.
2. Search for the specific property in the name field.
3. Open the record, modify the value, and save the record.

5. Configure the integration instance parameters

The following integration instance parameters are provided as part of the "Google Threat Intelligence" integration instance. This configuration affects how the data is fetched from the GTI platform via the integrations - DTM, ASM and IoC stream.

1. api_base_url: The base URL for the Google Threat Intelligence.
2. api_key: The API key configured in the integration tile.
3. dtm_page_size: Number of alerts fetched per page for DTM from the GTI platform. The maximum allowed value is 25.
4. dtm_topic_limit: The number of topics per alert that will be used to create the observables. Find the table that explains the different scenarios for this parameter.
    a. Zero or negative value is provided: No observables will be created.
    b. Empty value: Observables will be created for all the topics.
    c. Valid integer value: At maximum the provided number of observables will be created. If the actual topics are less than the provided value then that will be considered.

    Note:
    - Please ensure that the value of this parameter is not configured with a very large value as it might have performance constraints when executing the integrations and possibility of the integration getting stuck.
    - All the processed topics will be visible as observable and attached to security incidents created for DTM Alert record.
5. dtm_max_records_per_run: Maximum number of alerts to be fetched per integration run for DTM.
6. asm_page_size: Number of issues fetched per page for ASM from the GTI platform. The maximum allowed value is 1000.
7. asm_max_records_per_run: Maximum number of issues to be fetched per integration run for ASM.
8. ioc_limit: Number of entities fetched per page for IoC stream. The maximum allowed value is 40.
9. enable_record_limit: Enable/Disable record limit per integration run for DTM/ASM.
10. max_retry_count: Maximum number of retries to attempt if API fails with status code 429.
11. retry_interval: Interval in seconds before trying to retry.

Use Cases

Tile Configuration

This section describes how to create a configuration, which is used to connect the GTI platform with ServiceNow.

Role Required: sn_si.admin

Procedure:

1. Navigate to “Security Operations” > “Integrations” > “Integration Configurations”.
2. Click on the “Configure” button on the tile with the label “Google Threat Intelligence for ServiceNow SecOps”.



3. Add Name and API key, submit the record.



4. By default, the record in sn_sec_cmn_capability_implementation is set to active = false. After submission, please ensure that the corresponding capability implementations are deactivated, described in Deactivate the capability implementations for initial/historical data collection.

5. Deactivate the capability implementations

This section describes the steps to deactivate the out-of-the-box (OOTB) capability implementations provided by the GTI ServiceNow integration and explains why this step is necessary before running DTM/ASM integrations.

Why you need to do this:

- By default, when a new DTM alert is fetched in ServiceNow, observables are created for each associated topic.
- These observables are linked to Security Incidents, which automatically trigger the built-in capabilities provided by the GTI integration.
- If this default behavior is left active during historical data ingestion, it can lead to:
    - High system load
    - Performance degradation on your ServiceNow instance
    - Unnecessary processing of a large volume of observables
- To avoid this overhead, it is strongly recommended to **deactivate these capabilities before starting the data fetch**.
- Once historical ingestion is complete, you can re-enable the capabilities to allow normal observable processing.

Procedure:

1. Navigate to the sn_sec_cmn_capability_implementation.LIST in the ServiceNow instance.
2. Filter the implementations for the application 'Google Threat Intelligence for ServiceNow SecOps'
3. Set the 'Active' field to false for all the six capability implementations provided in the integration.



Capability Implementations

All > Application = Google Threat Intelligence for ServiceNow SecOps

Name	Active	Order	Capability	Flow	Configuration	Rate Limit	Batch Inputs Size
GTI: Get Curated Threat Objects - Threat...	false	100	Threat Lookup	GTI SecOps Integration - Get Curated Thr...	Google Threat Intelligence for ServiceNo...	Capability Max Concurrent Req Per Period	10
GTI: Get File Sandbox Reports - Observab...	false	200	Enrich Observable	GTI SecOps Integration - Get File Sandbo...	Google Threat Intelligence for ServiceNo...	Capability Max Concurrent Req Per Period	15
GTI: Get IoC Scan Report - Observable En...	false	100	Enrich Observable	GTI SecOps Integration - Get IoC Scan Re...	Google Threat Intelligence for ServiceNo...	Capability Max Concurrent Req Per Period	15
GTI: Get Passive DNS Data - Observable E...	false	300	Enrich Observable	GTI SecOps Integration - Get Passive DNS...	Google Threat Intelligence for ServiceNo...	Capability Max Concurrent Req Per Period	15
GTI: Private Scan - Sandbox Submission	false	100	Sandbox Submission	GTI SecOps Integration - Sandbox Submission	Google Threat Intelligence for ServiceNo...	Capability Max Concurrent Req Per Period	1
GTI: Public Scan - Sandbox Submission	false	100	Sandbox Submission	GTI SecOps Integration - Sandbox Submission	Google Threat Intelligence for ServiceNo...	Capability Max Concurrent Req Per Period	1

Post-Ingestion:

- Once you have completed the historical data collection, you can **reactivate** the capability implementations by setting the **'Active'** field back to **true**.
- This will allow the GTI integration to resume its automated processing of observables for incoming alerts.

DTM Data collection

This section describes how to configure the integration to fetch filtered DTM (Detection and Threat Management) alerts from the Google Threat Intelligence (GTI) platform into ServiceNow. The integration automatically creates Observables and Security Incidents from DTM alerts, enabling threat analysts to triage and respond to high-priority detections based on curated intelligence.

Role Required:

- gti_admin: Configure the filters and schedule.
- gti_user: View the configuration and collected data

Procedure:

Schedule

This section describes how to schedule automatic data collection of DTM alerts from the GTI platform. You can configure the schedule based on your organization's requirements using ServiceNow's OOTB scheduling

1. Navigate to "Google Threat Intelligence for SecOps" > "Configuration" > "Integrations"



2. Open "GTI DTM Alerts Integration".



3. Verify that the integration is active.
4. Navigate to the "Schedule" tab.



5. Set the **Run** field to the desired frequency (e.g., daily, periodically every hour) to control how often DTM alerts are collected. Please note that it is recommended that scheduling time

intervals should not be less than 1 hour if set periodically. To set time interval please refer [Integration Scheduling Guidelines](#)

6. Annotations explain the time range for the “Start time” and “Until” field is added for reference.

Filters

This section describes how to apply filters to collect only relevant DTM alerts:,

1. In the same record, navigate to the “DTM Filters” tab.



2. Specify filters based on requirement. **Please note** that if you are not able to see options for “Status”, “Alert Type” or “Severity” field, please follow steps added [here](#) to add choices in the fields.
3. An annotation indicating the detailed format and use of the filter is provided at the end of the section for reference.
4. Hover over the filter field name to get more information about the filter that will be applied during fetching.



5. “Update” the record.
6. Also, you can refer the following link to get more information about the filters - https://gtidocs.virustotal.com/reference/get-alerts

Integration Field mapping

This section describes the field mapping between DTM alerts and the created ServiceNow Security incident.

1. Open **Integration Field Mapping** section.



2. Default field mapping is provided for related source alert tables.
3. Application admin can modify the field mapping as per requirement.
4. After modifying field mapping, users need to update the record by clicking on the **Update** button.
5. Click on "-" to remove the condition. And click on "+" to add the new condition.
6. Drag and drop Source table fields from the available list from left hand side
7. Select Security incident field from the drop down.



View fetched DTM Alerts and Security Incident

Once the scheduler is executed either manually by clicking on the "Execute Now" button or at the scheduled time, then data will be visible in the "DTM Alerts" table. This section describes how to view those alerts data.

1. Navigate to "Google Threat Intelligence for SecOps" > "Alerts" > "DTM Alerts"



2. Open the record and view details.
3. Click the **info (ℹ️) icon** next to the security incident field to open the associated Security Incident.



View associated “DTM Alerts” referenced in Security Incident

This section describes how to view the DTM alert associated with respective Security incidents. Please note that we need to add the related list in the security incident to view associated DTM alerts. This is a one time procedure, from next time onwards, it will be visible automatically.

1. Navigate to “Google Threat Intelligence for SecOps” > “Security Incidents” > “DTM”.



2. Open any security incident records.
3. You will be able to see fields mapped from DTM alerts in Security incidents based on configured [Integration Field mapping](#).
4. Scroll down to the activity section, clickable link to navigate to the respective alert on the GTI platform is available in the work notes of Security incident.



5. Right click on the top left corner and select “Configure” > “Related list”.



6. Select “DTM Alert -> Security Incident” to selected bucket. Click on Save.



7. The DTM Alert associated with the security incident record will now be visible in the “DTM Alerts” related list.



View associated observables related to Security Incident of DTM Alert

This section describes how to view Observables that are associated with Security Incidents created for DTM alerts in ServiceNow.

When a DTM alert is ingested through the integration, the system creates a Security incident for DTM alert and creates one or more Observables based on the fetched topics along with the alert. These Observables are linked to the resulting Security Incident to provide context for investigation.

Procedure:

1. Navigate to “Google Threat Intelligence for SecOps” > “Security Incidents” > “DTM”.
2. Open the relevant Security incident record.



3. In the Security Incident record, scroll to the **Observables** related list.



For mapping related information, refer to DTM Alerts Observable Mapping.

ASM Data collection

This section describes how to configure the integration to fetch filtered ASM (Attack Surface Management) issues from the Google Threat Intelligence (GTI) platform into ServiceNow. These issues are ingested as Observables and Security Incidents, helping security teams track and respond to external exposures. The integration allows administrators to define filters to control what data is fetched and to schedule the collection based on organizational needs.

Role Required:

- gti_admin: Configure the filters and schedule.
- gti_user: View the configuration and collected data

Procedure:

Schedule

This section describes how to schedule automatic data collection from the GTI platform. You can configure the schedule based on your organization's requirements using ServiceNow's OOTB (Out-of-the-Box) scheduling capabilities:

1. Navigate to "Google Threat Intelligence for SecOps" > "Configuration" > "Integrations".



2. Open the record named "GTI ASM Issues Integration".



3. Ensure the integration is set to Active.
4. Navigate to the "Schedule" tab.



5. Set the Run field to the desired frequency (e.g., daily, hourly) to control how often the system collects ASM issues. Please note that it is recommended that scheduling time interval should not be less than 1 hour if set periodically. To set time interval please refer [Integration Scheduling Guidelines]



Filters

This section describes how to fetch only relevant ASM issues by applying filters

1. In the same integration record, go to the “ASM Filters” tab.



2. In the Search String field, enter the filtering criteria.
    a. Format: space-separated search query (e.g., severity:4 severity:3).

   Please **note** that the entered “Search String” should be valid.
3. This ensures that only ASM issues matching your criteria are ingested into ServiceNow.



4. “Update” the record.

Integration Field Mapping

This section describes the field mapping between ASM alerts and the created ServiceNow Security incident.

1. Open **Integration Field Mapping** section.



2. Default field mapping is provided for related source alert tables.
3. Application admin can modify the field mapping as per requirement.
4. After modifying field mapping, users need to update the record by clicking on the **Update** button.
5. Click on "-" to remove the condition. And click on "+" to add the new condition.
6. Drag and drop Source table fields from the available list from left hand side
7. Select Security incident field from the drop down.



View fetched ASM Alerts and Security Incident

This section describes how to view fetched ASM Alerts and associated Security Incidents.

1. Navigate to "Google Threat Intelligence for SecOps" > "Alerts" > "ASM Issues"



2. Open the record and view details.
3. Click the **info (ℹ️) icon** next to the security incident field to open the associated Security Incident.



View associated “ASM Alerts” reference in Security Incident

This section describes how to view ASM alerts associated with respective Security incidents. Please note that we need to add a related list in the security incident to view associated ASM alerts. This is one time procedure, from next time onwards, it will automatically be visible

1. Navigate to “Google Threat Intelligence for SecOps” > “Security Incidents” > “ASM”.



2. Open any of the security incident records.
3. You will be able to see fields mapped from ASM issues in Security Incidents based on configured [integration field mapping]



4. Scroll down to the activity section, clickable link to navigate to the respective issue on the GTI platform is available in the work notes of Security incident.



5. Right click on the top left corner and select “Configure” > “Related list”.



6. Select “ASM Issue -> Security Incident” to selected bucket. Save the record.



7. The ASM Issue associated with the security incident record will now be visible in the "ASM Issues" related list.



View associated observables related to Security Incident of ASM Issues

This section describes how to view Observables that are automatically created from ASM issues fetched via the GTI integration and linked to corresponding Security Incidents (created for ASM Issues) in ServiceNow.

When an ASM issue is ingested through the integration, relevant Observables (such as domains, IP addresses, or URLs) are created and linked to the associated Security Incident. Analysts can review these Observables directly from the ServiceNow security incident record to understand the scope and impact of the issue.

Procedure:

1. Navigate to "Google Threat Intelligence for SecOps" > "Security Incidents" > "ASM".
2. Open the relevant Security incident record.



3. In the Security Incident record, scroll to the **Observables** related list.



For mapping related information visit [ASM Issues Observable Mapping]

IoC Stream Data Collection

This section describes how to configure the “GTI IoC Stream Data Integration” to ingest Indicator of Compromise (IoC) streams into ServiceNow. These IoCs—such as domains, IPs, URLs, hashes—are ingested as Observables and made available for enrichment, correlation, and proactive detection across other security tools and incident workflows.

Role Required:

- gti_admin: Configure the filters and schedule.
- gti_user: View the configuration and collected data

Procedure:

Schedule

To schedule IoC Stream Data collection from Google Threat Intel platform,

1. Navigate to “Google Threat Intelligence for SecOps” > “Configuration” > “Integrations”



2. Open record with name “GTI IoC Stream Data Integration”.



3. Verify that the integration is active.
4. Navigate to the “Schedule” tab. Set “Run” with respective values as required.



5. Select frequency from the available list to set up the scheduler. Other dependent fields will be visible based on “Run” selection. Eg. If “Daily” is selected, configure the time at which it will run. Please note it is recommended that scheduling time interval should not be less than 1 hour if set periodically. To set time interval please refer [Integration Scheduling Guidelines](#)



Filters

This section describes how to fetch only relevant IoCs by applying filters

1. In the same integration record, navigate to the “IoC Filters” tab.
2. Specify filters based on requirement.



3. “Update” the record.

View Observables

This section describes how to view observables that are created for the fetched IoC stream data from GTI.

1. To view the observables created via the IoC stream integration, navigate to “Google Threat Intelligence for SecOps” > “Observables” > “IoC Stream”.
2. Users will see the list of the IoC data fetched from the Platform.



3. The IoC type will be mapped to the corresponding observable type according to the provided IoC Stream Observable Mapping.

Integration Scheduling Guidelines

This section outlines the recommended approach for scheduling integrations to ensure optimal performance during data ingestion from the GTI platform. Please note that we have verified parallel processing by keeping “dtm_topic_limit” as 100 and in that case it works as expected. But please note that if you encounter any issue while fetching data can refer to any of the below mentioned approaches.

Case 1: Concurrent Scheduling of All Jobs

In this approach, all integration schedulers (ASM, DTM, and IoC) are configured to run **periodically at the same time**, typically every 1 or 2 hours based on requirement. Please note that we should not reduce scheduled periodic time intervals below 1 hour, it could lead to ServiceNow performance issues based on the amount of data. Examples for scheduling is as follows:

- DTM Integration: Scheduled periodically every 1 hour at 12:00 AM
- ASM Integration: Scheduled periodically every 1 hour at 12:00 AM
- IoC Integration: Scheduled periodically every 1 hour at 12:00 AM

While this method simplifies configuration, it may cause high load on the instance due to concurrent data fetches and parallel capability executions—especially when data volume is high across all sources.

This setup is suitable for **low-to-moderate data volumes** but should be used with caution. Perform load testing to ensure your instance can handle simultaneous executions without performance impact.

Case 2: Sequential Scheduling Using 'Next Integration'

To enable seamless data flow and avoid overloading the system, integrations should be scheduled sequentially by configuring the ‘Next Integration’ field in the GTI Integration table. A recommended execution order is: DTM -> ASM -> IoC.

- In this setup, the ‘Next Integration’ field for the DTM integration should reference the ASM integration.
- The ASM integration's ‘Next Integration’ field should then reference the IoC stream integration.

With this configuration, administrators only need to define the execution interval for the DTM integration. The subsequent integrations (ASM and IoC) can be set to run ‘On Demand’ (OOTB shipped), triggered automatically in sequence.

Case 3: Time-Based Scheduling with Fixed Intervals

Alternatively, integrations can be scheduled with a fixed time gap between each run. A 20-minute interval is recommended if the period is set to 1 hour to ensure adequate system performance. For example:

- DTM Integration: Scheduled periodically every 1 hour at 12:00 AM
- ASM Integration: Scheduled periodically every 1 hour at 12:20 AM
- IoC Integration: Scheduled periodically every 1 hour at 12:40 AM

If schedule period is set to 2 hours then can set it as below

- DTM Integration: Scheduled periodically every 2 hour at 12:00 AM
- ASM Integration: Scheduled periodically every 2 hour at 01:00 AM
- IoC Integration: Scheduled periodically every 2 hour at 01:30 AM

This approach can also be applied to periodic scheduling, following the same interval logic to maintain a consistent processing cadence.

Threat lookup

This section describes how to execute the ‘Threat Lookup’ capability on the list of selected observables.

Steps to execute

1. Navigate to “Google Threat Intelligence for SecOps” > “Security Incidents”> “DTM”/ “ASM”.



2. Open the security incident record you wish to perform the enrichment on .
3. Locate ‘Associated Observables’ related list. If the related list is not visible click on ‘Show All Related Lists’.





4. Select the observables on which you need to perform threat lookup. Not supported observable types will be skipped from the selection.



5. Alternatively, threat lookup can also be executed by navigating to an 'Observable' record.



6. If the associated observables list of a security incident is modified, then threat lookup will execute automatically on the new observables.

GTI: Get Curated Threat Objects

This section describes the steps on how to execute the 'GTI: Get Curated Threat Objects - Threat Lookup' capability implementation on the observables.

Prerequisites

1. Navigate to the 'sn_sec_cmn_capability_implementation.LIST'.



2. Add the filter in the name field - 'GTI: Get Curated Threat Objects - Threat Lookup'.



3. Set the ‘Active’ field to true for the capability implementation.



Filter conditions

1. Allowed observable types: IP address (V4), IP address (V6), Domain name, SHA256 hash, SHA1 hash, MD5 hash.
2. Has executed within the configured duration: Skip threat lookup execution if successful threat lookup results are found within the duration (hours) configured in the 'x_goog_gti_secops.hours_of_lookup_for_obs' system property.

Steps to execute

1. Move the ‘GTI: Get Curated Threat Objects - Threat Lookup’ capability implementation from the left-side of the slush bucket to the right and click on `Submit`.



2. After successful submission, the following info message will be displayed.



Monitoring

1. Navigate to the 'sn_sec_cmn_capability_implementation_execution.LIST' table to track the execution of the capability implementation.
2. Add the value 'GTI: Get Curated Threat Objects - Threat Lookup' in the filter for the capability implementation field.
3. If the observable has an associated security incident record, then worknotes will be populated indicating the execution of the capability implementation.

Results

1. After the execution of threat lookup you will find the results in the 'Threat Lookup Result' table (sn_ti_lookup_result).



2. Configure the related list of the 'Threat Lookup Result' record to view the fetched data in a prettier format.



Click on 'Edit this view' and move the 'GTI Threat Lookup Results' related list to the right-side of the slush bucket and click on 'Save'.



3. Navigate to the record in the bottom of the result record from ‘GTI Enrichment Data’ related list to view the data in the prettier format.



4. Navigate to the modules under ‘Google Threat Intelligence for SecOps > Threat Objects’ to view the records created for the following threat objects.
    a. Report
    b. Campaign
    c. Threat Actor
    d. Malware
    e. Software Toolkit
5. Navigate to ‘Threat Intelligence > IoC repository > Object-Observable Relationship’ to view the relationship created between the observable on which threat lookup was executed and the threat objects fetched for the same.

6. Additional information related to the threat objects is also available in the 'Output Parameters' and 'Raw data' fields in the capability implementation execution and threat lookup record respectively.

Observable Enrichment

This section describes how to execute the 'Observable Enrichment' capability on the list of selected observables.

Steps to execute

1. Navigate to the 'Security Incident' table.
2. Open the security incident record you wish to perform the enrichment on.
3. Locate 'Associated Observable' related list. If the related list is not visible click on 'Show All Related Lists'.





4. Select the observables on which you need to perform observable enrichment. Unsupported observable types will be skipped from the selection.



5. Alternatively, observable enrichment can also be executed by navigating to an 'Observable' record.



6. If the associated observables list of a security incident is modified, then observable enrichment will execute automatically on the new observables if they pass the filter conditions.

GTI: Get IoC Scan Report

This section describes the steps on how to execute the ‘GTI: Get IoC Scan Report - Observable Enrichment’ capability implementation on the observables.

Prerequisites

1. Navigate to the ‘sn_sec_cmn_capability_implementation.LIST’.
2. Add the filter in the name field - ‘GTI: Get IoC Scan Report - Observable Enrichment’.
3. Set the ‘Active’ field to true for the capability implementation.

Filter conditions

1. Allowed observable types: IP address (V4), IP address (V6), Domain name, SHA256 hash, SHA1 hash, MD5 hash and URL.
2. Has executed within the configured duration: Skip observable enrichment execution if successful observable enrichment results are found within the duration (hours) configured in the 'x_goog_gti_secops.hours_of_lookup_for_obs' system property.

Steps to execute

1. Move the ‘GTI: Get IoC Scan Report - Observable Enrichment’ capability implementation from the left-side of the slush bucket to the right and click on `Submit`.



2. After successful submission, the following info message will be displayed.



Monitoring

1. Navigate to the 'sn_sec_cmn_capability_implementation_execution.LIST' table to track the execution of the capability implementation.
2. Add the value 'GTI: Get IoC Scan Report - Observable Enrichment' in the filter for the capability implementation field.
3. If the observable has an associated security incident record, then worknotes will be populated indicating the execution of the capability implementation.

Results

1. After the execution of observable enrichment you will find the results in the 'Observable Enrichment Result' table (sn_ti_observable_enrichment_result) and the 'GTI Observable Enrichment Result table (x_goog_gti_secops_observable_enrichment_result)'.
2. Configure the related list of the 'Observable' record to view the fetched data in a prettier format.



Click on ‘Edit this view’ and move the ‘GTI Observable Enrichment Result->Observable’ related list to the right-side of the slush bucket and click on ‘Save’.



3. Navigate to the record in the bottom of the result record from ‘GTI Observable Enrichment Result’ related list to view the data in the prettier format.





GTI: Get File Sandbox Reports

This section describes the steps on how to execute the ‘GTI: Get File Sandbox Reports - Observable Enrichment’ capability implementation on the observables.

Prerequisites

1. Navigate to the ‘sn_sec_cmn_capability_implementation.LIST’.
2. Add the filter in the name field - ‘GTI: Get File Sandbox Reports - Observable Enrichment’.
3. Set the ‘Active’ field to true for the capability implementation.

Filter conditions

1. Allowed observable types: SHA256 hash, SHA1 hash and MD5 hash.

2. Has executed within the configured duration: Skip observable enrichment execution if successful observable enrichment results are found within the duration (hours) configured in the 'x_goog_gti_secops.hours_of_lookup_for_obs' system property.

Steps to execute

1. Move the 'GTI: Get File Sandbox Reports - Observable Enrichment' capability implementation from the left-side of the slush bucket to the right and click on `Submit`.



2. After successful submission, the following info message will be displayed.



Monitoring

1. Navigate to the 'sn_sec_cmn_capability_implementation_execution.LIST' table to track the execution of the capability implementation.
2. Add the value 'GTI: Get File Sandbox Reports - Observable Enrichment' in the filter for the capability implementation field.
3. If the observable has an associated security incident record, then worknotes will be populated indicating the execution of the capability implementation.

Results

1. After the execution of observable enrichment you will find the results in the 'Observable Enrichment Result' table (sn_ti_observable_enrichment_result).

2. Configure the related list of the 'Observable Enrichment Result' record to view the fetched data in a prettier format.



3. Click on 'Edit this view' and move the 'GTI Observable Enrichment Result->Observable' related list to the right-side of the slush bucket and click on 'Save'.



4. Navigate to the record in the bottom of the result record from 'GTI Observable Enrichment Result' related list to view the data in the prettier format.





GTI: Get Passive DNS Data

This section describes the steps on how to execute the ‘GTI: Get Passive DNS Data - Observable Enrichment’ capability implementation on the observables.

Prerequisites

1. Navigate to the ‘sn_sec_cmn_capability_implementation.LIST’.
2. Add the filter in the name field - ‘GTI: Get Passive DNS Data - Observable Enrichment’.
3. Set the ‘Active’ field to true for the capability implementation.

Filter conditions

1. Allowed observable types: IP address (V4), IP address (V6) and Domain name.

2. Has executed within the configured duration: Skip observable enrichment execution if successful observable enrichment results are found within the duration (hours) configured in the 'x_goog_gti_secops.hours_of_lookup_for_obs' system property.

Steps to execute

1. Move the ‘GTI: Get Passive DNS Data - Observable Enrichment’ capability implementation from the left-side of the slush bucket to the right and click on `Submit`.



2. After successful submission, the following info message will be displayed.



Monitoring

1. Navigate to the ‘sn_sec_cmn_capability_implementation_execution.LIST’ table to track the execution of the capability implementation.
2. Add the value ‘GTI: Get Passive DNS Data - Observable Enrichment’ in the filter for the capability implementation field.
3. If the observable has an associated security incident record, then worknotes will be populated indicating the execution of the capability implementation.

Results

1. After the execution of observable enrichment you will find the results in the ‘Observable Enrichment Result’ table (sn_ti_observable_enrichment_result).

2. Configure the related list of the 'Observable Enrichment Result' record to view the fetched data in a prettier format.



3. Click on 'Edit this view' and move the 'GTI Observable Enrichment Result->Observable' related list to the right-side of the slush bucket and click on 'Save'.



4. Navigate to the record in the bottom of the result record from 'GTI Observable Enrichment Result' related list to view the data in the prettier format.





Sandbox Submission

This section describes how to execute the 'Sandbox Submission' capability on the list of selected observables.

Steps to execute

1. Navigate to the 'Security Incident' table.
2. Open the security incident record you wish to perform the enrichment on.
3. Locate 'Associated Observable' related list. If the related list is not visible click on 'Show All Related Lists'.





4. Select the observables on which you need to perform sandbox submission. Not supported observable types will be skipped from the selection.



GTI: Private Scan

This section describes the steps on how to execute the 'GTI: Private Scan - Sandbox Submission' capability implementation on the observables.

Prerequisites

1. Navigate to the 'sn_sec_cmn_capability_implementation.LIST'.
2. Add the filter in the name field - 'GTI: Private Scan - Sandbox Submission'.
3. Set the 'Active' field to true for the capability implementation.

Filter conditions

1. Allowed observable types: File and URL.
2. Has executed within the configured duration: Skip sandbox submission execution if successful sandbox submission results are found within the duration (hours) configured in the 'x_goog_gti_secops.hours_of_lookup_for_obs' system property.

Steps to execute

1. Select the configuration record using which the sandbox submission should be performed. For private scans select the configuration named 'GTI Private - Sandbox Configuration Record'. Click to 'Submit to Sandbox' to submit the observables for sandbox submission.



2. After successful submission, the following info message will be displayed.



Monitoring

1. Navigate to the ‘sn_sec_cmn_capability_implementation_execution.LIST’ table to track the execution of the capability implementation.
2. Add the value ‘GTI: Private Scan - Sandbox Submission’ in the filter for the capability implementation field.
3. If the observable has an associated security incident record, then worknotes will be populated indicating the execution of the capability implementation.

Results

1. After the execution of sandbox submission you will find the results in the ‘Sandbox Submission Results’ table (sn_ti_sandbox_submission_results) and ‘Threat Lookup Result’ table (sn_ti_lookup_result) if the analysis is completed.



2. Configure the related list of the ‘Threat Lookup Result’ record to view the fetched data in a prettier format.



3. Click on ‘Edit this view’ and move the ‘GTI Enrichment Data’ related list to the right-side of the slush bucket and click on ‘Save’.



4. Navigate to the record in the bottom of the result record from ‘GTI Enrichment Data’ related list to view the data in the prettier format.



GTI: Public Scan

This section describes the steps on how to execute the ‘GTI: Public Scan - Sandbox Submission’ capability implementation on the observables.

Prerequisites

1. Navigate to the ‘sn_sec_cmn_capability_implementation.LIST’.
2. Add the filter in the name field - ‘GTI: Public Scan - Sandbox Submission’.
3. Set the ‘Active’ field to true for the capability implementation.

Filter conditions

1. Allowed observable types: File and URL.
2. Has executed within the configured duration: Skip sandbox submission execution if successful sandbox submission results are found within the duration (hours) configured in the 'x_goog_gti_secops.hours_of_lookup_for_obs' system property.

Steps to execute

1. Select the configuration record using which the sandbox submission should be performed. For private scans select the configuration named ‘GTI Public - Sandbox Configuration Record’. Click to ‘Submit to Sandbox’ to submit the observables for sandbox submission.



2. After successful submission, the following info message will be displayed.



Monitoring

1. Navigate to the 'sn_sec_cmn_capability_implementation_execution.LIST' table to track the execution of the capability implementation.
2. Add the value 'GTI: Public Scan - Sandbox Submission' in the filter for the capability implementation field.
3. If the observable has an associated security incident record, then worknotes will be populated indicating the execution of the capability implementation.

Results

1. After the execution of sandbox submission you will find the results in the 'Sandbox Submission Results' table (sn_ti_sandbox_submission_results) and 'Threat Lookup Result' table (sn_ti_lookup_result) if the analysis is completed.



2. Configure the related list of the 'Threat Lookup Result' record to view the fetched data in a prettier format.



3. Click on ‘Edit this view’ and move the ‘GTI Enrichment Data’ related list to the right-side of the slush bucket and click on ‘Save’.



4. Navigate to the record in the bottom of the result record from ‘GTI Enrichment Data’ related list to view the data in the prettier format.



5. Navigate to the modules under ‘Google Threat Intelligence for SecOps > Threat Objects’ to view the records created for the following threat objects.
    a. Report
    b. Campaign
    c. Threat Actor
    d. Malware
    e. Software Toolkit
6. Navigate to ‘Threat Intelligence > IoC repository > Object-Observable Relationship’ to view the relationship created between the observable on which threat lookup was executed and the threat objects fetched for the same.
7. Additional information related to the threat objects is also available in the ‘Output Parameters’ and ‘Raw data’ fields in the capability implementation execution and threat lookup record respectively.

Dashboard

This section describes how to view the Google Threat Intelligence Insights dashboard. The dashboard provides GTI users with visual insights into DTM Alerts and ASM Issues using various chart types, scorecards, and record lists. It helps monitor alert trends, track security incident statuses, and analyze observables across different dimensions.

Required Roles

- **gti_user**: Required to access and view the dashboard and its visualizations.

Procedure

1. Navigate to “Google Threat Intelligence for SecOps” > “Dashboard”.
2. Open the **Google Threat Intelligence Insights** dashboard.



3. Ensure that the dashboard contains three tabs:
    - **DTM Alerts**
    - **ASM Issues**
    - **IoC Stream**
4. **DTM Alerts** tab includes the following widgets:
    - **Total DTM Records** (Single Score)
    - **Security Incidents created from DTM** (Single Score)
    - **New Observables created from DTM** (Single Score)
    - **Observables associated with DTM** (Single Score)
    - **DTM Records by Severity** (Vertical Bar)
    - **DTM Records by Status** (Donut)
    - **DTM Records by Alert Type** (Pie)
    - **DTM Records by Monitor Name** (Pie)
    - **DTM Linked Incidents by Status** (Horizontal Bar)
    - **DTM Linked Incidents created over time** (Line)
    - **DTM Linked Incidents by Assignment Group** (Vertical Bar)
    - **Latest 10 DTM Alerts** (List Simple)



5. **ASM Issues** tab includes the following widgets:
    - **Total ASM Records** (Single Score)
    - **Security Incidents created from ASM** (Single Score)
    - **New Observables created from ASM** (Single Score)
    - **Observables associated with ASM** (Single Score)
    - **ASM Records by Severity** (Vertical Bar)
    - **ASM Records by Collection** (Pie)
    - **ASM Records by Entity Type** (Pie)
    - **ASM Records by Collection Type** (Donut)
    - **ASM Linked Incidents by Status** (Horizontal Bar)
    - **ASM Linked Incidents created over time** (Line)
    - **ASM Linked Incidents by Assignment Group** (Vertical Bar)
    - **Latest 10 ASM Alerts** (List Simple)



6. Update **Time** filter to filter records across all visualizations using the ‘created’ field.
7. Click on the “IoC Stream” tab to view observable related charts. Please note that user can



Observable Mapping

DTM Alerts Observable Mapping

GTI observables types	ServiceNow observable types
ipv4_address	IP address (V4)
ipv6_address	IP address (V6)
md5_hash	MD5 hash
sha1_hash	SHA1 hash
sha256_hash	SHA256 hash
filename	File Name
url	URL
email_address	Email address
identity_name	Username
telegram_user_name	Username
organization	Organization name
phone_number	Phone number
domain	Domain name
location_name	Postal Address
country	Postal Address
city	Postal Address
cve	CVE number

ASM Issues Observable Mapping

GTI observables types	ServiceNow observable types
Intrigue::Entity::ApiEndpoint	URL
Intrigue::Entity::AppEndpoint	URL
Intrigue::Entity::DnsRecord	Domain name

Intrigue::Entity::Domain	Domain name
Intrigue::Entity::EmailAddress	Email address
Intrigue::Entity::GithubAccount	Domain name
Intrigue::Entity::GithubOrganization	Domain name
Intrigue::Entity::GithubRepository	Domain name
Intrigue::Entity::GitlabAccount	Domain name
Intrigue::Entity::GitlabProject	Domain name
Intrigue::Entity::Hostname	Host name
Intrigue::Entity::NetBlock	CIDR rule
Intrigue::Entity::Organization	Organization name
Intrigue::Entity::Person	Username
Intrigue::Entity::PhoneNumber	Phone number
Intrigue::Entity::Uri	URI

IoC Stream Observable Mapping

GTI observables types	ServiceNow observable types
file	File Name, SHA256 hash
domain	Domain name
ip_address	IP address (V4)
url	URL

Limitations

1. Excessive Data Volume Can Affect Instance Stability

Background:
During GTI alert ingestion, ServiceNow creates Security Incidents along with a large number of associated Observables. Each Observable triggers active capability implementations such as Observable Enrichment, Threat Lookup, and Sandbox Submission. In cases where thousands of observables are attached to ServiceNow Security incidents or a large number of security incidents are ingested

simultaneously, this can result in **a high volume of parallel executions**, leading to system performance issues or even ServiceNow instance unresponsiveness.

Suggestion:
Fetch only **filtered and relevant data** from the GTI platform. Avoid bulk ingestion of low-priority observables. Keeping ingestion volume manageable will help prevent execution overload and ensure stable system behavior.

2. Improper Scheduling Can Lead to Overlapping Executions

Background:
GTI integration includes scheduled jobs for fetching data from **ASM**, **DTM**, and **IoC feeds**. If these jobs are configured with short intervals or overlapping execution windows, it may lead to high processing load and negatively impact instance performance—especially when combined with large data fetches (e.g., multiple topics in DTM or large IoC sets).

Suggestion:

- Adjust scheduling intervals based on expected data volume. If needed, **increase the time interval** to distribute load more effectively.
- **Do thorough testing** in a ServiceNow test environment before applying scheduler settings in production. Take into account:
    - Number of records fetched per job
    - Topics enabled in DTM
    - Time taken per run
    - Instance capacity

This ensures your scheduler setup is optimized for your environment and workload.

Troubleshooting

1. Instance is getting stuck/performance constraints

Issue description: Instance is getting stuck while fetching data from the GTI platform. The reason could be that a large number of entities/topics are associated with a single DTM alert. This will arise if ‘dtm_topic_limit’ is empty or configured to a large number.

Root cause: For every observable created for DTM topic, the capability implementations (threat lookup, observable enrichment) will be executed. It may be possible for a large number of alerts or if a large value is configured in the parameter the instance might be overloaded due to the large number of capability implementation executions. Thus, the default value for the ‘dtm_topic_limit’ integration instance parameter is 100, so at maximum 100 observables will be created in ServiceNow.

Resolution: Decrease the value of ‘dtm_topic_limit’ to significantly increase the ingestion performance.

References: [Configuration in the capability framework]

2. Able to see configuration for inactive Sandbox submission capabilities implementation

Issue description: Selecting the sandbox configuration record when executing ‘Submit to Sandbox’ capability, but no active capability implementations were found. The ‘Sandbox Submission’ capability implementations might be inactive but the sandbox configuration records for the same might still be available when we click the ‘Submit to Sandbox’ UI action.

Resolution: This is OOTB behaviour and won’t break any functionality. If you wish to execute the sandbox submission capability implementations, ensure the capability implementation records are active.





3. Getting “Error invoking http request: undefined” or “String object has exceeded maximum permitted size of 33554432” in the application logs.

Issue description: This error occurred if response size is > 16MB in that user will be able to see either of below error messages in the application logs. And able to see “Notes” in the “Integration Run” table as attached.









Resolution: Decrease the page size of DTM alert fetching. For eg. 20, 15, 10, etc

Procedure:

1. Navigate to “sn_sec_int_impl.list” and open “Google Threat Intelligence”



2. Update the dtm_page_size as required. Make sure parameters are saved. Again run the integration to fetch DTM alerts. Validate it works with the new page size.



4. Unable to view the certains fields over the servicenow security incident table **sn_si_incident**

   Role: System Administrator

   Steps:

   - Please refer to the steps mentioned here: [Using the form designer]

5. Unable to update state values for Security Incidents then please add the following cross-scope value.



   a. **Role Required: System Administrator**

      i. Steps to be followed:

         1. Navigate to **Application Cross-Scope Access** menu and add new record with following details:



6. Unable to view the filter option for ‘GTI DTM Alerts Integration’ module then manually add the filter values as shown below:



a. **Role Required: System Administrator**

i. Navigate to ‘Google Threat Intelligence for ServiceNow SecOps’ -> Configuration -> Integrations

ii. Open ‘GTI DTM Alerts Integration’ record.

iii. Click on three line menu option on left side -> Configure -> Table

iv. Filter **type=*list** over Columns Tab



v. Open each record one by one and navigate to the bottom "Choices" tab.

vi. Add new choices for filter values as below:

1. For 'Status' field, add choices as:



2. For ‘Severity’, add choices as:



3. For ‘Alert Type’ field, add choices as:



Uninstallation

This section describes how to uninstall the Mend.io AVR Integration application from a ServiceNow instance.

Role Required: System Administrator (admin)

The following steps will guide you on how to uninstall the Mend.io AVR Integration from the ServiceNow.

1. Search for 'Applications' under System Applications from the left navigation menu.



2. From the Application Manager, select the application.



3. Click "Delete" to remove the application.


Custom Application
Google Threat Intelligence for ServiceNow SecOps
Update
Delete
Name
Google Threat Intelligence for ServiceNow Sec
Version
1.0.0
Application Scoping An application scope will provide better protection for any system installing this application. Leave empty to create your application in the global scope. Enable Application administration to prevent System Administrators from accessing the application. More Info
Scope
x_goog_gti_secops
Application administration
Can Edit Application in Studio
Design and Runtime Changing these options may affect how your application runs once it's been installed on a target instance.
JavaScript Mode
ECMAScript 2021 (ES12)
Runtime Access Tracking
Tracking
Restrict Table Choices
Subscription Management. If this application is licensable, set the subscription requirement and model.
Licensable
Subscription requirement
Monitor
Subscription Model
Not applicable
Primary menu Enter a new or choose an existing name to define the primary application menu in the navigator for this application. Any module created for this app will reside by default in this menu.
Menu