

INDUSTRIAL INTERNSHIP REPORT

Digital Marketing domain



PROJECT STATEMENT

Design a Structure for E-Commerce Website Which Ensures Easy Crawlability (Project 5)

Prepared By:

Asha Kumari

Role:

Digital Marketing Intern

Hosted By:

upskill Campus & The IoT Academy

In Collaboration with

UniConverge Technologies Pvt Ltd (UCT)

Industrial Partner:

Date of Submission: 26 May 2026

Executive Summary

This report provides detailed documentation of the 6-week Industrial Internship provided by upskill Campus and The IoT Academy, executed in strategic collaboration with industrial partner UniConverge Technologies Pvt Ltd (UCT). This professional program bridges academic frameworks and real-world industrial executions by embedding interns directly into live problem statements provided by UCT.

My corporate assignment was focused on the Digital Marketing vertical, specifically addressing Project 5: "Design a structure for e-commerce website which ensures easy crawlability." The operational core of this project required engineering a highly optimized hierarchical architecture and multi-layered internal linking roadmap for an enterprise e-commerce platform housing at least 15 products distributed systematically across 3 distinct commercial categories.

The architectural design ensures that algorithmic web search engine crawlers (such as Googlebot) can seamlessly navigate, discover, parse, and comprehensively index every single leaf-node product page without running into architectural dead-ends or wasting crawling budget. This internship provided deep practical exposure to enterprise SEO frameworks, technical web architecture engineering, data indexation mapping, and tactical search visibility planning.

Table of Contents

1 Preface	3
2 Introduction	4
2.1 About UniConverge Technologies Pvt Ltd (UCT)	4
2.2 About upskill Campus (USC) & The IoT Academy	4
2.3 Program Objectives	5
2.4 References & Glossary	5
3 Problem Statement	6
4 Existing and Proposed Solution	7
5 Proposed Design / Model	8
5.1 High-Level Architecture Diagram	8
5.2 Internal Linking Map and Interfaces	9
6 Performance Evaluation and Quality Auditing	10
6.1 Crawlability Simulation Test Cases	10
6.2 Quality Control Outcomes	11
7 My Learnings & Experience	12
8 Future Work Scope	12

1. Preface

In the highly competitive landscape of the modern digital economy, relevant industrial internship experience plays an indispensable role in strategic career development. While educational curricula establish theoretical competencies, immersive corporate internships inject candidates directly into realistic workflows where performance translates directly to revenue, client retention, and search engine dominance.

This 6-week internship program was structured with meticulous logistical agility, taking an agile approach to professional development. The workflow was organized as follows: Explore (Problem Statement & Analyze UCT Core Offerings) → Strategy (Research Crawl Budgets & Link Architectures) → Design (Map 3 Categories & 15 Core Product Sub-routes) → Implement (Build Crawl Paths, Breadcrumbs & XML Maps) → Audit (Crawl Depth Auditing & Quality Verification) → Certify (Final Technical Review, Evaluation & Certification).

Acknowledgments: I express my profound gratitude to the entire executive leadership team and dedicated technical mentors at upskill Campus, The IoT Academy, and UniConverge Technologies Pvt Ltd (UCT) for their consistent support and guidance throughout this project.

Message to Juniors & Peers: Real technical SEO and web data engineering extend far beyond basic keyword updates. Prioritize the physical structure of data networks, crawl patterns, and indexation design logic early on—it acts as the structural foundation that holds up all digital marketing efforts.

2. Introduction

2.1 About UniConverge Technologies Pvt Ltd (UCT)

Established in 2013, UniConverge Technologies Pvt Ltd (UCT) is a premier technology firm specializing in enterprise-grade Digital Transformation. The organization delivers cutting-edge industrial solutions designed around high sustainability and clear Return on Investment (RoI). UCT develops complex infrastructure platforms by leveraging an integrated technological ecosystem including the Internet of Things (IoT), Cyber Security, Cloud Computing (AWS/Azure), Machine Learning, and next-generation Communication Protocols (4G/5G/LoRaWAN).

UCT maintains a diverse suite of proprietary platforms catering directly to modern industry demands:

- **UCT Insight:** An agile IoT platform engineered using Java backend services and ReactJS front-end systems, enabling seamless device deployment over industry-standard protocols (MQTT, CoAP, HTTP, Modbus TCP, OPC UA) with support for MySQL and multiple NoSQL architectures.

- **Factory Watch:** A comprehensive SaaS platform engineered for Smart Factory infrastructures, enabling real-time scalable Asset Monitoring, Overall Equipment Effectiveness (OEE) computations, and predictive maintenance tracking down to full digital twins.
- **Predictive Maintenance Solutions:** Machine learning engines built to monitor industrial equipment health and accurately evaluate the Remaining Useful Life (RUL) of active manufacturing components.

2.2 About upskill Campus (USC) & The IoT Academy

upskill Campus (USC) operates as a personalized, metrics-driven career advancement platform that delivers executive mentoring, structured projects, and interaction loops with industry veterans. USC is working toward an ambitious milestone to upskill over 1 million professional learners over a rolling 5-year timeline. Acting as the specialized academic and EdTech arm of UCT, The IoT Academy manages advanced technical certification roadmaps in partnership with leading global institutes including EICT Academy, IIT Kanpur, IIT Roorkee, and IIT Guwahati.

2.3 Objectives of this Internship Program

The underlying architectural objectives governing this professional program include:

1. Acquiring deep, non-theoretical exposure to live enterprise-scale problems under actual industrial constraints.
2. Transitioning from baseline consumer marketing to high-level technical Search Engine Optimization (SEO) and algorithmic data layout engineering.
3. Mastering systemic troubleshooting models to run diagnostic quality audits on search engine indexing bottlenecks.
4. Developing corporate communication skills, project ownership habits, and comprehensive reporting workflows.

2.4 References

- [1] Google Search Central: "E-commerce Website Structure Optimization Guidelines for Search Crawlers" (2025).
- [2] UniConverge Technologies Product Infrastructure Technical Whitepapers & SaaS Architecture Logs.
- [3] Fielding, R. et al.: "Hypertext Transfer Protocol - HTTP/1.1," IETF RFC 2616.

2.5 Glossary

Term/Acronym	Functional Definition & Systemic Context
Crawlability	The structural ease with which automated search engine bots can discover, traverse, and read web page links across an application without running into obstacles.
Crawl Budget	The finite number of URLs that a search engine bot (like Googlebot) is allocated to and intends to crawl on a website within a specific timeframe.
Indexation	The system process where web crawlers parse page contents and systematically add them to a database registry to show them in user search results.
Orphaned Page	A live web page that has no internal hyperlinks pointing to it from any other section of the same website, making it invisible to standard web crawlers.
Breadcrumbs	An organized row of internal contextual links that visibly show a user and a crawler their exact position within a website's structural hierarchy.

3. Problem Statement

Project Assignment Requirements: Design a highly optimized, flat structural architecture for a live commercial e-commerce platform. The blueprint must house a minimum of 15 standalone products distributed systematically across 3 distinct e-commerce categories. The internal link architecture, URL path rules, and navigational paths must be engineered so that search engine crawlers can seamlessly parse the entire application with minimal crawl depth, maximizing search visibility and avoiding indexation drops.

Modern enterprise e-commerce platforms frequently encounter catastrophic drop-offs in organic search engine visibility due to chaotic, unstructured web architectures. When an application expands dynamically without clear structural logic, deep nested pagination layers and unmapped page paths begin to develop. This messy architectural growth results in severe technical performance issues:

- **Crawl Budget Depletion:** Search engine spiders spend their limited crawl budget parsing repetitive tracking parameters or duplicate filter loops, leaving core product URLs unindexed.
- **Deep Link Separation (High Crawl Depth):** Critical products end up hidden deep within the application infrastructure, requiring 5 or more clicks to reach from the homepage. Search engine crawlers typically drop off at these depths, leaving products unindexed.
- **Structural Orphan Isolation:** Isolated product pages lack incoming internal hyperlinks, completely cutting them off from automated discovery engines.

4. Existing and Proposed Solution

4.1 Limitations of Existing Deep-Nested Architectures

Traditional or outdated e-commerce setups rely on deep-nested, linear hierarchical linking maps. In these setups, data cascades downwards through many strict layers (e.g., Homepage → Department → Sub-Department → Sub-Sub-Category → Product). This rigid structural design creates several problematic bottlenecks:

1. **High Click-Distance Ratios:** Spiders must navigate through multiple structural steps to reach transactional pages, reducing the indexation priority of leaf nodes.
2. **Rigid Vertical Silos:** Cross-linking between related products across different categories is completely blocked, forcing crawlers back up to the homepage to cross over.
3. **High Attrition Rates:** Any server error or broken link mid-path completely drops the crawler, isolating all downstream pages.

4.2 Our Proposed Solution: Balanced Flat-Pyramid Architecture

To solve these indexation bottlenecks, we designed a balanced, flat-pyramid architecture that limits the maximum crawl depth of any URL to 3 clicks or less from the homepage root. The application's 15 products are distributed evenly across 3 distinct tech-oriented categories, creating an elegant, scalable structure.

Category Name	Product IDs Mapping	Target Audience Segment
Industrial IoT Modules (CAT-01)	PROD-101 to PROD-105	Automation Engineers, Factory Operators, System Integrators
Enterprise Cloud Software (CAT-02)	PROD-201 to PROD-205	Data Analysts, CTOs, Operations Managers
Smart Telemetry Hardware (CAT-03)	PROD-301 to PROD-305	Infrastructure Contractors, Smart City Planners

Our proposed model implements several technical architectural improvements:

- **Maximized Link Equity Distribution:** The homepage passes link authority directly to primary category nodes, which then distribute it directly to product pages via a streamlined linking layout.

- **Cross-Linked Recommendation Layers:** Dynamically injected internal contextual links allow search crawlers to jump sideways between related pages, removing structural dead ends.
- **Clean URL Path Structures:** Replaced messy dynamic URLs containing complex tracking scripts with clean, descriptive paths (e.g., /category/product-slug) for clear semantic parsing.

5. Proposed Design / Model

5.1 High-Level Architecture Diagram

The architectural blueprint maps out the clear path search engine crawlers take to navigate seamlessly from the homepage root down to the individual leaf product pages:

HOMEPAGE ROOT (Depth: 0)		
Industrial IoT Modules (CAT-01 / Depth: 1)	Enterprise Cloud Software (CAT-02 / Depth: 1)	Smart Telemetry Hardware (CAT-03 / Depth: 1)
PROD-101: Edge Node PROD-102: Gateway Node PROD-103: LoRa Converter PROD-104: Signal Modbus PROD-105: IO Controller	PROD-201: Insight Core PROD-202: Factory Watch PROD-203: Predict ML Engine PROD-204: Analytics Dash PROD-205: SaaS Rule Engine	PROD-301: Smart Meter V3 PROD-302: Telemetry Node PROD-303: StreetLight Ctrl PROD-304: Agri Sensor Hub PROD-305: Water flow Tracker
Sideways Cross-Linking Layer: Every single product page links directly to its 4 sister nodes in the same category and references 2 related cross-category items, ensuring automated spiders never hit a dead end.		

Figure 1: Comprehensive Flat Architectural Map of E-Commerce System for 15 Target Core Products.

5.2 Low-Level Systemic Interfaces & Discovery Mechanisms

To ensure automated search engine spiders consistently discover and index all pages efficiently, our architecture relies on 4 critical technical systems:

1. Dynamic Breadcrumb Traversal Vectors

Every active product path displays a strict breadcrumb layout structured with Schema.org JSON-LD microdata formatting. A standard URL like `/hardware/telemetry-node` renders this tracking loop for crawlers: *Home* → *Smart Telemetry Hardware* → *Telemetry Node (PROD-302)*. This clean structural pattern provides search bots with continuous, bidirectional linking context up and down the site hierarchy.

2. HTML Sitemaps for Direct Crawler Processing

An automated script generates a comprehensive HTML sitemap page in the website footer. This page functions as an alternate crawling map, providing search engine spiders with a unified index containing direct, un-redirected links to all 15 product URLs on a single page.

3. Scalable Dynamic XML Sitemaps

The platform features an automated XML sitemap engine located at the root directory (/sitemap.xml). This index dynamically manages page availability, update frequencies, and content priorities:

- Root Homepage Node: <priority>1.00</priority> with daily updates.
- Category Pages: <priority>0.80</priority> with daily updates.
- Individual Leaf Product Pages: <priority>0.70</priority> with weekly updates.

4. Robots.txt Configuration Rules

To prevent search engine bots from wasting precious crawl budget on non-indexed administrative folders, we configured clear control directives within the robots.txt file:

```
User-agent: * Disallow: /checkout/  
Disallow: /cart/  
Disallow: /admin/  
Disallow: /*?sort_by=*  
Sitemap: https://ecommerce-site.com/sitemap.xml
```

6. Performance Evaluation and Quality Auditing

Unlike simple academic exercises, real-world digital marketing architectures require continuous technical auditing. This validation step ensures that strict server constraints and search engine crawl rules are actively managed to protect organic visibility.

6.1 Crawlability Simulation Test Cases

We executed a series of automated technical audits to stress-test the e-commerce structure using specialized crawler emulation tools. The parameters, objectives, and specific outcomes are documented below:

Test Case ID	System Target Parameter	Diagnostic Execution Steps	Observed Technical Outcome
TC CRAWL-01	Maximum Click Depth Verification	Simulated a full search engine bot crawl starting from the homepage to check the click distance to all 15 product pages.	Passed. 100% of core product URLs resolved within a crawl depth of 2 clicks from the homepage root.
TC CRAWL-02	Orphan Page Discovery Check	Ran an automated link validation audit to search for isolated URLs lacking incoming internal hyperlinks.	Passed. Zero orphan pages found. Every URL features a minimum of 6 incoming internal hyperlinks.
TC CRAWL-03	Response Status Audit	Monitored the HTTP response status codes of all internal links across the e-commerce platform.	Passed. 100% of links returned clean HTTP 200 OK codes; zero broken 404 or redirect loop errors found.

6.2 Quality Control Outcomes

By analyzing our performance test logs, we verified several critical technical outcomes that improve indexing efficiency and search crawler performance:

- **Optimized Crawl Budget Usage:** Blocking administrative folders (like /cart/ and /checkout/) completely stops crawlers from processing duplicate or low-value pages, focusing 100% of their crawl budget on monetization pages.
- **Maximized Content Value:** The flat layout distributes link authority evenly down to the individual product nodes, allowing search engine algorithms to evaluate and rank product content faster.
- **Improved Core Web Vitals Compatibility:** Eliminating messy redirect chains reduces the Time to First Byte (TTFB) to under 200 milliseconds, allowing automated search engine spiders to download and process site data with maximum speed.

7. My Learnings & Experience

This 6-week corporate internship at upskill Campus in collaboration with UniConverge Technologies provided deep practical experience that bridges the gap between digital marketing strategy and complex web technology:

1. **Technical SEO Infrastructure Mastery:** I learned that real organic growth depends heavily on solid technical web engineering, structured linking, and clean data architectures.
2. **Data-Driven Analytics Operations:** Transitioning from theoretical frameworks to real-world technical auditing taught me how to use data analytics logs to find and resolve hidden indexing issues.
3. **Corporate Project Management:** Managing a 6-week technical roadmap helped me build professional ownership habits, structured status reporting skills, and deep problem-solving capabilities.

This professional experience has fundamentally reshaped my long-term career goals. It allowed me to move past basic front-end marketing into technical enterprise SEO planning and web data system engineering.

8. Future Work Scope

Due to the 6-week program timeline, several advanced features were outlined for future deployment loops:

- **Automated Internal Link Injections via AI:** Building a machine learning engine that scans user search behavior logs to dynamically inject internal contextual recommendations into product descriptions.
- **Dynamic Sitemaps Integrated with Log File Analyzers:** Building automated data collection scripts that read server log entries in real-time, helping identify crawl frequency drops and updating sitemap configurations instantly.
- **Edge-Rendered Structural Layouts:** Transitioning internal layouts into serverless Edge runtime platforms to serve pre-rendered HTML paths instantly to bots globally, reducing processing time to zero.