	O create: - create is used to add for insert
	the data in the SOL table we will are
	Create a table using create command
	0
Wo.	1 Syntax 1- billoute see someth - ; noitulomo
	Create toble toble name (cimname datotype)
	while commande datatype i;
	@ Read ! - It means retrieving or Fetching the
	data from the the sac toble we will Tuse
	the select commond to Fetch the records
	from the SQL table.
	Syntax: —
	Select X from toble=name;
	select x from toble-name where condition;
	3 update! - update which means making update to.
	the records present in the SOL toble so we
	will use the update command to make
	changes in toble
	V
	Syndax: -
	update tablename SET Columnname = value
	where Condition;
	a Delete :- delete means which removing or deleting
	the records from sql tobbe we can delete an
The second second	the row from the tables we can remove any
72.	specific records that satisfy particular condition
	by using the where clause in a Delete query.

	Date Page
Frie	Company of the state of the sta
324	Syntax ! - Delete from Heible name;
	Delete from Heible many
	Conclusion; - Hence we studied about the database
ji -	and and add action
	impremented Success fully
	(I) Pogol : 1
41.2	data from the the sage and or Feterrial
31	the scheet commond to Felth the remains
	From the sac tobie.
	- , Xin puts
	Select X (2011) + 10416 = 109115 :
	select x from tobie mane where molition
	1 Straight of the straight of
orte _d_	the week all the second of the
	on of framing of the sold of the sold of the
	sidely is something
	V
	Syndox:
rlhe	Update Holename SET Columname : 1
	wheat Cenelithon
2	10 Delete: - delete means which remains or del
- Kus	the records from sqc tobre we can electe
	results reporte that contich particular a ti
1501	by using the libert Clause in a Deleto query