	Page Page
-*	+ 1966 - 19/19/07 , 29/14 11(A) 2007 - 19/14 1/2
	restructional par toop, paramaterioral cursor
*	: Porometers used:
1	
C	)= Function name in It is name by which of ored
	function is called The name should not be some
	to the built in function
	-: K2024L. X
(2	) forc-parameter: It is the argument whose value
U	or is used by the function inside - ritsu body.
	Dean explicitly define a corsor is.
(	3) Datutype: - 1- is datatype of value returns. by
	to parage nor function to ono rad 250000
	hish 34
15.83	characteristics: The CREATE Function Statemen
ĄΥ) »	is accepted only withthat of least one of the
	characteristics & Defermination NO SOL OF READS.
/if	rasquarantispecified intoits decorations
,	the one and associating it with he
	* pure body ?- Is the rosel of mysqu statement that
	berterm observation It -3 Structure 15 02 tollom.
	21 January - Costo - Customen C. 1
	BECTO: In explicit from pass 40003
	MYSQL Broadement (1)
	RETURN Statement:
र्वाव	ACENDALAS (1590 DA) - 000 DA) POUNDA CIO
7.5	Sinhe function body must confain Refurnos Stadement.
	Conclusion! - Hence who challed at the chart Day
	Conclusion: - Hence we studied about the stored Function and stored procedures.
	and stored boceanses.