Problem Statement :- Design and develop DB using various SQL objects like Tables, Views, Index, Sequence, Synonym on sample DB.

Submitted By :- 1. Bhushan Asati 2. Asha Mandale 3. Savaji Dhandge

```
mysql> show databases;
+----+
| Database
+----+
| EMP
| Library
| dml
| information_schema |
| mysql
| performance_schema |
7 rows in set (0.00 sec)
mysql> create database emp;
Query OK, 1 row affected (0.12 sec)
mysql> use emp;
Database changed
mysql> create table emp (empno int(6), ename varchar(20) not null , job varchar(10)
not null ,deptno int(3),sal int(5));
```

Query OK, 0 rows affected, 3 warnings (1.16 sec)

mysql> alter table emp modify empno int(6) primary key; Query OK, 0 rows affected, 1 warning (1.42 sec) Records: 0 Duplicates: 0 Warnings: 1

mysql> desc emp;

++ Field	Туре	+ Null +	+ Key 	Default	++ Extra ++
ename job deptno	int varchar(20) varchar(10) int int	NO NO NO YES YES	 	NULL NULL NULL NULL NULL	

5 rows in set (0.01 sec)

mysql> alter table emp modify job varchar(20); Query OK, 0 rows affected (1.17 sec) Records: 0 Duplicates: 0 Warnings: 0

mysql> desc emp;

Field	Туре	İ	Null	İ	Key	Default	Extra	
empno	int varchar(20)	İ	NO	į		NULL	 	

```
NULL
 job | varchar(20) | YES |
                        | NULL
5 rows in set (0.00 sec)
mysql> create table dept (deptno int(2) primary key ,dname varchar(10),loc
varchar(10));
Query OK, 0 rows affected, 1 warning (0.51 sec)
mysql> desc dept;
+----+
| Field | Type | Null | Key | Default | Extra |
+----+---+----+----+
| dname | varchar(10) | YES | NULL
+----+----+----+
3 \text{ rows in set } (0.00 \text{ sec})
mysql> create table emp1 (ename varchar(20),empno int(3),check(empno>100));
Query OK, 0 rows affected, 1 warning (1.07 sec)
mysql> ALTER TABLE emp ADD experience varchar(20);
Query OK, 0 rows affected (0.36 sec)
Records: 0 Duplicates: 0 Warnings: 0
mysql> alter table emp drop column experience;
Query OK, 0 rows affected (1.18 sec)
Records: 0 Duplicates: 0 Warnings: 0
mvsal> desc emp;
| Field | Type | Null | Key | Default | Extra |
+----+----+----+
| empno | int | NO | PRI | NULL
+----+---+----+----+
5 rows in set (0.00 sec)
mysql> insert into emp values(101, 'Asha', 'Computer Engg', 1,50000);
Query OK, 1 row affected (0.12 sec)
mysql> select * from emp;
+----+
| empno | ename | job | deptno | sal |
+----+---+----+
| 101 | Asha | Computer Engg | 1 | 50000 |
+----+
1 row in set (0.00 sec)
mysql> insert into emp values(102, 'Bhushan Asati', 'AI ML Enthusiast', 2,500000);
Query OK, 1 row affected (0.10 sec)
mysql> insert into emp values(103, 'Sayaji', 'Web Developer', 3, 500000);
```

```
mysql> select * from emp;
+----+----+----+----+-----+
| 101 | Asha | Computer Engg | 1 | 50000 |
| 102 | Bhushan Asati | AI ML Enthusiast | 2 | 500000 |
| 103 | Sayaji | Web Developer | 3 | 500000 |
3 rows in set (0.00 sec)
mysql> truncate table emp;
Query OK, 0 rows affected (0.70 sec)
mysql> drop table dept;
Query OK, 0 rows affected (0.62 sec)
mysql> select * from emp;
Empty set (0.01 sec)
mysql> insert into emp values(101, 'Asha', 'Computer Engg', 1,50000);
Query OK, 1 row affected (0.18 sec)
mysql> insert into emp values(102, 'Bhushan Asati', 'AI ML Enthusiast', 2,500000);
Query OK, 1 row affected (0.10 sec)
mysql> insert into emp values(103, 'Sayaji', 'Web Developer', 3, 500000);
Query OK, 1 row affected (0.09 sec)
mysql> select * from emp;
| 101 | Asha | Computer Engg | 1 | 50000 |
| 102 | Bhushan Asati | AI ML Enthusiast | 2 | 500000 |
| 103 | Sayaji | Web Developer | 3 | 500000 |
+-----+
3 rows in set (0.00 sec)
mysql> create view empview as select * from emp where job='Computer Engg';
Query OK, 0 rows affected (0.16 sec)
mysql> select * from empview;
+----+
| empno | ename | job | deptno | sal |
+----+
| 101 | Asha | Computer Engg | 1 | 50000 |
+----+---+----+----+
1 row in set (0.00 sec)
mysql> create view empview2 as select empno, ename, job, deptno from emp;
Query OK, 0 rows affected (0.19 sec)
mysql> select * from empview2;
+----+
| empno | ename | job | deptno |
+----+
| 101 | Asha | Computer Engg | 1 |
```

Query OK, 1 row affected (0.20 sec)

```
103 | Sayaji | Web Developer | 3 |
+----+
3 rows in set (0.00 sec)
mysql> insert into empview values(105, 'Ajesh', 'Android Developer', 4,60000)
Query OK, 1 row affected (0.15 sec)
mysql> select * from empview;
+----+---+----+
| empno | ename | job | deptno | sal |
+----+---+---+----+
| 101 | Asha | Computer Engg | 1 | 50000 |
+----+
1 row in set (0.00 sec)
mysql> select * from emp;
+------
4 rows in set (0.00 sec)
mysql> insert into empview2 values(106, 'Pravin', 'Web Developer', 4);
Query OK, 1 row affected (0.13 sec)
mysql> select * from empview2;
| empno | ename | job | deptno |
101 | Asha | Computer Engg |
  102 | Bhushan Asati | AI ML Enthusiast | 2 |
 103 | Sayaji | Web Developer | 3 |
105 | Ajesh | Android Developer | 4 |
106 | Pravin | Web Developer | 4 |
5 rows in set (0.01 sec)
mysql> select * from emp;
+----+
```

5 rows in set (0.00 sec)

mysql> drop view empview; Query OK, 0 rows affected (0.17 sec)

```
mysql> drop view empview2;
Query OK, 0 rows affected (0.13 sec)
```

mysql> select * from empview; ERROR 1146 (42S02): Table 'emp.empview' doesn't exist