Table B9. Year Constructed, Floorspace, 1999

			Total	Floorspace (n	nillion square	feet)			
ļ ,	All Buildings	Year Constructed							
		1919 or Before	1920 to 1945	1946 to 1959	1960 to	1970 to 1979	1980 to 1989	1990 to 1999	
All Buildings	67,338	4,034	6,445	9,127	10,866	11,840	13,931	11,094	
-	,,,,,,	,	-, -	-,	-,	,-	-,	,	
Building Floorspace (Square Feet)									
1,001 to 5,000	6,774	655	798	1,025	928	1,056	1,153	1,159	
	,	791	796 776	,			,		
5,001 to 10,000	8,238			1,777	1,165	1,392	1,150	1,188	
-,	11,153	972	1,504	1,488	1,267	2,045	2,767	1,110	
25,001 to 50,000	9,311	489	673	1,343	1,987	1,587	1,594	1,638	
50,001 to 100,000	10,112	483	637	1,343	1,698	1,816	2,273	1,862	
100,001 to 200,000	8,271	Q	727	789	1,593	1,147	2,088	1,662	
200,001 to 500,000		Q	705	796	1,243	1,206	1,307	1,344	
Over 500,000	6,628	Q	624	565	987	1,593	1,599	1,131	
Principal Building Activity									
Education	8,651	278	1,138	1,831	2,035	1,411	719	1,239	
Food Sales	994	Q	Q	Q	Q	Q	Q	355	
Food Service	1,851	Q	265	Q	310	295	347	C	
Health Care	2,918	Q	Q	322	487	852	558	473	
Inpatient	1,865	Q	Q	232	377	613	287	C	
Outpatient	1,053	Q	Q	Q	Q	238	271	319	
Lodging	4,521	Q	Q	351	870	838	1,289	716	
Mercantile	10,398	818	381	1,384	1,305	1,951	2,529	2,030	
Retail (Other Than Mall)	4,766	773	242	886	517	509	700	1,139	
Enclosed and Strip Malls	5,631	Q	Q	497	788	1,442	1,829	891	
Office	12,044	702	1,051	1,155	1,685	2,036	3,586	1,830	
Public Assembly	4,393	292	569	534	868	717	678	736	
Public Order and Safety	1,168	Q	Q	Q	Q	Q	Q	227	
Religious Worship	3,405	385	Q	641	612	718	418	357	
Service	3,388	Q	629	541	608	645	515	336	
		380	1,092			1,793	2,620	2,079	
Warehouse and Storage	10,477			1,265	1,247			,	
Other	1,222 1,908	Q 385	Q 468	Q 501	355 257	Q Q	Q Q	367 Q	
Floors									
One	26,800	464	1,455	3,683	4,466	5,156	5,946	5,632	
Two	16,985	796	1,569	2,853	2,761	2,860	3,489	2,657	
Three	8,928	1,439	1,376	1,328	1,163	1,339	1,309	974	
Four to Nine	10,180	1,188	1,457	875	1,707	1,629	2,005	1,319	
Ten or More	4,445	Q	589	388	770	857	1,183	512	
Census Region									
Northeast	12,360	1,392	1,619	2,030	2,050	1,823	2,070	1,376	
Midwest	16,761	1,576	2,423	2,152	2,602	2,347	2,828	2,834	
South	23,485	549	1,704	2,910	3,318	4,278	6,263	4,464	
West	14,731	518	699	2,035	2,896	3,391	2,771	2,420	
Workers (main shift)									
Fewer than 5	14,321	1,863	2,443	2,264	2,015	2,012	2,013	1,712	
5 to 9		506	508	1,012	1,181	1,337	952	829	
10 to 19	8,028	637	729	1,415	1,128	1,233	1,731	1,153	
20 to 49	10,814	316	691	1,947	1,707	1,682	2,383	2,089	
50 to 99		219	586	833	1,696	1,803	2,161	1,601	
100 to 249	-,	235	658	688	1,561	1,515	1,915	1,786	
250 or More	10,595	Q	830	968	1,579	2,259	2,776	1,925	
Wookly Operating House									
Weekly Operating Hours 39 or Fewer	6,596	803	1,182	1,292	967	1,035	807	511	
40 to 48	,								
	13,105	951	1,896	2,095	2,027	1,853	2,511	1,771	
49 to 60	14,200	967	1,209	2,083	2,171	2,586	2,892	2,292	
61 to 84	,	565	672	1,613	2,092	2,482	2,847	2,186	
85 to 167		274	611	934	1,482	1,812	2,021	1,981	
Open Continuously	11,863	474	876	1,110	2,127	2,071	2,853	2,352	

Table B9. Year Constructed, Floorspace, 1999

	Total Floorspace (million square feet)								
		Year Constructed							
	All Buildings	1919 or	1920 to	1946 to	1960 to	1970 to	1980 to	1990 to	
		Before	1945	1959	1969	1979	1989	1999	
Ownership and Occupancy									
	E4 004	2.456	4.040	7.052	0.400	0.007	10 507	0.420	
Nongovernment Owned	54,994	3,456	4,812	7,053	8,122	9,907	12,507	9,138	
Owner Occupied		2,479	3,575	4,879	5,495	6,795	8,364	6,198	
Nonowner Occupied	15,596	728	1,081	1,737	2,419	2,960	3,855	2,817	
Unoccupied	1,613	Q	Q	437	Q	Q	Q	Q	
Government Owned	12,343	579	1,633	2,074	2,745	1,933	1,424	1,956	
Vacancy Status									
Completely Vacant	953	Q	Q	Q	Q	Q	Q	C	
Mostly Vacant	956	Q	Q	Q	Q	Q	Q	C	
Partially Vacant		932	1,360	1,583	2,382	2,646	3,802	2,817	
Not At All Vacant	49,910	2,718	4,617	7,043	8,227	9,028	10,057	8,219	
Energy Sources (more than									
Energy Sources (more than									
one may apply)	05 740	0.744	0.004	0.704	10.000	44 750	40 405	44.00-	
Electricity	65,716	3,714	6,281	8,794	10,686	11,750	13,485	11,007	
Natural Gas	45,525	2,766	4,257	6,040	7,512	8,080	8,794	8,076	
Fuel Oil	13,285	745	1,060	1,782	2,349	2,446	2,795	2,108	
District Heat	5,891	486	764	1,088	1,406	788	682	677	
District Chilled Water	2,750	Q	134	406	633	492	424	407	
Propane	6,290	Q	473	748	1,220	1,033	1,333	1,295	
Other	2,322	Q	Q	433	353	352	499	353	
Energy End Uses (more than									
one may apply)									
Buildings with Space Heating	61,602	3,593	5,559	8,402	9,966	10,916	12,566	10,600	
			,	,	,		,	,	
Buildings with Cooling	58,474	2,911	4,383	7,601	9,325	11,050	12,849	10,355	
Buildings with Water Heating	56,115	3,130	4,644	7,154	9,421	10,182	12,137	9,446	
Buildings with Cooking	24,681	1,091	2,232	3,195	4,178	4,551	5,030	4,403	
Buildings with Manufacturing	3,126	Q	Q	535	409	555	744	485	
Buildings with Electricity  Generation	11,882	267	520	1,205	2,067	2,438	2,644	2,741	
Generation	11,002	207	320	1,203	2,007	2,430	2,044	2,741	
Percent of Floorspace Heated									
Not Heated	5,736	441	886	725	901	924	1,366	493	
1 to 50	7,593	507	834	1,304	1,038	1,458	1,254	1,198	
51 to 99	10,745	798	1,249	1,178	1,891	1,670	2,181	1,777	
100	43,264	2,288	3,476	5,920	7,037	7,789	9,131	7,625	
Percent of Floorspace Cooled									
Not Cooled	8,864	1,123	2,062	1,526	1,542	790	1,083	739	
1 to 50	16,846	1,237	1,936	3,068	2,406	2,812	2,833	2,553	
51 to 99		1,022	1,234	1,796	3,235	2,998	3,584	3,096	
100	•	653	1,213	2,737	3,683	5,240	6,431	4,706	
Percent Lit When Open									
Percent Lit When Open Zero	173	N	N	Q	Q	Q	Q	Q	
1 to 50	-, -	1,130	1,452	1,720	1,162	1,448	1,318	957	
51 to 99		1,290	1,879	2,856	3,765	3,832	3,801	3,242	
100	34,233	1,129	2,523	3,930	5,552	6,276	8,153	6,670	
Building Never Open/ Electricity Not Used	3,080	486	590	605	371	240	609	Q	
	3,000	700	555	000	07.1	270	000	G	
Heating Equipment (more									
than one may apply)									
Heat Pumps		251	449	1,064	1,129	1,651	2,583	1,796	
Furnaces	14,449	1,214	1,552	2,082	2,053	2,235	2,927	2,387	
Individual Space Heaters	17,349	1,042	1,772	2,551	2,496	3,345	3,428	2,715	
District Heat	5,534	480	764	1,065	1,351	769	606	499	
		1,397	2,264	2,762	4,231	3,275	3,114	2,479	
Boilers	19.522	1.331		2.102	7.201	0.210	J. I 17		
Boilers Packaged Heating Units	19,522 25,743	428	1,476	2,702	3,961	4,899	6,379	5,684	

Table B9. Year Constructed, Floorspace, 1999

			Total	Floorspace (n	nillion square	feet)			
	All Buildings	Year Constructed							
		1919 or Before	1920 to 1945	1946 to 1959	1960 to 1969	1970 to 1979	1980 to 1989	1990 to 1999	
Cooling Equipment (more									
than one may apply)									
Residential-Type Central									
Air Conditioners	8,329	677	657	1,239	957	1,621	1,904	1,274	
Heat Pumps		284	551	984	1,119	1,793	2,711	1,705	
Individual Air Conditioners		1,206	2,074	2,833	2,296	2,237	2,155	1,476	
District Chilled Water	2,750	Q	134	406	633	492	424	407	
Central Chillers	12,909	254	984	1,329	2,765	2,766	2,584	2,229	
Packaged Air Conditioning									
Units	36,527	1,244	2,367	4,427	5,686	7,001	8,978	6,825	
Swamp Coolers	2,219	Q	Q	261	527	499	345	339	
Other	1,312	Q	Q	Q	Q	316	348	Q	
Main Equipment Replaced Since 1995 (more than one may apply)									
` ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	13,220	756	1,212	2 101	2 164	2 100	3,002	794	
Heating			,	2,191	2,164	3,100	*		
Cooling	17,390	1,003	1,602	2,735	3,161	4,254	3,692	943	
Lighting Equipment Types									
(more than one may apply)									
Incandescent	38,156	2,533	3,909	4,951	6,268	7,089	8,028	5,377	
Standard Fluorescent	60,344	3,246	5,417	8,031	9,939	11,099	12,619	9,993	
Compact Fluorescent	20,666	1,040	1,423	2,019	3,445	3,824	4,755	4,160	
High Intensity Discharge	19,223	682	1,530	1,981	2,986	3,413	4,166	4,464	
Halogen	17,926	871	921	1,861	2,916	3,511	4,272	3,574	
Other	1,004	Q	Q	Q	Q	Q	Q	392	
Personal Computers									
None	9,583	1,097	1,546	1,772	1,191	1,404	1,476	1,098	
1 to 4		1,281	1,840	2,174	2,357	2,592	2,040	1,569	
5 to 9	,	264	334	936	837	1,523	1,443	1,191	
10 to 19		484	306	826	1,279	1,112	1,860	1,647	
20 to 49		258	622	1,223	1,021	1,149	2,014	1,801	
50 to 99		Q	549	640	1,012	890	1,341	1,276	
100 to 249		245	405	566	1,480	1,260	1,616	1,245	
250 or More	9,088	243 Q	843	990	1,480	1,910	2,142	1,243	
	0,000	~	0.0		1,000	.,0.0	_,	.,_0.	
Photocopiers	21,631	1,907	2,625	2 747	3,396	2 570	3,689	2,690	
None				3,747		3,578			
One	12,928	918	1,349	1,660	2,163	2,240	2,240	2,358	
2 to 4	-,-	741	1,116	2,176	2,389	2,707	3,571	2,921	
5 to 9	5,384 11,774	Q 362	Q 1,159	319 1,225	1,119 1,800	921 2,394	1,350 3,081	1,373 1,752	
	,		,	, -	,	,	2,22	, -	
Other Electronic Equipment (more than one may apply)									
Laser Printers	46,567	2,181	3,288	5,675	7,867	8,341	10,449	8,765	
FAX Machines	54,764	2,786	4,442	6,835	8,827	10,029	11,961	9,883	
Medical Diagnostic Equipment	2,493	2,780 Q	4,442 Q	296	439	786	507	388	
Furance Balatad Onesa Franctions									
Energy-Related Space Functions (more than one may apply)									
Commercial Food Preparation	23,328	956	2,138	3,051	4,028	4,209	4,827	4,120	
Activities with Large	,		,	,	,	,	,	,	
Amounts of Hot Water	21,793	802	1,858	2,614	4,123	4,123	4,530	3,743	
Building Shell Conservation									
Features (more than one									
may apply)									
Multipaned Windows	38,193	2,294	3,049	4,225	5,155	6,395	9,060	8,016	
Tinted, Reflective, or									
Shading Glass	29,915	931	1,467	2,854	4,322	6,087	7,919	6,335	

Table B9. Year Constructed, Floorspace, 1999

	Total Floorspace (million square feet)									
		Year Constructed								
	All Buildings	1919 or Before	1920 to 1945	1946 to 1959	1960 to 1969	1970 to 1979	1980 to 1989	1990 to 1999		
HVAC Conservation Features										
(more than one may apply)										
Variable Air-Volume System	19,387	540	960	1,593	3,238	3,718	4,666	4,672		
Economizer Cycle	21,256	628	1,103	1,811	3,718	4,380	5,053	4,563		
HVAC Maintenance	53,395	2,669	4,242	6,658	8,749	9,669	11,743	9,665		
Energy Management and										
Control System (EMCS)	21,613	509	1,566	2,243	4,020	3,791	4,409	5,074		
Lighting Conservation Features										
(more than one may apply)										
Specular Reflectors	19,994	728	1,380	2,339	2,825	3,887	4,724	4,111		
Electronic Ballasts	42,035	1,828	3,472	5,236	6,649	8,174	8,862	7,815		
Skylights or Atriums	18,286	803	1,211	1,744	2,549	3,062	5,254	3,664		

Q=Data withheld because the Relative Standard Error (RSE) was greater than 50 percent, or fewer than 20 buildings were sampled.

N=No responding cases in sample.

Note: Due to rounding, data may not sum to totals.

Source: Energy Information Administration, Office of Energy Markets and End Use, Form EIA-871A of the 1999 Commercial Buildings Energy Consumption Survey.