Release date: February 2015 Revised date: May 2016

Table B7. Building size, floorspace, 2012

| | В | uilding size | | | | | | | |
|-----------------------------|-----------|--------------|--------|--------|--------|------------|---------|---------|---------|
| | _ | 1,001 | 5,001 | 10,001 | 25,001 | | 100,001 | 200,001 | |
| | | to | to | to | to | 50,001 | to | to | Over |
| | | 5,000 | 10,000 | 25,000 | 50,000 | to 100,000 | 200,000 | 500,000 | 500,000 |
| | All | square | square | square | square | square | square | square | square |
| | buildings | feet | feet | feet | feet | feet | feet | feet | feet |
| All buildings | 87,093 | 8,041 | 8,900 | 14,105 | 11,917 | 13,918 | 12,415 | 10,724 | 7,074 |
| Principal building activity | | | | | | | | | |
| Education | 12,239 | 391 | 353 | 1,212 | 1,492 | 3,363 | 3,020 | 2,358 | Q |
| Food sales | 1,252 | 360 | Q | Q | Q | Q | Q | N | N |
| Food service | 1,819 | 788 | 640 | 355 | Q | Q | N | N | N |
| Health care | 4,155 | 268 | 241 | 364 | 316 | 529 | 350 | 859 | 1,227 |
| Inpatient | 2,374 | N | N | Q | Q | 220 | 196 | 677 | 1,219 |
| Outpatient | 1,781 | 268 | 241 | 355 | 263 | 309 | Q | 182 | Q |
| Lodging | 5,826 | 85 | 214 | 705 | 764 | 1,270 | 1,127 | 919 | 742 |
| Mercantile | 11,330 | 730 | 1,052 | 1,821 | 1,648 | 1,909 | 2,178 | 1,264 | 726 |
| Retail (other than mall) | 5,439 | 661 | 684 | 1,132 | 821 | Q | 1,169 | Q | Q |
| Enclosed and strip malls | 5,890 | Q | 367 | 689 | 827 | 1,428 | 1,009 | 805 | 696 |
| Office | 15,952 | 1,520 | 1,663 | 2,012 | 2,333 | 2,203 | 2,054 | 1,946 | 2,221 |
| Public assembly | 5,559 | 498 | 536 | 1,108 | 861 | 627 | 553 | 748 | 627 |
| Public order and safety | 1,440 | Q | 221 | Q | Q | Q | Q | Q | Q |
| Religious worship | 4,557 | 572 | 790 | 1,443 | 926 | 585 | Q | Q | N |
| Service | 4,630 | 1,031 | 1,051 | 1,253 | 607 | Q | Q | Q | Q |
| Warehouse and storage | 13,077 | 1,127 | 1,329 | 2,331 | 1,814 | 1,632 | 1,946 | 1,827 | 1,071 |
| Other | 2,002 | 156 | Q | Q | Q | Q | Q | Q | Q |
| Vacant | 3,256 | 404 | 376 | 791 | 521 | 641 | Q | Q | Q |
| Year constructed | | | | | | | | | |
| Before 1920 | 3,983 | 640 | 519 | 771 | 527 | 471 | 442 | Q | Q |
| 1920 to 1945 | 6,025 | 777 | 635 | 1,152 | 880 | 569 | 719 | 579 | 713 |
| 1946 to 1959 | 7,381 | 918 | 793 | 1,328 | 829 | 1,315 | 927 | 1,002 | 269 |
| 1960 to 1969 | 10,362 | 806 | 1,149 | 1,773 | 1,469 | 1,736 | 1,333 | 1,444 | 653 |
| 1970 to 1979 | 10,846 | 974 | 1,069 | 1,862 | 1,557 | 1,563 | 1,488 | 1,151 | 1,181 |
| 1980 to 1989 | 15,230 | 1,238 | 1,655 | 2,430 | 2,362 | 1,845 | 1,872 | 2,561 | 1,268 |
| 1990 to 1999 | 13,803 | 1,281 | 1,461 | 1,871 | 1,628 | 2,732 | 1,882 | 1,694 | 1,254 |
| 2000 to 2003 | 7,215 | 527 | 512 | 1,140 | 893 | 1,083 | 1,751 | 678 | 632 |
| 2004 to 2007 | 6,524 | 511 | 527 | 863 | 1,004 | 1,495 | 753 | 778 | 592 |
| 2008 to 2012 | 5,723 | 369 | 581 | 914 | 768 | 1,110 | 1,248 | 578 | Q |
| Census region | | | | | | | | | |
| Northeast | 15,534 | 1,057 | 1,248 | 2,408 | 1,644 | 2,676 | 2,542 | 2,232 | 1,727 |
| Midwest | 18,919 | 1,858 | 1,872 | 2,889 | 3,029 | 2,729 | 2,400 | 2,726 | 1,418 |
| South | 34,279 | 3,383 | 3,535 | 5,209 | 4,528 | 6,139 | 5,152 | 3,681 | 2,652 |
| West | 18,360 | 1,744 | 2,245 | 3,599 | 2,716 | 2,374 | 2,321 | 2,084 | 1,277 |
| Climate region ¹ | | | | | | | | | |
| Very cold/Cold | 31,898 | 2,913 | 3,193 | 5,437 | 4,358 | 5,001 | 4,264 | 4,336 | 2,396 |
| Mixed-humid | 27,873 | 2,741 | 2,637 | 3,870 | 3,163 | 4,817 | 4,215 | 3,445 | 2,984 |
| Mixed-dry/Hot-dry | 12,037 | 1,034 | 1,630 | 2,439 | 1,922 | 1,480 | 1,666 | 1,328 | 536 |
| Hot-humid | 12,831 | 1,148 | 1,222 | 1,929 | 2,099 | 2,204 | 2,004 | 1,287 | 938 |
| Marine | 2,454 | Q | 218 | 429 | 375 | 416 | 265 | 327 | Q |

Table B7. Building size, floorspace, 2012

| | В | Building size | | | | | | | | |
|--|------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--|
| | | 1,001 | 5,001 | 10,001 | 25,001 | | 100,001 | 200,001 | | |
| | | to | to | to | to | 50,001 | to | to | Over | |
| | | 5,000 | 10,000 | 25,000 | • | to 100,000 | 200,000 | 500,000 | 500,000 | |
| | All buildings | square feet | |
| All buildings | 87,093 | 8,041 | 8,900 | 14,105 | 11,917 | 13,918 | 12,415 | 10,724 | 7,074 | |
| Number of floors | | | | | | | | | | |
| One | 39,809 | 6,244 | 6,044 | 8,129 | 5,761 | 5,643 | 4,355 | 2,630 | 1,004 | |
| Two | 20,206 | 1,315 | 2,181 | 4,162 | 3,584 | 3,882 | 2,538 | 1,915 | 630 | |
| Three | 8,140 | 416 | 536 | 1,234 | 1,655 | 1,624 | 1,537 | 918 | Q | |
| Four to nine | 13,535 | Q | Q | 581 | 906 | 2,708 | 3,552 | 3,466 | 2,116 | |
| Ten or more | 5,404 | Q N | Q N | N | Q | | 433 | 1,795 | 3,104 | |
| | 3,101 | | | | | | 133 | 1,733 | 3,101 | |
| Elevators and escalators (more than one may apply) | | | | | | | | | | |
| Any elevators | 32,120 | Q | 320 | 1,678 | 3,198 | 5,951 | 7,344 | 7,703 | 5,885 | |
| Number of elevators | | | | | | | | | | |
| One | 11,158 | Q | 297 | 1,612 | 2,378 | 2,838 | 2,391 | 1,351 | Q | |
| Two to five | 12,817 | N | Q | Q | 818 | 3,093 | 4,565 | 3,660 | 592 | |
| Six or more | 8,145 | N | N | N | Q | Q | 387 | 2,692 | 5,043 | |
| Any escalators | 3,654 | N | N | Q | N | Q | Q | 503 | 2,758 | |
| Number of workers (main shift) | | | | | | | | | | |
| Fewer than 5 | 17,751 | 5,362 | 3,843 | 4,334 | 1,791 | 1,332 | 677 | Q | Q | |
| 5 to 9 | 8,973 | 1,768 | 2,389 | 2,454 | 1,437 | 447 | Q | Q | Q | |
| 10 to 19 | 9,623 | 794 | 1,793 | 3,135 | 2,017 | 1,051 | 574 | Q | Q | |
| 20 to 49 | 14,514 | 117 | 869 | 3,314 | 3,615 | 4,036 | 1,903 | 595 | Q | |
| 50 to 99 | 13,476 | N | Q | 719 | 2,339 | 4,388 | 4,152 | 1,544 | Q | |
| 100 to 249 | 10,941 | N | N | Q | 686 | 2,328 | 2,861 | 4,078 | 845 | |
| 250 or more | 11,815 | N | N | Q | Q | 337 | 1,879 | 3,842 | 5,718 | |
| Weekly operating hours | | | | | | | | | | |
| Fewer than 40 | 8,220 | 2,012 | 1,475 | 2,100 | 1,164 | 743 | 384 | Q | Q | |
| 40 to 48 | 15,828 | 2,215 | 2,140 | 3,053 | 2,139 | 2,784 | 2,146 | 1,068 | Q | |
| 49 to 60 | 20,529 | 1,488 | 2,496 | 3,768 | 3,174 | 3,675 | 2,644 | 2,315 | 969 | |
| 61 to 84 | 15,867 | 943 | 1,182 | 2,546 | 2,628 | 2,550 | 2,481 | 2,164 | 1,373 | |
| 85 to 167 | 9,395 | 730 | 598 | 1,056 | 1,141 | 1,686 | 1,926 | 1,549 | 710 | |
| Open continuously | 17,253 | 653 | 1,009 | 1,582 | 1,671 | 2,480 | 2,835 | 3,427 | 3,597 | |
| Ownership and occupancy | | | | | | | | | | |
| Nongovernment owned | 67,550 | 7,077 | 7,953 | 11,987 | 9,482 | 9,104 | 8,905 | 7,634 | 5,408 | |
| Owner occupied | 30,637 | 3,871 | 4,118 | 6,045 | 4,067 | 3,712 | 4,306 | 2,976 | 1,542 | |
| Leased to tenant(s) | 26,115 | 2,526 | 2,932 | 4,149 | 3,656 | 4,051 | 3,493 | 3,084 | 2,223 | |
| Owner occupied and leased | 8,873 | 382 | 635 | 1,305 | 1,353 | 1,106 | 1,025 | 1,482 | 1,584 | |
| Unoccupied | 1,925 | 298 | 267 | 488 | Q | Q | Q | Q | Q | |
| Government owned | 19,543 | 964 | 947 | 2,117 | 2,435 | 4,814 | 3,510 | 3,090 | 1,666 | |
| Federal | 1,573 | Q | Q | Q | Q | | Q | Q | 806 | |
| State | 5,539 | 230 | Q | 621 | 647 | 1,327 | 1,392 | 1,024 | Q | |
| Local | 12,431 | 713 | 765 | 1,373 | 1,649 | 3,351 | 1,989 | 1,928 | 663 | |
| | · | | | | | | | i | | |

Table B7. Building size, floorspace, 2012

| | В | uilding size | | | | | | | |
|---|-----------|--------------|--------|--------|----------|-----------|---------|---------|---------|
| | | 1,001 | 5,001 | 10,001 | 25,001 | | 100,001 | 200,001 | |
| | | to | to | to | to | 50,001 | to | to | Over |
| | | 5,000 | 10,000 | 25,000 | 50,000 t | o 100,000 | 200,000 | 500,000 | 500,000 |
| | All | square | square | square | square | square | square | square | square |
| | buildings | feet | feet | feet | feet | feet | feet | feet | feet |
| All buildings | 87,093 | 8,041 | 8,900 | 14,105 | 11,917 | 13,918 | 12,415 | 10,724 | 7,074 |
| Party responsible for operation and maintenance of energy | | | | | | | | | |
| systems | | | | | | | | | |
| Building owner | 73,702 | 6,866 | 7,505 | 11,760 | 10,079 | 11,577 | 10,606 | 9,289 | 6,020 |
| Business owner or tenant | 11,309 | 996 | 1,226 | 2,045 | 1,493 | 2,000 | 1,569 | 1,245 | 734 |
| Property management | 1,250 | Q | Q | Q | Q | Q | Q | Q | Q |
| Other | 832 | Q | Q | Q | Q | Q | Q | Q | Q |
| Provider of direct input on energy- | | | | | | | | | |
| related equipment purchases | 76 274 | 7 4 2 0 | 7.663 | 42.220 | 10.622 | 12.002 | 11.026 | 0.254 | C 050 |
| Building owner | 76,271 | 7,128 | 7,662 | 12,336 | 10,633 | 12,063 | 11,036 | 9,354 | 6,058 |
| Business owner or tenant | 8,256 | 737 | 993 | 1,375 | 1,011 | 1,405 | 1,072 | 971 | 692 |
| Property management | 880 | Q | Q | Q | Q | Q | Q | Q | 0 |
| Other | 1,686 | 121 | 218 | Q | Q | Q | Q | Q | 0 |
| Number of establishments | | | | | | | | | |
| One | 54,994 | 6,548 | 6,560 | 9,593 | 7,470 | 8,621 | 7,599 | 5,876 | 2,727 |
| 2 to 5 | 17,756 | 1,068 | 1,720 | 2,812 | 2,299 | 2,545 | 2,929 | 2,726 | 1,657 |
| 6 to 10 | 4,425 | Q | 270 | 871 | 733 | 1,062 | 528 | 416 | 493 |
| 11 to 20 | 3,704 | Q | Q | 289 | 798 | 760 | 715 | 742 | 358 |
| More than 20 | 3,821 | Q | N | Q | Q | 456 | 484 | 872 | 1,780 |
| Currently unoccupied | 2,393 | 336 | 319 | 538 | Q | Q | Q | Q | Q |
| Campus or complex activity | | | | | | | | | |
| Not part of a campus or complex | 52,275 | 5,446 | 6,076 | 8,738 | 7,430 | 8,239 | 7,008 | 5,683 | 3,654 |
| Primary or secondary school | 4,616 | 302 | 261 | 758 | 716 | 790 | 949 | 792 | Q |
| College or university | 4,068 | Q | Q | 416 | 491 | 975 | 1,136 | 857 | Q |
| Office complex | 3,456 | 229 | 262 | 439 | 508 | 509 | 385 | 561 | 562 |
| Retail complex | 5,159 | 328 | 426 | 777 | 802 | 955 | 1,014 | 660 | Q |
| Storage complex | 3,212 | 517 | 513 | 678 | Q | Q | 336 | Q | Q |
| Religious campus or complex | 1,932 | 308 | 335 | 652 | Q | Q | Q | Q | N |
| Health care complex | 3,362 | Q | Q | Q | Q | 459 | 704 | 781 | 1,055 |
| Lodging or resort complex | 1,295 | 67 | Q | Q | Q | Q | Q | Q | Q |
| Transportation complex | 554 | Q | Q | Q | Q | Q | Q | Q | Q |
| Government complex | 2,107 | 171 | Q | Q | Q | Q | Q | Q | Q |
| Other | 5,057 | 522 | 582 | 947 | 717 | 962 | 549 | 548 | Q |
| Predominant exterior wall material | | | | | | | | | |
| Brick, stone, or stucco | 40,463 | 3,218 | 3,567 | 6,545 | 5,960 | 7,706 | 5,871 | 4,912 | 2,684 |
| Concrete (block or poured) | 20,726 | 1,440 | 1,813 | 3,094 | 2,631 | 3,630 | 3,968 | 2,819 | 1,330 |
| Concrete panels | 8,693 | 125 | Q | 810 | 1,135 | 1,260 | 1,461 | 1,622 | 1,907 |
| Siding or shingles | 5,750 | 1,673 | 1,242 | 1,384 | 698 | Q | Q | Q | Q |
| Metal panels | 8,673 | 1,495 | 1,807 | 2,049 | 1,144 | 903 | 513 | 581 | Q |
| Window glass | 1,340 | Q | Q | Q | Q | Q | Q | 321 | 496 |
| Other | 856 | Q | Q | Q | Q | Q | Q | Q | Q |
| Other | | | | | | | | | |

Table B7. Building size, floorspace, 2012

| | Е | Building size | | | | | | | | | |
|-------------------------------------|-----------|-----------------|------------------|------------------|--------------|----------------------|-------------------|-------------------|-------------------|--|--|
| | _ | 1,001 to | 5,001 to | 10,001 to | 25,001 to | 50,001 | 100,001 to | 200,001 to | Over | | |
| | All | 5,000 square | 10,000 square | 25,000 square | | to 100,000 square | 200,000 square | 500,000 square | 500,000 square | | |
| | buildings | feet | feet | feet | feet | feet | feet | feet | feet | | |
| All buildings | 87,093 | 8,041 | 8,900 | 14,105 | 11,917 | 13,918 | 12,415 | 10,724 | 7,074 | | |
| Predominant roof material | | | | | | | | | | | |
| Metal surfacing | 15,916 | 2,742 | 2,991 | 3,647 | 1,836 | 2,113 | 1,319 | 602 | Q | | |
| Synthetic or rubber | 25,817 | 1,011 | 1,330 | 2,970 | 3,660 | 4,730 | 4,464 | 5,001 | 2,651 | | |
| Built-up | 21,835 | 959 | 1,168 | 2,689 | 3,059 | 4,057 | 3,860 | 3,534 | 2,510 | | |
| Slate or tile shingles | 4,306 | 618 | 715 | 770 | 691 | 413 | Q | Q | Q | | |
| Wooden materials (including | | | | | | | | | | | |
| shingles) | 1,139 | 269 | 275 | 240 | Q | Q | Q | Q | N | | |
| Asphalt, fiberglass, or | | | | | | | | | | | |
| other shingles | 15,104 | 2,362 | 2,280 | 3,369 | 2,329 | 2,038 | 1,412 | 681 | 632 | | |
| Concrete | 1,642 | Q | Q | Q | Q | Q | 412 | Q | Q | | |
| Other | 678 | Q | Q | Q | Q | Q | Q | Q | Q | | |
| No one major type | 657 | Q | Q | Q | Q | Q | Q | Q | Q | | |
| Roof characteristics | | | | | | | | | | | |
| Roof tilt | | | | | | | | | | | |
| Flat | 49,623 | 2,236 | 2,906 | 6,167 | 7,037 | 9,248 | 8,616 | 8,394 | 5,019 | | |
| Shallow pitch | 23,853 | 3,431 | 3,481 | 4,569 | 3,134 | 2,921 | 2,983 | 1,921 | 1,412 | | |
| Steeper pitch | 13,617 | 2,374 | 2,513 | 3,368 | 1,746 | 1,749 | 816 | 409 | 643 | | |
| Cool roof | 19,630 | 951 | 1,029 | 2,372 | 1,985 | 3,003 | 3,427 | 4,182 | 2,683 | | |
| Renovations in buildings | | | | | | | | | | | |
| constructed before 2008 | | | | | | | | | | | |
| (more than one may apply) | | | | | | | | | | | |
| Any type of renovation | 42,216 | 2,820 | 3,378 | 5,712 | 5,407 | 6,912 | 6,095 | 6,871 | 5,021 | | |
| Addition or annex | 13,022 | 504 | 744 | 1,315 | 1,546 | 2,408 | 1,792 | 2,794 | 1,920 | | |
| Reduction in floorspace | 1,753 | 119 | Q | Q | Q | Q | Q | 342 | 240 | | |
| Roof replacement | 20,917 | 1,317 | 1,609 | 2,852 | 2,162 | 3,345 | 2,628 | 3,929 | 3,075 | | |
| Exterior wall replacement | 4,230 | 317 | 250 | 539 | 472 | 535 | 565 | 711 | 841 | | |
| Interior wall reconfiguration | 21,340 | 1,213 | 1,341 | 2,463 | 2,677 | 3,501 | 2,857 | 4,208 | 3,081 | | |
| Window replacement | 12,265 | 735 | 868 | 1,609 | 1,671 | 2,118 | 1,536 | 1,944 | 1,783 | | |
| HVAC equipment upgrade | 26,779 | 1,353 | 1,751 | 3,263 | 3,300 | 4,288 | 4,121 | 4,776 | 3,928 | | |
| Lighting upgrade | 25,503 | 1,221 | 1,584 | 2,678 | 2,838 | 4,269 | 3,685 | 5,025 | 4,202 | | |
| Electrical upgrade | 16,160 | 1,066 | 1,121 | 1,944 | 1,757 | 2,497 | 2,001 | 3,185 | 2,590 | | |
| Plumbing system upgrade | 13,828 | 908 | 1,010 | 1,505 | 1,722 | 2,329 | 1,159 | 2,860 | 2,335 | | |
| Insulation upgrade | 7,607 | 563 | 560 | 1,057 | 968 | 1,264 | 767 | 1,251 | 1,178 | | |
| Fire, safety, or security upgrade | 17,196 | 803 | 969 | 1,715 | 1,869 | 2,868 | 2,242 | 3,515 | 3,215 | | |
| Structural upgrade | 3,913 | 175 | 255 | 509 | Q | 679 | 426 | 663 | 819 | | |
| Other | 848 | Q | Q | Q | Q | Q | Q | Q | Q | | |
| No renovations | 39,154 | 4,852 | 4,941 | 7,479 | 5,742 | 5,896 | 5,073 | 3,274 | 1,897 | | |
| Buildings constructed 2008 or later | 5,723 | 369 | 581 | 914 | 768 | 1,110 | 1,248 | 578 | Q | | |
| | | | | | | | | | | | |

Table B7. Building size, floorspace, 2012

| | В | Building size | | | | | | | | |
|--|------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--|
| | | 1,001 | 5,001 | 10,001 | 25,001 | | 100,001 | 200,001 | | |
| | | to | to | to | to | 50,001 | to | to | Over | |
| | | 5,000 | 10,000 | 25,000 | 50,000 | to 100,000 | 200,000 | 500,000 | 500,000 | |
| | All buildings | square feet | |
| All buildings | 87,093 | 8,041 | 8,900 | 14,105 | 11,917 | 13,918 | 12,415 | 10,724 | 7,074 | |
| Energy sources | | | | | | | | | | |
| (more than one may apply) | 04.000 | 7 402 | 0.400 | 42.555 | 44.672 | 42.604 | 42.262 | 40.652 | 7.022 | |
| Electricity | 84,869 | 7,492 | 8,489 | 13,565 | 11,672 | 13,604 | 12,362 | 10,652 | 7,033 | |
| Natural gas | 58,725 | 3,757 | 4,817 | 8,823 | 8,148 | 9,935 | 9,416 | 8,293 | 5,535 | |
| Fuel oil | 20,200 | 604 | 559 | 1,123 | 1,490 | 2,822 | 2,858 | 5,370 | 5,374 | |
| District heat | 5,964 | Q | Q | Q | 213 | 704 | 1,313 | 1,565 | 2,001 | |
| District chilled water | 4,608 | Q | Q | 145 | Q | 567 | 1,273 | 1,064 | 1,306 | |
| Propane | 7,706 | 762 | 959 | 1,124 | 920 | 1,042 | 1,061 | 959 | 879 | |
| Other | 3,826 | 193 | 303 | 486 | 520 | 566 | 564 | 809 | 384 | |
| Space-heating energy sources | | | | | | | | | | |
| (more than one may apply) | | | | | | | | | | |
| Electricity | 49,030 | 4,185 | 4,384 | 7,716 | 6,897 | 8,668 | 7,321 | 5,991 | 3,869 | |
| Natural gas | 49,511 | 3,323 | 4,343 | 7,989 | 7,228 | 8,524 | 7,507 | 6,990 | 3,608 | |
| Fuel oil | 4,351 | 412 | 366 | 725 | 576 | 698 | 548 | 632 | 394 | |
| District heat | 5,925 | Q | Q | Q | 213 | 704 | 1,313 | 1,553 | 1,974 | |
| Propane | 3,067 | 538 | 682 | 767 | 329 | Q | Q | Q | Q | |
| Other | 1,010 | 129 | 213 | Q | Q | Q | Q | Q | Q | |
| Primary space-heating energy source | | | | | | | | | | |
| Electricity | 26,205 | 2,766 | 2,865 | 4,433 | 3,871 | 4,892 | 3,646 | 2,129 | 1,603 | |
| Natural gas | 42,988 | 3,050 | 3,802 | 6,957 | 6,174 | 6,844 | 6,624 | 6,487 | 3,050 | |
| Fuel oil | 2,542 | 3,030 | 280 | 509 | 0,174 Q | 413 | 348 | 0,487 Q | 3,030 Q | |
| District heat | 5,797 | 329 Q | 280 Q | Q | 213 | 704 | 1,283 | 1,472 | 1,956 | |
| | 1,948 | 444 | 493 | 556 | Q Q | 704 Q | 1,283 Q | 1,472 Q | 1,930 N | |
| Propane Other | 598 | 93 | 493 Q | Q | Q | Q | Q | Q | | |
| Other | 396 | 95 | Q | Q | Q | <u>Q</u> | u | <u>u</u> | N | |
| Cooling energy sources (more than one may apply) | | | | | | | | | | |
| Electricity | 76,034 | 6,107 | 7,252 | 12,211 | 10,615 | 12,618 | 11,034 | 9,887 | 6,310 | |
| Natural gas | 732 | Q | Q | Q | Q | Q | Q | Q | 167 | |
| District chilled water | 4,608 | Q | Q | 145 | Q | 567 | 1,273 | 1,064 | 1,306 | |
| Water-heating energy sources (more than one may apply) | | | | | | | | | | |
| Electricity | 42,755 | 3,881 | 4,348 | 6,926 | 5,975 | 6,672 | 6,162 | 5,005 | 3,786 | |
| Natural gas | 39,523 | 2,081 | 2,809 | 5,657 | 5,643 | 7,528 | 6,819 | 5,995 | 2,990 | |
| Fuel oil | 1,911 | Q | Q | Q | Q | Q | 238 | 370 | 215 | |
| District heat | 4,551 | Q | Q | Q | Q | 425 | 965 | 1,318 | 1,652 | |
| Propane | 1,575 | 171 | 321 | 376 | Q | Q | Q | Q | Q | |
| Cooking energy sources | | | | | | | | | | |
| (more than one may apply) | | | | | | | | | | |
| Electricity | 25,151 | 1,351 | 1,625 | 2,651 | 2,279 | 4,530 | 4,204 | 4,658 | 3,854 | |
| Natural gas | 24,770 | 819 | 1,252 | 2,124 | 2,271 | 4,526 | 4,677 | 5,172 | 3,930 | |
| Propane | 2,001 | 242 | 281 | 253 | 2,2,1 Q | 367 | Q | Q Q | 2,550 Q | |
| 1 Topulic | 2,001 | ۷٦٢ | 201 | 200 | ų | 307 | Q | ų | | |

Table B7. Building size, floorspace, 2012

| | Building size | | | | | | | | | |
|---|---------------|----------|------------|------------|--------|------------|---------|---------|---------|--|
| | _ | 1,001 | 5,001 | 10,001 | 25,001 | | 100,001 | 200,001 | | |
| | | to | to | to | to | 50,001 | to | to | Over | |
| | | 5,000 | 10,000 | 25,000 | 50,000 | to 100,000 | 200,000 | 500,000 | 500,000 | |
| | All | square | square | square | square | square | square | square | square | |
| | buildings | feet | feet | feet | feet | feet | feet | feet | feet | |
| All buildings | 87,093 | 8,041 | 8,900 | 14,105 | 11,917 | 13,918 | 12,415 | 10,724 | 7,074 | |
| Energy end uses (more than one may apply) | | | | | | | | | | |
| Buildings with space heating | 80,078 | 6,699 | 7,590 | 12,744 | 10,911 | 13,114 | 11,941 | 10,348 | 6,730 | |
| Buildings with cooling | 79,294 | 6,124 | 7,304 | 12,357 | 10,813 | 13,069 | 12,152 | 10,518 | 6,958 | |
| Buildings with water heating | 79,015 | 6,102 | 7,236 | 12,401 | 11,007 | 13,063 | 11,903 | 10,351 | 6,951 | |
| Buildings with cooking | 38,546 | 2,073 | 2,733 | 4,134 | 3,858 | 6,870 | 6,587 | 6,969 | 5,322 | |
| Buildings with manufacturing | 5,078 | 284 | 542 | 855 | 1,022 | 761 | 691 | 665 | Q | |
| Buildings with electricity | | | | | | | | | | |
| generation | 25,642 | 321 | 596 | 1,008 | 2,032 | 4,139 | 5,050 | 6,665 | 5,830 | |
| Percent of floorspace heated | | | | | | | | | | |
| Not heated | 7,015 | 1,342 | 1,310 | 1,360 | 1,007 | 804 | 474 | Q | Q | |
| 1 to 50 | 10,130 | 951 | 1,387 | 2,365 | 1,292 | 1,359 | 1,146 | 1,131 | 500 | |
| 51 to 99 | 14,650 | 914 | 1,338 | 2,048 | 1,657 | 2,469 | 2,163 | 2,202 | 1,859 | |
| 100 | 55,298 | 4,833 | 4,866 | 8,332 | 7,962 | 9,287 | 8,632 | 7,015 | 4,371 | |
| Percent of floorspace cooled | | | | | | | | | | |
| Not cooled | 7,799 | 1,917 | 1,596 | 1,747 | 1,105 | 849 | Q | Q | Q | |
| 1 to 50 | 18,891 | 1,430 | 2,249 | 3,943 | 3,123 | 2,489 | 2,432 | 2,150 | 1,076 | |
| 51 to 99 | 22,728 | 935 | 1,738 | 2,766 | 2,679 | 4,077 | 3,496 | 4,007 | 3,029 | |
| 100 | 37,676 | 3,759 | 3,316 | 5,648 | 5,011 | 6,503 | 6,225 | 4,360 | 2,853 | |
| Percent lit when open | | | | | | | | | | |
| Zero | 322 | 156 | Q | Q | Q | N | N | Q | N | |
| 1 to 50 | 12,628 | 1,680 | 1,879 | 2,824 | 1,885 | 1,956 | 1,141 | 837 | Q | |
| 51 to 99 | 34,814 | 1,924 | 3,060 | 5,326 | 4,519 | 6,445 | 5,539 | 5,220 | 2,781 | |
| 100 | 35,726 | 3,474 | 3,151 | 5,070 | 5,071 | 5,043 | 5,560 | 4,552 | 3,806 | |
| Building never open/electricity | | | | | | | | | | |
| not used | 3,603 | 807 | 727 | 829 | Q | Q | Q | Q | Q | |
| Percent lit during off hours | | | | | | | | | | |
| Zero | 24,746 | 4,000 | 4,256 | 5,728 | 3,411 | 2,617 | 2,976 | 1,087 | 671 | |
| 1 to 50 | 50,753 | 3,068 | 3,798 | 7,104 | 7,515 | 9,677 | 7,717 | 7,294 | 4,580 | |
| 51 to 100 | 6,926 | 280 | 319 | 424 | 557 | 1,060 | 1,231 | 1,661 | 1,394 | |
| Building always open with | | | | | | | | | | |
| no "off hours" | 2,443 | 144 | Q | 309 | Q | Q | 437 | 610 | 388 | |
| Electricity not used | 2,225 | 550 | 411 | 539 | Q | Q | Q | Q | Q | |
| Heating equipment (more than one | | | | | | | | | | |
| may apply) Heat pumps | 11,846 | 868 | 1,038 | 1,477 | 1,642 | 2,664 | 1,549 | 1,527 | 1,080 | |
| Furnaces | 8,654 | 1,091 | 1,416 | 2,233 | 1,439 | 1,042 | 683 | 466 | 284 | |
| Individual space heaters | 20,766 | 1,747 | 2,025 | 3,115 | 3,021 | 2,763 | 2,915 | 2,970 | 2,211 | |
| | 5,925 | | 2,025 Q | | 213 | 704 | | | | |
| District heat | | Q 400 | | Q 2.009 | | | 1,313 | 1,553 | 1,974 | |
| Boilers Packaged heating units | 22,443 | 400 | 734 | 2,008 | 2,707 | 4,938 | 4,258 | 4,970 | 2,430 | |
| Packaged heating units | 49,188 | 3,809 | 4,622 | 8,246 | 7,237 | 8,489 | 7,569 | 5,991 | 3,225 | |
| Other | 1,574 | Q | Q | Q | Q | 541 | Q | Q | Q | |

Table B7. Building size, floorspace, 2012

| | В | uilding size | | | | | | | |
|--|------------------|----------------|----------------|----------------|----------------|---------------------|----------------|----------------|----------------|
| | _ | 1,001 | 5,001 | 10,001 | 25,001 | | 100,001 | 200,001 | |
| | All | to 5,000 | to 10,000 | to 25,000 | • | 50,001 o 100,000 | to 200,000 | to 500,000 | Over 500,000 |
| | All buildings | square feet | square feet | square feet | square feet | square feet | square feet | square feet | square feet |
| All buildings | 87,093 | 8,041 | 8,900 | 14,105 | 11,917 | 13,918 | 12,415 | 10,724 | 7,074 |
| Cooling equipment (more than one may apply) | | | | | | | | | |
| Residential-type central air | | | | | | | | | |
| conditioners | 14,765 | 2,350 | 2,968 | 3,883 | 2,526 | 1,395 | 895 | 610 | Q |
| Heat pumps | 12,538 | 983 | 1,193 | 1,457 | 1,866 | 2,825 | 1,718 | 1,422 | 1,073 |
| Individual air conditioners | 12,420 | 1,027 | 972 | 1,855 | 1,606 | 1,956 | 1,652 | 2,091 | 1,262 |
| District chilled water | 4,608 | Q | Q | 145 | Q | 567 | 1,273 | 1,064 | 1,306 |
| Central chillers | 17,041 | Q | Q | 631 | 1,095 | 2,724 | 3,211 | 5,127 | 4,145 |
| Packaged air conditioning units | 45,153 | 2,154 | 3,082 | 6,557 | 6,466 | 8,705 | 7,447 | 6,702 | 4,039 |
| Swamp coolers | 1,918 | 155 | Q | Q | Q | 441 | Q | Q | Q |
| Other | 328 | Q | N | Q | Q | Q | Q | Q | Q |
| Main equipment replaced since 1990 | | | | | | | | | |
| (more than one may apply) | | | | | | | | | |
| Heating | 27,558 | 2,710 | 3,029 | 5,048 | 4,041 | 4,376 | 3,564 | 3,228 | 1,562 |
| Cooling | 30,702 | 2,797 | 3,246 | 5,184 | 4,358 | 4,623 | 3,895 | 4,201 | 2,397 |
| Water-heating equipment | | | | | | | | | |
| Centralized system | 47,534 | 4,906 | 5,731 | 8,549 | 7,125 | 7,181 | 6,120 | 4,924 | 2,998 |
| Distributed system | 12,688 | 1,011 | 890 | 2,318 | 1,983 | 1,904 | 1,846 | 1,516 | 1,220 |
| Combination of centralized and | | | | | | | | | |
| distributed system | 18,793 | 185 | 615 | 1,534 | 1,899 | 3,978 | 3,937 | 3,911 | 2,734 |
| Lighting equipment types (more than one may apply) | | | | | | | | | |
| Incandescent | 38,406 | 2,453 | 2,917 | 4,987 | 4,788 | 6,218 | 6,239 | 6,002 | 4,803 |
| Standard fluorescent | 80,081 | 6,466 | 7,589 | 12,533 | 11,063 | 13,217 | 11,745 | 10,552 | 6,915 |
| Compact fluorescent | 53,816 | 2,815 | 3,740 | 6,767 | 6,970 | 9,652 | 9,078 | 8,775 | 6,021 |
| High-intensity discharge | 23,396 | 373 | 736 | 2,175 | 2,712 | 3,766 | 4,244 | 4,981 | 4,409 |
| Halogen | 28,059 | 944 | 1,487 | 2,903 | 3,556 | 4,989 | 4,605 | 5,161 | 4,413 |
| LED | 22,071 | 348 | 714 | 1,882 | 2,252 | 3,479 | 3,919 | 4,866 | 4,612 |
| Other | 446 | Q | Q | Q | Q | Q | Q | Q | Q |
| Refrigeration equipment (more than one may apply) | | | | | | | | | |
| Any refrigeration | 73,645 | 5,448 | 6,565 | 11,012 | 9,901 | 12,334 | 11,371 | 10,080 | 6,935 |
| Walk-in units | 28,361 | 1,039 | 1,103 | 1,837 | 2,247 | 5,193 | 5,729 | 6,233 | 4,981 |
| Cases or cabinets | 28,719 | 1,132 | 1,350 | 2,276 | 2,693 | 4,840 | 5,326 | 6,333 | 4,768 |
| Large cold storage areas | 4,171 | Q | Q | Q | Q | 718 | 825 | 1,139 | 804 |
| Commercial ice makers | 32,734 | 851 | 1,248 | 2,424 | 3,017 | 6,276 | 6,236 | 7,022 | 5,660 |
| Residential-type or compact units | 62,381 | 4,571 | 5,741 | 9,307 | 8,558 | 10,393 | 9,530 | 8,371 | 5,910 |
| Vending machines | 43,936 | 531 | 1,252 | 3,940 | 5,558 | 8,174 | 9,288 | 8,881 | 6,311 |
| No refrigeration | 13,448 | 2,593 | 2,335 | 3,093 | 2,017 | 1,584 | 1,044 | 643 | Q |
| | | | | | | | | | |

Table B7. Building size, floorspace, 2012

| | <u></u> | uilding size | | | | | | | |
|--|------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | | 1,001 | 5,001 | 10,001 | 25,001 | | 100,001 | 200,001 | |
| | | to | to | to | to | 50,001 | to | to | Over |
| | | 5,000 | 10,000 | 25,000 | - | to 100,000 | 200,000 | 500,000 | 500,000 |
| | All buildings | square feet |
| All buildings | 87,093 | 8,041 | 8,900 | 14,105 | 11,917 | 13,918 | 12,415 | 10,724 | 7,074 |
| Office equipment (more than one may apply) | | | | | | | | | |
| Desktop computers | 77,063 | 5,205 | 6,719 | 11,823 | 10,689 | 13,267 | 11,937 | 10,435 | 6,987 |
| With flat screen monitors | 76,160 | 4,970 | 6,465 | 11,674 | 10,601 | 13,147 | 11,885 | 10,435 | 6,982 |
| With multiple monitors | 30,946 | 776 | 1,648 | 3,238 | 3,594 | 5,464 | 5,117 | 5,908 | 5,201 |
| Laptop computers | 63,486 | 3,216 | 4,689 | 8,677 | 9,042 | 11,127 | 10,027 | 9,800 | 6,907 |
| Dedicated servers | 53,369 | 1,685 | 2,956 | 6,120 | 7,120 | 10,092 | 9,540 | 9,339 | 6,516 |
| Laser printers | 54,256 | 2,724 | 3,953 | 7,407 | 7,363 | 9,874 | 9,066 | 7,815 | 6,054 |
| Inkjet printers | 36,235 | 3,047 | 3,932 | 6,046 | 5,194 | 5,475 | 5,144 | 4,920 | 2,476 |
| FAX machines | 66,682 | 4,014 | 5,342 | 9,674 | 9,446 | 11,540 | 10,999 | 9,157 | 6,511 |
| Photocopiers | 59,277 | 2,210 | 3,478 | 7,873 | 8,247 | 10,930 | 10,451 | 9,504 | 6,583 |
| | 33,277 | | 3,170 | 7,073 | 0,217 | 10,550 | 10,131 | 3,301 | 0,505 |
| Number of desktop computers | | | | | | | | | |
| None | 10,030 | 2,836 | 2,181 | 2,281 | 1,228 | 651 | 478 | Q | Q |
| 1 to 4 | 15,669 | 3,502 | 3,440 | 4,422 | 1,878 | 1,102 | 1,095 | Q | N |
| 5 to 9 | 9,422 | 1,179 | 1,787 | 2,497 | 1,808 | 1,124 | 746 | Q | Q |
| 10 to 19 | 9,388 | 458 | 889 | 2,166 | 1,965 | 2,049 | 1,309 | 453 | Q |
| 20 to 49 | 13,094 | Q | 579 | 1,970 | 2,480 | 3,453 | 2,409 | 1,629 | 518 |
| 50 to 99 | 8,284 | Q | Q | 682 | 1,768 | 2,113 | 1,492 | 1,565 | 637 |
| 100 to 249 | 9,728 | N | Q | Q | 741 | 2,743 | 2,806 | 1,847 | 1,499 |
| 250 or more | 11,478 | N | N | N | Q | 682 | 2,081 | 4,474 | 4,191 |
| Number of laptop computers | | | | | | | | | |
| None | 23,607 | 4,825 | 4,211 | 5,427 | 2,875 | 2,791 | 2,388 | 923 | Q |
| 1 to 4 | 21,161 | 2,919 | 3,624 | 5,623 | 3,383 | 2,391 | 1,855 | 1,097 | Q |
| 5 to 9 | 8,345 | 244 | 750 | 1,358 | 1,921 | 1,800 | 1,292 | 601 | Q |
| 10 to 19 | 8,343 | Q | 253 | 900 | 1,561 | 2,057 | 1,510 | 1,327 | 690 |
| 20 to 49 | 9,643 | Q | Q | 498 | 1,566 | 2,523 | 1,939 | 1,826 | 1,221 |
| 50 to 99 | 5,234 | N | N | Q | 451 | 1,231 | 1,402 | 933 | 962 |
| 100 to 249 | 5,217 | N | N | Q | Q | 827 | 1,345 | 1,928 | 962 |
| 250 or more | 5,542 | N | N | Q | Q | Q | 683 | 2,088 | 2,425 |
| Number of dedicated servers | | | | | | | | | |
| None | 33,724 | 6,356 | 5,944 | 7,984 | 4,797 | 3,826 | 2,875 | 1,384 | 558 |
| 1 to 4 | 34,097 | 1,658 | 2,867 | 5,441 | 5,844 | 7,310 | 5,840 | 3,516 | 1,621 |
| 5 to 9 | 6,241 | Q | Q | 494 | 704 | 1,247 | 1,407 | 1,516 | 789 |
| 10 to 19 | 5,711 | Q | Q | Q | 372 | 777 | 1,392 | 1,854 | 1,179 |
| 20 to 49 | 3,758 | N | Q | Q | Q | 575 | 424 | 1,243 | 1,261 |
| 50 or more | 3,562 | N | Q | N | Q | Q | 477 | 1,210 | 1,666 |
| Number of photocopiers | | | | | | | | | |
| None | 27,816 | 5,831 | 5,422 | 6,231 | 3,671 | 2,988 | 1,964 | 1,219 | 490 |
| One | 17,080 | 1,815 | 2,382 | 4,336 | 2,818 | 2,479 | 2,284 | 625 | Q |
| 2 to 4 | 20,312 | 368 | 1,012 | 3,098 | 3,768 | 5,164 | 3,822 | 2,436 | 644 |
| 5 to 9 | 8,863 | Q | Q | 351 | 1,244 | 1,891 | 2,104 | 2,357 | 851 |
| 10 or more | 13,022 | Q | Q | Q | 416 | 1,396 | 2,242 | 4,087 | 4,747 |

Table B7. Building size, floorspace, 2012

| | _ | uilding size 1,001 | 5,001 | 10,001 | 25,001 | | 100,001 | 200,001 | |
|--|-----------|-----------------------|-------------|--------------|--------------|------------|---------------|---------------|---------|
| | | 1,001 to | 5,001 to | 10,001 to | 25,001 to | 50,001 | 100,001 to | 200,001 to | Over |
| | | 5,000 | 10,000 | 25,000 | | to 100,000 | 200,000 | 500,000 | 500,000 |
| | All | square | square | square | square | square | square | square | square |
| | buildings | feet | feet | feet | feet | feet | feet | feet | feet |
| All buildings | 87,093 | 8,041 | 8,900 | 14,105 | 11,917 | 13,918 | 12,415 | 10,724 | 7,074 |
| Number of TVs or video displays | | | | | | | | | |
| None | 24,339 | 4,604 | 4,079 | 5,439 | 3,612 | 2,722 | 2,067 | 1,224 | 593 |
| One | 9,990 | 1,908 | 1,947 | 2,434 | 1,355 | 1,110 | 821 | Q | C |
| 2 to 4 | 16,465 | 1,160 | 2,057 | 3,690 | 3,530 | 2,690 | 1,742 | 1,193 | C |
| 5 to 9 | 8,148 | 314 | 595 | 1,204 | 1,053 | 1,962 | 1,565 | 979 | 477 |
| 10 to 19 | 8,168 | Q | Q | 678 | 964 | 2,276 | 1,853 | 1,539 | 676 |
| 20 to 49 | 8,058 | Q | Q | 452 | 851 | 1,680 | 1,991 | 2,055 | 964 |
| 50 to 99 | 4,378 | N | Q | Q | 372 | 626 | 1,368 | 1,226 | 583 |
| 100 or more | 7,547 | N | N | Q | Q | 852 | 1,008 | 2,188 | 3,280 |
| Food preparation or serving areas | | | | | | | | | |
| in non-food service buildings | | | | | | | | | |
| (more than one may apply) | | | | | | | | | |
| Snack bar or concession stand | 9,884 | 139 | 239 | 418 | 507 | 1,033 | 2,200 | 2,497 | 2,852 |
| Fast food or small restaurant | 9,787 | 131 | 307 | 541 | 749 | 1,375 | 1,859 | 2,223 | 2,601 |
| Cafeteria or large restaurant | 15,222 | Q | Q | 243 | 892 | 3,133 | 3,294 | 3,890 | 3,728 |
| Commercial kitchen/ | | | | | | | | | |
| food preparation area | 16,150 | 142 | 394 | 1,224 | 1,403 | 3,136 | 3,110 | 3,888 | 2,852 |
| Small kitchen area | 14,054 | 972 | 1,325 | 2,055 | 1,698 | 2,178 | 1,921 | 2,003 | 1,901 |
| Separate computer areas | | | | | | | | | |
| (more than one may apply) | | | | | | | | | |
| Data center or server farm | 11,105 | Q | Q | Q | 619 | 1,090 | 1,859 | 3,747 | 3,452 |
| Computer-based training room | 17,723 | 102 | 223 | 856 | 1,619 | 3,093 | 3,717 | 4,586 | 3,527 |
| Student or public computer center | 14,341 | 101 | 255 | 862 | 1,352 | 3,495 | 3,482 | 3,614 | 1,180 |
| HVAC conservation features | | | | | | | | | |
| (more than one may apply) | | | | | | | | | |
| Economizer cycle | 30,749 | 398 | 720 | 2,280 | 2,924 | 5,905 | 6,350 | 7,119 | 5,053 |
| Regular HVAC maintenance | 69,244 | 3,875 | 5,175 | 9,894 | 9,902 | 11,857 | 11,348 | 10,269 | 6,924 |
| Building automation system (BAS) ² | 37,051 | 630 | 972 | 2,613 | 3,473 | 7,262 | 8,451 | 7,883 | 5,767 |
| Window and interior lighting features (more than one may | | | | | | | | | |
| apply) | 60.000 | 2.052 | F 404 | 0.000 | 0.00- | 10.000 | 0.40= | 0.000 | - 40- |
| Multipaned windows | 60,362 | 3,852 | 5,164 | 8,620 | 8,605 | 10,660 | 9,407 | 8,629 | 5,425 |
| Tinted window glass | 45,025 | 2,215 | 3,008 | 5,833 | 6,571 | 7,933 | 7,434 | 7,431 | 4,600 |
| Reflective window glass | 15,908 | 573 | 969 | 1,680 | 1,847 | 3,086 | 2,581 | 2,897 | 2,276 |
| External overhangs or awnings | 32,188 | 2,530 | 3,275 | 5,157 | 4,097 | 5,423 | 4,501 | 4,217 | 2,987 |
| Skylights or atriums | 22,261 | 425 | 1,115 | 2,385 | 2,199 | 3,777 | 4,397 | 4,505 | 3,459 |
| Light scheduling | 30,263 | 984 | 1,417 | 2,928 | 3,730 | 5,570 | 5,355 | 5,378 | 4,903 |
| Occupancy sensors | 35,871 | 527 | 1,171 | 3,177 | 4,019 | 6,912 | 7,381 | 6,851 | 5,832 |
| Multi-level lighting or dimming | 14,534 | 237 | 576 | 1,169 | 1,663 | 2,647 | 2,467 | 3,563 | 2,211 |
| Daylight harvesting | 6,114 | 100 | Q | 432 | 560 | 971 | 1,492 | 1,191 | 1,244 |
| Demand responsive lighting | 4,738 | 154 | 340 | 639 | 655 | 703 | 912 | 777 | 557 |
| Building automation system (BAS) for lighting ² | 12,068 | 135 | 288 | 693 | 1,040 | 2,270 | 2,583 | 2,644 | 2,413 |
| 1611116 | 12,000 | 133 | 200 | 033 | 1,040 | 2,210 | 2,303 | 2,044 | 2,413 |

Table B7. Building size, floorspace, 2012

| | Е | Building size | | | | | | | |
|---|------------------|--|---|--|--|--|--|--|-----------------------------------|
| | All buildings | 1,001 to 5,000 square feet | 5,001 to 10,000 square feet | 10,001 to 25,000 square feet | 25,001 to 50,000 square feet | 50,001 to 100,000 square feet | 100,001 to 200,000 square feet | 200,001 to 500,000 square feet | Over 500,000 square feet |
| All buildings | 87,093 | 8,041 | 8,900 | 14,105 | 11,917 | 13,918 | 12,415 | 10,724 | 7,074 |
| Equipment usage reduced when building not in full use (more than one may apply) | | | | | | | | | |
| Heating | 63,167 | 5,154 | 6,085 | 9,898 | 8,637 | 10,459 | 9,938 | 7,956 | 5,040 |
| Cooling | 62,516 | 4,759 | 5,907 | 9,726 | 8,428 | 10,424 | 10,135 | 7,828 | 5,309 |
| Lighting | 78,594 | 6,738 | 7,814 | 12,689 | 10,841 | 12,653 | 11,576 | 9,753 | 6,531 |

¹These climate regions were created by the Building America program, sponsored by the U.S. Department of Energy's Office of Energy Efficiency and Renewable Energy (EERE).

Notes: • Because of rounding, data may not sum to totals. • See *Guide to the 2012 CBECS Detailed Tables* or *CBECS Terminology* for definition of terms used in these tables and/or comparison of differences with prior CBECS tables. Both references can be accessed from http://www.eia.gov/consumption/commercial/data/2012/

Source: U.S. Energy Information Administration, Office of Energy Consumption and Efficiency Statistics, Form EIA-871A of the 2012 Commercial Buildings Energy Consumption Survey.

 $^{^{2}}$ In earlier CBECS publications, BAS was referred to as <code>Energy Management</code> and <code>Control System (EMCS)</code> .

Q = Data withheld either because the Relative Standard Error (RSE) was greater than 50 percent or fewer than 20 buildings were sampled.

N = No cases in reporting sample.