## Commercial Buildings Energy Consumption Surveys

## **Energy Consumption & Expenditures**

## Electricity Peak Demand by: Peak Demand Intensity and Load (percentile)

(3 pages, 20 kb)

CONTENTS									
Table 19. Distribution of	of Peak Watts per Square Foot and Load Factors, 1995								
These data are from the 1995 Commercial Buildings Energy Consumption Survey (CBECS), a national probability sample survey of commercial buildings sponsored by the Energy Information Administration, that provides information on the use of energy in commercial buildings in the United States. The 1995 CBECS was the sixth survey in a series begun in 1979. The data were collected from a sample of 6,639 buildings representing 4.6 million commercial buildings and 58.8 billion square feet of commercial floorspace in the U.S. The 1995 data are available for the four Census regions and nine Census division.  Data provided here are in the public domain and may be reproduced without permission. appropriate credit would be appreciated. A suggested citation is "U.S. Department of Energy, Energy Information Administration, "A Look at Commercial Buildings in 1995: Characteristics, Energy Consumption, and Energy Expenditures."									
Electronic Products and Services									
Users can view and download selected pages, sections, or entire reports, search for information, download data and analysis applications, and find out about new information products and services.									
Contact: Martha Johnson, Survey Manager ( <u>martha.johnson@eia.doe.gov)</u>									
World Wide Web:	World Wide Web: http://www.eia.doe.gov/emeu/consumption								

Table 19. Distribution of Peak Watts per Square Foot and Load Factors, 1995

	All Demand-Metered Buildings			Peak Watts per Square Foot			Load Factor			
Building Characteristics	Number of Buildings (thousand)	Total Floorspace (million square feet)	Total Electricity Consumed (billion kWh)							DSE
RSE Column Factor:	1.1	0.9	1.0	25th Percentile	Median	75th Percentile	25th Percentile	Median	75th Percentile	RSE Row Factor
All Buildings	2,223	38,705	579	2.72	5.40	9.71	.164	.253	.357	5.54
Building Floorspace (square feet) 1,001 to 5,000	957	2,619	74	4.67	8.00	15.11	.156	.239	.357	8.89
5,001 to 10,000	504	3,654	48	2.57	5.20	8.15	.155	.239	.325	10.48
10,001 to 25,000	468	7,488	83	1.92	3.26	5.31	.180	.246	.350	10.48
25,001 to 50,000	151	5,455	73	2.02	3.63	6.40	.220	.295	.404	8.84
50,001 to 100,000	88	6,114	87	1.85	3.20	5.37	.239	.337	.447	7.64
100,001 to 200,000	36	5,182	74	1.62	3.52	5.47	.291	.393	.515	9.00
200,001 to 500,000	14	4,222	74	1.63	3.10	5.57	.321	.458	.574	13.21
Over 500,000	4	3,971	65	1.81	3.16	4.48	.443	.521	.630	11.00
Principal Building Activity Education	198	5,448	48	2.33	4.29	9.33	.156	.210	.281	9.86
Food Sales	99	486	27	2.33 9.71	14.67	22.00	.373	.463	.590	17.06
Food Service	189	926	39	7.50	12.67	23.20	.241	.333	.406	18.37
Health Care	72	1,818	49	4.00	5.89	10.22	.187	.253	.408	13.21
Lodging	89	2,626	43	2.55	4.89	8.33	.270	.364	.440	13.40
Mercantile and Service	644	8,286	111	2.36	4.91	8.80	.159	.249	.327	9.94
Office	349	7,728	152	3.40	6.00	7.99	.187	.285	.357	11.52
Public Assembly	145	2,487	37	3.33	5.52	8.29	.129	.197	.274	14.59
Public Order and Safety	40	832	11	2.24	5.00	5.14	.198	.280	.404	28.88
Religious Worship	102	1,468	6	2.40	4.20	8.40	.079	.092	.179	18.90
Warehouse and Storage	187	5,209	37	1.23	2.22	3.40	.171	.265	.401	15.64
OtherVacant	49 59	705 685	16 3	7.00 .80	7.33 2.40	17.47 3.20	.041 .135	.227 .189	.272 .312	29.70 25.21
Year Constructed										
1919 or Before	163	2,024	23	1.92	4.00	8.57	.152	.231	.331	19.45
1920 to 1945	234	4,099	38	2.00	4.67	7.57	.154	.240	.341	13.84
1946 to 1959	411	6,017	70	2.25	4.24	7.37	.184	.231	.316	11.97
1960 to 1969	337	7,459	109	2.64	5.85	10.29	.162	.266	.389	10.67
1970 to 1979	466	7,746	136	3.20	6.20	10.40	.179	.259	.374	8.96
1980 to 1989	464	8,381	143	3.12	6.00	12.67	.160	.269	.377	9.33
1990 to 1992	83	1,711	34	5.88	8.00	15.00	.178	.292	.409	14.37
1993 to 1995	64	1,268	24	2.22	4.91	10.50	.197	.295	.405	20.49
Census Region and Division Northeast	455	8,599	109	2.25	3.67	7 12	.195	.260	.384	10.47
New England	455 82	6,599 1,575	109	3.00	5.25	7.43 10.40	.195	.200	.406	15.92
Middle Atlantic	373	7,025	90	2.22	3.29	7.33	.109	.295	.356	12.57
Midwest	486	8,751	125	2.22	5.10	8.67	.164	.238	.331	11.04
East North Central	313	5,868	77	1.89	4.50	7.58	.159	.238	.336	13.69
West North Central	173	2,883	48	3.10	6.80	12.80	.175	.228	.319	18.19
South	855	14,365	228	3.20	5.80	10.00	.171	.261	.357	8.30
South Atlantic	316	6,977	119	3.28	6.67	8.65	.181	.294	.377	10.00
East South Central	159	2,438	38	4.25	6.56	11.56	.180	.253	.393	26.60
West South Central	380	4,950	71	3.00	5.20	10.00	.160	.249	.335	10.95
West	426	6,989	117	2.80	6.67	12.00	.136	.244	.373	14.73
Mountain Pacific	149 277	2,425 4,564	37 80	3.00 2.55	6.82 6.65	12.80 11.33	.102 .145	.244 .244	.373 .374	30.10 17.59
Climate Zone: 45-Year Average										
Fewer than 2,000 CDD and										
More than 7,000 HDD	183	2,983	40	3.10	5.78	9.67	.211	.263	.374	18.35
5,500-7,000 HDD	522	9,403	123	2.22	5.00	8.80	.171	.238	.336	10.93
4,000-5,499 HDD	455	10,174	161	2.13	4.00	8.60	.164	.251	.364	11.57
Fewer than 4,000 HDD	514	7,833	120	3.33	6.67	10.50	.132	.257	.373	16.18
More than 2,000 CDD and										

See footnotes at end of table.

Table 19. Distribution of Peak Watts per Square Foot and Load Factors, 1995 (Continued)

	All Demand-Metered Buildings			Peak Watts per Square Foot			Load Factor			
Building Characteristics RSE Column Factor:	Number of Buildings (thousand)	square	Total Electricity Consumed (billion kWh)		Median	75th Percentile		Median		
	1.1		1.0	25th Percentile			25th Percentile		75th Percentile	RSE Row Factor
Workers (main shift)										
Fewer than 5	984	6,320	64	2.55	5.33	10.40	.142	.218	.316	10.04 11.72
5 to 9	453 325	4,148 4,168	48 56	2.72 3.00	5.27 6.11	9.33 10.00	.179 .197	.268 .253	.349 .364	11.60
20 to 49	276	6,657	96	2.98	5.50	10.29	.227	.314	.409	9.31
50 to 99	101	5,412	71 75	2.60	4.20	6.63	.215	.330	.449	9.17
100 to 249	55 30	4,511 7,488	75 167	2.59 3.30	4.94 5.07	7.84 7.16	.277 .334	.366 .454	.475 .568	10.04 10.89
Weekly Operating Hours										
39 or Fewer	235	2,137	12	1.67	4.86	8.29	.084	.142	.222	16.50
40 to 48	582 511	8,547 8,239	83 109	2.72 2.36	4.47 4.62	8.80 7.38	.158 .160	.217 .240	.292 .315	9.32
61 to 84	341	7,022	92	2.40	5.10	9.33	.218	.276	.357	8.40
85 to 167 Open Continuously	291 262	4,427 8,332	94 189	5.52 3.33	10.20 5.80	16.50 18.15	.270 .253	.362 .374	.461 .526	9.69 9.17
Ownership and Occupancy										
Nongovernment Owned	1,913	29,885	440	2.74	5.60	9.71	.160	.255	.357	5.82
Owner Occupied Nonowner Occupied	1,504 374	23,153 6,457	351 88	2.80 2.80	5.60 5.80	9.60 10.47	.158 .171	.253 .267	.355 .389	6.09 11.45
Unoccupied	Q Q	0,457 Q	Q	.67	1.56	2.86	.171	.184	.312	99.99
Government Owned	310	8,819	139	2.47	4.33	9.45	.197	.246	.354	10.58
Space in Building Vacant for at Least Three Consecutive Months										
Yes	288	9,712	124	1.60	3.20	5.45	.144	.246	.319	8.95
No	1,935	28,993	455	3.00	5.80	10.40	.171	.255	.362	5.85
Energy Sources (more than one may apply) Electricity	2,223	38,705	579	2.72	5.40	9.71	.164	.253	.357	5.54
Natural Gas	1,401	26,670	381	2.72	5.40	8.83	.166	.255	.350	6.81
Fuel Oil	264	10,188	177	2.46	4.33	7.43	.178	.268	.390	10.78
District Heat	84 43	4,329	82	3.17	5.00	7.74	.223	.314	.462	23.83
District Chilled Water	270	1,935 3,386	43 52	3.33 3.26	4.04 5.78	12.96 12.40	.228 .177	.342 .247	.418 .377	24.53 14.84
Other	90	1,522	18	1.82	4.33	6.70	.145	.223	.308	20.32
Energy End Uses (more than one may apply)										
Buildings with Space Heating	2,091	36,945	563	2.87	5.56	10.00	.169	.253	.356	5.42
Buildings with Cooling	1,887	35,079	554 557	3.17	5.78	10.25	.180	.256	.360	5.41
Buildings with Water Heating Buildings with Cooking	1,879 523	35,726 14,876	557 283	3.00 4.00	5.85 8.14	10.40 13.20	.176 .200	.257 .312	.361 .429	5.60 6.90
Buildings with Manufacturing Buildings with Electricity Generation	121 162	2,772 10,470	37 205	3.08 3.26	3.84 5.00	8.80 8.50	.155 .223	.228	.314 .478	17.61 8.86
Space-Heating Energy Source	102	10,710	200	5.20	5.00	0.00	.220	.000	.+10	0.00
Electricity	783	15,383	272	3.67	6.89	12.40	.179	.266	.388	7.97
Electricity Main	546	9,447	184	4.44	8.00	12.92	.162	.264	.374	9.67
Electricity Secondary Other Excluding Electricity	237 1,308	5,937 21,562	88 291	2.72 2.47	5.10 4.80	8.86 8.60	.205 .162	.268 .248	.407 .340	10.16 6.08
Buildings without Space Heating	132	1,759	16	.72	2.22	6.40	.155	.230	.418	21.31
Primary Space-Heating										
Energy Source Electricity	546	9,447	184	4.44	8.00	12.92	.162	.264	.374	9.67
Natural Gas	1,168	19,752	258	2.42	4.90	8.74	.160	.251	.340	6.77
Fuel Oil	158	2,413	20	2.40	3.93	7.09	.173	.221	.324	18.82
District Heat	82 100	3,992 765	77 15	3.24 3.33	5.00 6.67	7.96 15.11	.223 .197	.313 .357	.460 .458	16.81 22.47

See footnotes at end of table.

Table 19. Distribution of Peak Watts per Square Foot and Load Factors, 1995 (Continued)

Building Characteristics RSE Column Factor:	All Demand-Metered Buildings			Peak Watts per Square Foot			Load Factor			
	Number of Buildings (thousand)	square	Total Electricity Consumed (billion kWh)							
				25th Percentile	Median	75th Percentile	25th Percentile	Median	75th Percentile	RSE Row Factor
Cooling Energy Source										
Electricity Other Excluding Electricity Buildings without Cooling	1,824 63 336	33,533 1,546 3,626	525 29 24	3.20 2.72 1.27	5.78 4.91 2.53	10.00 20.00 6.20	.179 .208 .145	.256 .289 .218	.358 .418 .303	5.47 25.63 16.03
Water-Heating Energy Source	0.40	45.000	0.50			40.50	4=0			
Electricity Other Excluding Electricity Buildings without Water Heating	846 1,033 344	15,982 19,743 2,979	256 301 22	3.08 2.93 1.47	5.85 5.80 3.29	10.50 9.71 5.55	.178 .175 .145	.267 .253 .218	.371 .357 .317	8.24 5.77 12.91
Cooking Energy Source Electricity	299	8,899	184	4.75	9.60	15.42	.211	.336	.461	8.57
Other Excluding Electricity	224 1,700	5,977 23,828	99 295	3.43 2.43	6.82 4.91	11.06 8.31	.178 .158	.289	.365 .341	11.60 6.59
Percent of Floorspace Heated	400	4.750	40	70	0.00	0.40	455	000	440	04.04
Not Heated1 to 50	132 242	1,759 3,971	16 30	.72 1.50	2.22 2.80	6.40 5.60	.155 .142	.230 .205	.418 .297	21.31 15.29
51 to 99	326 1,523	5,761 27,214	98 434	2.71 3.32	5.33 6.10	8.91 10.50	.197 .171	.269 .260	.349 .358	11.34 5.09
Percent of Floorspace Cooled	226	2 626	24	4.07	0.50	6.20	1.45	240	202	16.02
Not Cooled 1 to 50	336 458	3,626 9,790	24 74	1.27 2.00	2.53 3.26	6.20 6.00	.145 .162	.218 .225	.303 .294	16.03 10.00
51 to 99	382 1,047	9,322 15,967	169 311	3.64 4.00	5.98 7.00	9.33 11.06	.188 .187	.272 .272	.352 .382	8.64 6.89
Percent Lit when Open Zero	Q	Q	Q	1.33	1.33	2.40	.092	.158	.158	99.99
1 to 50	272	3,298	25	2.00	3.64	7.33	.132	.213	.276	16.72
51 to 99		6,801 28,242	93 459	2.95 3.00	5.78 5.75	9.39 10.47	.160 .187	.263 .261	.349 .374	9.46 6.00
Building Not in Use/ Electricity Not Used	Q	Q	Q	.40	.67	1.56	.142	.152	.249	99.99
Percent Lit when Closed										
Zero 1 to 50	699 1,180	7,669 20,940	66 290	2.00 3.08	4.20 6.00	8.50 10.40	.137 .187	.217 .263	.281 .358	10.26 6.58
51 to 100	47	1,480	33	3.17	4.00	7.75	.235	.260	.348	27.93
Never Closed  Building Not in Use/ Electricity Not Used	262 Q	8,321 Q	189 Q	3.33	5.80 .67	18.15 1.56	.253 .142	.374 .152	.526 .249	9.20
Annual Consumption	Q	Q	Q	.40	.07	1.50	.142	.132	.243	99.99
(kilowatthours) 10,000 or Less	160	579	1	.91	1.60	4.67	.081	.128	.163	22.78
10,001 to 50,000	705	4,362	20	2.36	4.31	7.50	.132	.120	.248	11.82
50,001 to 100,000	484 682	4,653 11,229	35 146	2.64 4.25	4.67 7.80	10.00 13.80	.195 .247	.266 .336	.331 .432	12.91 7.16
500,001 to 1,000,000	100	4,466	70	4.09	6.68	11.82	.318	.386	.525	9.95
1,000,001 to 5,000,000 Over 5,000,000	79 13	8,205 5,211	160 147	4.43 4.48	6.35 6.35	9.87 10.36	.365 .468	.450 .563	.568 .651	8.31 14.02
Peak Electricity Demand (kilowatts)	284	1 211	4	1.07	1.82	2 22	.142	21.4	.281	15 27
10 or Less11 to 25	284 589	1,311 3,621	23	2.36	4.36	3.33 7.43	.142	.214 .235	.281	15.37 13.37
26 to 50	561 387	5,062	53 63	3.05	6.20	10.80	.179 .162	.268	.374	10.74
51 to 100 101 to 250	387 262	5,699 7,670	109	4.16 4.16	7.25 7.49	13.75 13.80	.162	.255 .319	.350 .438	12.06 7.86
251 to 1,000 Over 1,000	116 23	8,883 6,458	164 162	4.87 5.39	7.34 10.00	14.00 46.53	.202 .045	.352 .389	.471 .549	8.73 10.90

Q = Data withheld because the Relative Standard Error (RSE) was greater than 50 percent, or data were reported for fewer than 20 buildings.

Notes: • To obtain the RSE percentage for any table cell, multiply the corresponding RSE column and RSE row factors. • See Glossary for explanation of abbreviations and definitions of terms used in this report. • Statistics for the "energy end uses" represent consumption in buildings that have end use, not consumption

audieviations and demittions of terms used in this report. • Statistics for the "energy end uses" represent consumption in buildings that have end use, not confor a particular fuel for a particular end use. • Because of rounding, data may not sum to totals.

Source: Energy Information Administration, Office of Energy Markets and End Use, Forms EIA-871A through F of the 1995 Commercial Buildings Energy Consumption Survey.