

Table 42. Residual Fuel Oil Prices by PAD District and State
(Cents per Gallon Excluding Taxes)

| Geographic Area Month | Sulfur Less Than or Equal to 1 Percent | | Sulfur Greater Than 1 Percent | | Average | |
|---------------------------|---|---------------------|----------------------------------|---------------------|-----------------------|---------------------|
| | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale |
| United States | | | | | | |
| January | 61.7 | 57.1 | 50.7 | 46.6 | 54.6 | 51.1 |
| February | 66.9 | 61.9 | 54.3 | 48.8 | 57.9 | 55.2 |
| March | 60.9 | 54.7 | 56.0 | 51.5 | 57.3 | 53.1 |
| April | 60.6 | 54.4 | 53.2 | 45.5 | 55.0 | 50.2 |
| May | 61.7 | 58.7 | 55.5 | 51.7 | 57.0 | 54.9 |
| June | 67.1 | 64.9 | 59.1 | 55.3 | 61.6 | 60.0 |
| July | 65.8 | 64.2 | 58.7 | 53.3 | 61.0 | 59.3 |
| August | 64.5 | 60.9 | 55.4 | 48.9 | 58.2 | 54.4 |
| September | 73.4 | 71.4 | 60.5 | 58.8 | 63.6 | 64.3 |
| October | 75.5 | 72.8 | 65.8 | 58.1 | 69.1 | 64.5 |
| November | 77.2 | 71.7 | 61.4 | 56.2 | 66.4 | 64.8 |
| December | 73.7 | 68.7 | 57.9 | 51.8 | 63.6 | 61.6 |
| 2000 Average | 68.3 | 63.8 | 57.6 | 52.3 | 60.9 | 57.9 |
| PAD District I | | | | | | |
| January | 61.7 | 60.4 | 51.5 | 50.6 | 56.7 | 57.5 |
| February | 69.0 | 64.4 | 55.0 | 51.6 | 60.8 | 62.0 |
| March | 60.2 | 54.5 | 55.8 | 53.2 | 57.7 | 54.3 |
| April | 59.3 | 56.1 | 53.5 | 50.0 | 55.6 | 55.6 |
| May | 59.7 | 60.5 | 54.2 | 53.7 | 56.3 | 58.7 |
| June | 66.4 | 66.2 | 58.6 | 62.1 | 61.9 | 65.7 |
| July | 65.0 | 64.8 | 60.4 | 57.1 | 62.4 | 62.9 |
| August | 63.3 | 62.3 | 57.1 | 55.5 | 59.6 | 60.9 |
| September | 74.5 | 74.8 | 61.6 | 61.7 | 65.7 | 72.7 |
| October | 75.5 | 75.2 | 66.8 | 62.3 | 70.8 | 72.2 |
| November | 77.5 | 73.4 | 63.8 | 58.9 | 69.7 | 70.8 |
| December | 73.4 | 71.0 | 61.3 | 58.7 | 67.2 | 69.0 |
| 2000 Average | 68.2 | 65.7 | 59.0 | 56.2 | 62.9 | 63.8 |
| Subdistrict IA | | | | | | |
| January | 54.9 | 51.9 | 51.6 | 54.1 | 53.9 | 52.8 |
| February | 61.8 | 57.5 | 56.2 | 51.8 | 59.1 | 56.0 |
| March | 52.1 | 51.4 | 54.3 | 52.8 | 53.1 | 51.6 |
| April | 59.3 | 52.3 | 52.6 | W | 54.7 | 52.2 |
| May | 59.5 | 58.9 | 55.2 | 53.8 | 56.9 | 57.3 |
| June | NA | 65.6 | 60.1 | W | 60.0 | 65.5 |
| July | 64.3 | 61.4 | 59.2 | W | 61.8 | 60.2 |
| August | 62.3 | 60.5 | 57.0 | W | 59.2 | 58.7 |
| September | 70.8 | 72.7 | NA | W | NA | NA |
| October | 72.5 | 72.8 | 67.6 | 66.0 | 70.5 | 70.1 |
| November | 72.3 | 69.7 | 66.0 | 61.8 | 71.1 | 66.7 |
| December | 71.3 | 63.6 | 62.5 | 58.2 | 67.9 | 61.2 |
| 2000 Average | 65.3 | 59.9 | 58.6 | 58.2 | 62.3 | 59.3 |
| Connecticut | | | | | | |
| January | 49.1 | W | W | W | 49.1 | 55.5 |
| February | 56.2 | W | W | W | 56.4 | 53.7 |
| March | W | W | W | W | W | W |
| April | 60.1 | W | W | — | 58.6 | W |
| May | 52.3 | W | W | — | 55.3 | W |
| June | W | — | W | — | W | — |
| July | 60.4 | W | W | — | 62.3 | W |
| August | 59.7 | W | W | W | 60.0 | W |
| September | 63.4 | W | W | W | 63.6 | W |
| October | W | W | W | W | 70.7 | W |
| November | W | W | W | W | W | W |
| December | 73.4 | W | W | W | 73.3 | W |
| 2000 Average | 61.4 | W | W | W | 61.6 | 57.3 |

See footnotes at end of table.

Table 42. Residual Fuel Oil Prices by PAD District and State

(Cents per Gallon Excluding Taxes) — Continued

| Geographic Area Month | Sulfur Less Than or Equal to 1 Percent | | Sulfur Greater Than 1 Percent | | Average | |
|---------------------------|---|---------------------|----------------------------------|---------------------|-----------------------|---------------------|
| | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale |
| Maine | | | | | | |
| January | W | W | 51.3 | W | 53.1 | 52.5 |
| February | W | 55.8 | 52.0 | W | 56.9 | 55.3 |
| March | W | 51.8 | 52.6 | W | 55.2 | 52.2 |
| April | W | W | 51.9 | W | 53.7 | W |
| May | W | W | 52.5 | W | 54.2 | 56.9 |
| June | 70.6 | W | 58.4 | W | 62.2 | W |
| July | 72.8 | W | 61.1 | W | 65.2 | W |
| August | 64.9 | W | 55.6 | W | 59.1 | W |
| September | W | W | 59.2 | W | 63.5 | W |
| October | W | W | 64.9 | W | 68.7 | W |
| November | W | W | 64.7 | 61.5 | 68.9 | 68.0 |
| December | 68.7 | 62.8 | 64.7 | 56.2 | 66.0 | 59.1 |
| 2000 Average | 67.4 | 59.8 | 57.5 | 55.9 | 60.6 | 58.8 |
| Massachusetts | | | | | | |
| January | 58.0 | 54.4 | 51.1 | 51.9 | 56.9 | 54.0 |
| February | 61.1 | 59.8 | 63.0 | W | 61.8 | 59.1 |
| March | 60.5 | 51.7 | 56.1 | W | 57.5 | 51.7 |
| April | 61.3 | 51.7 | 52.6 | W | 54.8 | 51.6 |
| May | 59.7 | 59.0 | 59.3 | W | 59.5 | 58.1 |
| June | 67.2 | W | 62.3 | W | 64.0 | 65.0 |
| July | NA | 61.4 | 55.4 | W | NA | 59.6 |
| August | 64.7 | W | W | W | 58.6 | W |
| September | 75.8 | W | 52.6 | W | NA | W |
| October | 71.7 | 69.9 | W | 64.8 | 70.7 | 67.1 |
| November | 70.8 | 68.6 | 68.2 | W | 70.6 | 63.3 |
| December | 69.9 | 66.1 | NA | 58.7 | 66.1 | NA |
| 2000 Average | 66.8 | 59.6 | 58.9 | 59.9 | 63.2 | 59.7 |
| New Hampshire | | | | | | |
| January | W | — | 53.4 | 53.1 | 55.1 | 53.1 |
| February | W | — | 59.4 | 50.6 | 60.0 | 50.6 |
| March | W | W | 54.9 | W | 55.1 | W |
| April | W | W | 51.6 | — | 54.6 | W |
| May | W | — | 51.5 | W | 55.6 | W |
| June | W | — | 55.9 | — | 59.4 | — |
| July | W | — | 64.3 | — | 65.8 | — |
| August | W | — | 61.2 | — | 64.2 | — |
| September | W | — | 69.4 | — | 74.2 | — |
| October | W | W | 75.0 | W | 78.6 | W |
| November | W | W | NA | — | NA | W |
| December | 77.1 | W | 65.6 | W | 68.3 | W |
| 2000 Average | W | 72.7 | 61.7 | 53.6 | 64.5 | 59.8 |
| Rhode Island | | | | | | |
| January | 54.2 | W | — | — | 54.2 | W |
| February | 56.2 | W | W | — | 56.4 | W |
| March | 55.6 | W | W | — | 55.9 | W |
| April | 57.1 | W | W | — | 56.5 | W |
| May | 58.8 | W | — | — | 58.8 | W |
| June | 67.7 | W | — | — | 67.7 | W |
| July | 67.8 | W | — | — | 67.8 | W |
| August | 60.4 | W | — | — | 60.4 | W |
| September | 71.0 | W | — | — | 71.0 | W |
| October | 73.9 | W | — | — | 73.9 | W |
| November | 73.1 | W | — | — | 73.1 | W |
| December | 76.8 | W | — | — | 76.8 | W |
| 2000 Average | 65.5 | 60.0 | W | — | 65.0 | 60.0 |

See footnotes at end of table.

Table 42. Residual Fuel Oil Prices by PAD District and State

(Cents per Gallon Excluding Taxes) — Continued

| Geographic Area Month | Sulfur Less Than or Equal to 1 Percent | | Sulfur Greater Than 1 Percent | | Average | |
|-----------------------------|---|---------------------|----------------------------------|---------------------|-----------------------|---------------------|
| | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale |
| Vermont | | | | | | |
| January | 72.4 | — | 54.1 | — | 60.9 | — |
| February | W | — | 58.6 | — | 68.5 | — |
| March | W | — | 56.6 | — | 59.7 | — |
| April | W | — | 53.9 | — | 56.4 | — |
| May | W | — | 58.0 | — | 59.8 | — |
| June | W | — | 63.2 | — | 66.0 | — |
| July | W | — | 62.9 | — | 66.1 | — |
| August | W | — | 62.2 | — | 64.9 | — |
| September | 78.7 | — | 67.1 | — | 70.6 | — |
| October | W | — | 72.8 | — | 76.8 | — |
| November | 86.7 | — | 72.4 | — | 78.5 | — |
| December | W | — | 70.5 | — | 74.1 | — |
| 2000 Average | 76.1 | — | 62.6 | — | 67.4 | — |
| Subdistrict IB | | | | | | |
| January | 68.1 | 63.0 | 49.0 | 49.2 | 59.3 | 59.8 |
| February | 77.1 | 67.2 | 52.3 | 52.1 | 63.2 | 65.0 |
| March | 70.6 | 56.5 | 54.2 | 53.1 | 59.8 | 55.8 |
| April | 65.9 | 58.2 | 52.4 | 49.4 | 56.8 | 57.2 |
| May | NA | 60.7 | 50.3 | 52.3 | 54.8 | 60.1 |
| June | 68.6 | 65.8 | 55.7 | 60.6 | 60.7 | 65.3 |
| July | 67.0 | 63.7 | 58.2 | 56.3 | 61.4 | 61.9 |
| August | 63.6 | 60.6 | 52.8 | 50.6 | 57.6 | 59.4 |
| September | 76.8 | 74.6 | 58.8 | 58.1 | 66.2 | 72.5 |
| October | 78.1 | 76.0 | 64.6 | 58.2 | 71.1 | 72.7 |
| November | 83.0 | 74.4 | 58.5 | 54.9 | 69.9 | 72.0 |
| December | 79.0 | 72.9 | 60.3 | 59.4 | 70.2 | 71.9 |
| 2000 Average | 72.8 | 66.9 | 56.0 | 54.3 | 63.5 | 65.0 |
| Delaware | | | | | | |
| January | 59.1 | W | 49.5 | W | 52.3 | W |
| February | 66.7 | W | 51.9 | W | 56.1 | W |
| March | 60.8 | NA | 54.7 | NA | 56.7 | NA |
| April | 59.7 | NA | 52.6 | NA | 54.2 | NA |
| May | 64.3 | NA | 51.5 | 57.8 | 54.1 | 57.5 |
| June | NA | NA | 55.9 | W | 59.1 | W |
| July | NA | NA | 56.5 | W | 58.9 | 63.0 |
| August | NA | NA | 52.8 | W | 55.4 | 59.6 |
| September | 74.6 | W | 57.9 | W | 64.5 | W |
| October | 80.8 | W | 62.6 | W | 66.0 | 58.0 |
| November | 77.0 | W | 53.4 | 54.8 | 59.7 | 55.0 |
| December | 75.4 | W | 57.8 | — | 63.5 | W |
| 2000 Average | 68.5 | W | 54.8 | 58.3 | 58.4 | 58.1 |
| District of Columbia | | | | | | |
| January | W | — | — | — | W | — |
| February | W | — | — | — | W | — |
| March | — | — | — | — | — | — |
| April | — | — | — | — | — | — |
| May | — | — | — | — | — | — |
| June | — | — | — | — | — | — |
| July | — | — | — | — | — | — |
| August | — | — | — | — | — | — |
| September | — | — | — | — | — | — |
| October | — | — | — | — | — | — |
| November | — | — | — | — | — | — |
| December | — | — | — | — | — | — |
| 2000 Average | W | — | — | — | W | — |

See footnotes at end of table.

Table 42. Residual Fuel Oil Prices by PAD District and State

(Cents per Gallon Excluding Taxes) — Continued

| Geographic Area Month | Sulfur Less Than or Equal to 1 Percent | | Sulfur Greater Than 1 Percent | | Average | |
|---------------------------|---|---------------------|----------------------------------|---------------------|-----------------------|---------------------|
| | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale |
| Maryland | | | | | | |
| January | W | — | 48.4 | W | 50.6 | W |
| February | W | — | 55.4 | — | 57.4 | — |
| March | W | W | 55.1 | W | 54.7 | W |
| April | 52.7 | — | 56.7 | — | 55.1 | — |
| May | W | — | 54.9 | W | 57.2 | W |
| June | W | W | 59.0 | W | 63.9 | W |
| July | W | W | 58.9 | W | 62.3 | W |
| August | W | W | 55.2 | NA | 59.2 | W |
| September | 72.7 | W | NA | NA | NA | 71.3 |
| October | W | W | 69.7 | NA | 71.5 | W |
| November | W | W | 61.9 | — | 65.7 | W |
| December | W | W | 63.3 | — | 70.1 | W |
| 2000 Average | 66.3 | 64.5 | 57.5 | W | 61.6 | 63.3 |
| New Jersey | | | | | | |
| January | NA | W | 48.7 | 44.8 | 59.5 | 52.2 |
| February | NA | NA | 50.0 | 49.8 | 59.7 | NA |
| March | 61.9 | 53.2 | 54.0 | 50.3 | 56.0 | 52.4 |
| April | 57.2 | 52.5 | 54.3 | W | 55.4 | 51.4 |
| May | 57.8 | 57.4 | 51.2 | W | 56.0 | 57.4 |
| June | 66.1 | 61.0 | 55.1 | W | 63.0 | 60.9 |
| July | NA | 62.5 | 56.1 | 54.7 | NA | 61.3 |
| August | 60.1 | W | 50.8 | 48.9 | 56.6 | 57.9 |
| September | 73.3 | 76.2 | 57.6 | W | 66.3 | 71.2 |
| October | 80.2 | NA | 62.0 | 50.2 | 73.7 | NA |
| November | 77.5 | 78.1 | 57.5 | NA | 67.3 | 74.7 |
| December | 78.4 | 68.0 | 58.9 | 60.9 | 68.5 | 65.4 |
| 2000 Average | 67.6 | 64.0 | 54.9 | 50.6 | 62.3 | 60.5 |
| New York | | | | | | |
| January | 73.5 | 62.5 | 49.4 | W | 63.6 | NA |
| February | 81.3 | 65.8 | 53.3 | NA | 67.7 | 64.6 |
| March | 77.5 | 58.4 | 55.4 | 52.8 | 64.2 | 57.9 |
| April | 72.6 | 61.0 | 52.4 | 50.1 | 60.3 | 60.1 |
| May | 70.1 | 63.8 | 51.2 | W | 56.3 | 63.7 |
| June | 76.0 | 68.2 | 55.9 | 61.3 | 60.1 | 67.4 |
| July | 72.8 | 64.9 | 58.8 | 58.1 | 62.5 | 63.4 |
| August | 67.2 | 60.0 | 52.4 | NA | 58.6 | 58.7 |
| September | 79.9 | 73.6 | 57.7 | 57.7 | 66.7 | 71.2 |
| October | NA | 76.0 | 66.2 | NA | 71.1 | 75.4 |
| November | 93.5 | 73.5 | 58.6 | 53.8 | 73.8 | 70.9 |
| December | NA | 75.0 | 61.1 | W | 73.5 | 74.1 |
| 2000 Average | 78.6 | 67.9 | 56.8 | 55.3 | 66.2 | 66.6 |
| Pennsylvania | | | | | | |
| January | 59.3 | W | 49.1 | 51.9 | 52.5 | 61.4 |
| February | 67.4 | 66.3 | 50.4 | W | 55.5 | 65.7 |
| March | 58.2 | W | 51.9 | W | 53.4 | W |
| April | NA | 53.9 | 50.5 | 49.9 | 51.7 | 53.6 |
| May | 54.3 | W | 46.4 | W | 48.7 | 57.3 |
| June | 67.7 | W | 54.9 | 60.8 | 57.4 | W |
| July | 66.5 | 63.5 | 57.7 | W | 60.8 | 60.6 |
| August | 64.6 | W | 54.5 | W | 57.0 | W |
| September | 75.9 | W | 59.5 | W | 62.4 | W |
| October | 81.2 | W | 61.0 | 77.7 | 68.3 | W |
| November | 73.6 | W | 60.6 | W | 68.4 | W |
| December | 69.9 | W | 59.9 | W | 64.6 | 68.4 |
| 2000 Average | 68.1 | 66.3 | 54.9 | 57.2 | 59.3 | 65.1 |

See footnotes at end of table.

Table 42. Residual Fuel Oil Prices by PAD District and State

(Cents per Gallon Excluding Taxes) — Continued

| Geographic Area Month | Sulfur Less Than or Equal to 1 Percent | | Sulfur Greater Than 1 Percent | | Average | |
|---------------------------|---|---------------------|----------------------------------|---------------------|-----------------------|---------------------|
| | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale |
| Subdistrict IC | | | | | | |
| January | NA | W | 54.4 | NA | 53.9 | 47.2 |
| February | 59.3 | W | 57.7 | NA | 58.2 | 51.0 |
| March | 56.7 | W | 58.5 | 54.9 | 57.7 | 55.4 |
| April | 55.0 | W | 54.8 | 53.6 | 54.9 | W |
| May | 57.9 | W | 57.8 | 54.0 | 57.9 | 57.6 |
| June | 67.5 | W | 61.0 | 63.5 | 63.8 | NA |
| July | 64.0 | 67.4 | 62.4 | W | 63.2 | 65.5 |
| August | NA | W | 60.0 | 54.3 | 61.3 | 63.8 |
| September | 73.3 | W | 65.6 | W | 67.5 | 73.2 |
| October | 75.4 | W | 68.2 | 61.4 | 70.8 | 73.9 |
| November | 76.8 | W | 66.9 | 65.1 | 68.7 | W |
| December | NA | W | 61.9 | 65.9 | 62.5 | W |
| 2000 Average | 64.4 | W | 61.7 | 56.8 | 62.7 | 64.7 |
| Florida | | | | | | |
| January | NA | W | 51.9 | W | 51.9 | 48.2 |
| February | NA | W | W | W | 56.2 | 52.1 |
| March | 56.3 | W | W | W | 57.6 | W |
| April | W | W | W | W | 54.5 | W |
| May | NA | W | W | 54.0 | 56.1 | 58.0 |
| June | W | W | 60.1 | NA | 63.4 | W |
| July | W | W | 62.0 | W | 63.0 | 66.8 |
| August | W | W | 60.0 | NA | 61.7 | W |
| September | W | W | 65.0 | W | 67.5 | W |
| October | 75.2 | W | 67.5 | W | 71.0 | W |
| November | 76.1 | W | 65.4 | W | 67.8 | W |
| December | NA | W | 59.0 | W | NA | W |
| 2000 Average | 64.4 | W | 61.1 | 58.7 | 62.5 | 65.7 |
| Georgia | | | | | | |
| January | — | — | W | W | W | W |
| February | — | — | W | W | W | W |
| March | — | — | W | — | W | — |
| April | — | — | W | W | W | W |
| May | — | — | W | W | W | W |
| June | — | — | W | W | W | W |
| July | — | — | W | — | W | — |
| August | — | — | W | W | W | W |
| September | — | — | W | — | W | — |
| October | — | — | 74.4 | NA | 74.4 | NA |
| November | — | — | W | — | W | — |
| December | — | — | W | — | W | — |
| 2000 Average | — | — | 68.5 | 41.7 | 68.5 | 41.7 |
| North Carolina | | | | | | |
| January | W | — | 54.9 | W | 55.4 | W |
| February | W | — | 57.8 | W | 58.5 | W |
| March | W | — | 55.5 | W | 56.0 | W |
| April | W | — | 54.3 | 47.3 | 54.7 | 47.3 |
| May | W | — | 58.7 | W | 58.9 | W |
| June | W | — | 61.2 | 54.8 | 61.3 | 54.8 |
| July | W | — | 61.2 | W | 61.4 | W |
| August | W | — | 58.0 | W | 58.2 | W |
| September | W | — | 66.2 | W | 66.3 | W |
| October | W | — | 68.0 | W | 68.4 | W |
| November | W | — | 69.2 | W | 69.9 | W |
| December | 72.7 | W | 66.2 | W | 67.2 | W |
| 2000 Average | 74.5 | W | 60.6 | 58.3 | 61.1 | 58.2 |

See footnotes at end of table.

Table 42. Residual Fuel Oil Prices by PAD District and State

(Cents per Gallon Excluding Taxes) — Continued

| Geographic Area Month | Sulfur Less Than or Equal to 1 Percent | | Sulfur Greater Than 1 Percent | | Average | |
|---------------------------|---|---------------------|----------------------------------|---------------------|-----------------------|---------------------|
| | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale |
| South Carolina | | | | | | |
| January | W | — | W | W | W | W |
| February | W | — | W | — | W | — |
| March | W | — | W | — | W | — |
| April | W | — | W | W | W | W |
| May | W | — | W | W | W | W |
| June | W | — | W | — | W | — |
| July | W | — | W | — | W | — |
| August | W | — | W | NA | W | NA |
| September | W | — | W | NA | W | NA |
| October | W | — | W | NA | W | NA |
| November | W | — | W | — | W | — |
| December | W | — | W | — | W | — |
| 2000 Average | W | — | W | W | W | W |
| Virginia | | | | | | |
| January | 54.2 | W | 52.8 | W | 53.0 | W |
| February | NA | W | 56.8 | W | 60.4 | W |
| March | 68.6 | W | 56.9 | W | 57.9 | W |
| April | 66.8 | W | 52.2 | W | 53.1 | W |
| May | W | W | 55.7 | 54.5 | 58.5 | 54.5 |
| June | W | W | 57.8 | W | 64.8 | W |
| July | W | — | 60.1 | W | 62.9 | W |
| August | 59.6 | — | 55.7 | W | 57.6 | W |
| September | 77.8 | W | 64.1 | W | 64.9 | W |
| October | NA | W | 64.5 | W | 65.9 | W |
| November | 84.6 | W | 65.6 | W | 66.5 | W |
| December | NA | W | 63.2 | W | 61.3 | W |
| 2000 Average | 63.3 | W | 59.3 | 52.5 | 61.2 | 52.9 |
| West Virginia | | | | | | |
| January | W | — | — | — | W | — |
| February | W | — | — | — | W | — |
| March | W | — | — | — | W | — |
| April | W | — | — | — | W | — |
| May | W | — | — | — | W | — |
| June | W | W | W | — | 63.2 | W |
| July | W | W | W | — | W | W |
| August | W | — | W | — | W | — |
| September | W | — | W | — | W | — |
| October | W | — | — | — | W | — |
| November | W | — | — | — | W | — |
| December | W | — | — | — | W | — |
| 2000 Average | 64.9 | W | W | — | 62.5 | W |
| PAD District II | | | | | | |
| January | 47.4 | 40.8 | 44.1 | 32.7 | 46.0 | 34.6 |
| February | 47.6 | 43.2 | 46.7 | 38.6 | 47.1 | 39.9 |
| March | 47.7 | W | 46.9 | 42.7 | 47.1 | NA |
| April | 44.8 | W | 50.0 | 45.0 | 48.3 | 46.1 |
| May | 49.5 | W | 47.7 | 42.4 | 48.6 | 43.7 |
| June | 51.2 | W | 52.9 | NA | 52.2 | NA |
| July | 53.1 | W | 53.4 | 57.2 | 53.3 | 57.7 |
| August | 53.5 | 60.5 | 54.2 | 52.1 | 53.8 | 53.4 |
| September | 55.9 | 63.3 | 57.6 | 52.3 | 56.8 | 54.4 |
| October | 58.0 | 66.7 | 66.8 | 60.7 | 62.9 | 61.3 |
| November | 63.9 | 73.5 | 65.8 | 58.7 | 65.0 | 59.6 |
| December | NA | 72.6 | 70.7 | 62.1 | 68.8 | 63.5 |
| 2000 Average | 54.8 | 57.5 | 57.0 | 52.2 | 56.0 | 53.0 |

See footnotes at end of table.

Table 42. Residual Fuel Oil Prices by PAD District and State

(Cents per Gallon Excluding Taxes) — Continued

| Geographic Area Month | Sulfur Less Than or Equal to 1 Percent | | Sulfur Greater Than 1 Percent | | Average | |
|---------------------------|---|---------------------|----------------------------------|---------------------|-----------------------|---------------------|
| | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale |
| Illinois | | | | | | |
| January | W | W | W | — | 49.8 | W |
| February | W | W | — | — | W | W |
| March | W | W | W | — | W | W |
| April | W | W | W | W | 55.6 | W |
| May | W | W | W | W | W | W |
| June | W | W | W | W | W | W |
| July | W | NA | W | W | 58.5 | W |
| August | W | W | W | W | W | W |
| September | W | W | W | W | W | W |
| October | W | W | W | W | 68.9 | W |
| November | W | W | W | W | W | W |
| December | W | W | NA | W | W | W |
| 2000 Average | W | 50.3 | W | W | 61.9 | 42.2 |
| Indiana | | | | | | |
| January | W | W | W | W | 52.5 | W |
| February | W | W | W | W | W | W |
| March | W | W | W | W | 53.1 | W |
| April | W | W | W | W | W | W |
| May | W | W | 50.9 | W | 50.9 | 52.3 |
| June | W | W | 55.2 | W | 55.5 | 61.2 |
| July | W | W | 56.0 | W | 56.0 | W |
| August | W | W | W | W | 59.9 | W |
| September | NA | W | NA | NA | NA | W |
| October | 67.3 | W | 71.2 | W | 70.1 | W |
| November | 70.6 | W | 72.0 | W | 71.8 | W |
| December | W | W | W | W | 78.7 | W |
| 2000 Average | 63.0 | W | 60.4 | W | 60.8 | W |
| Iowa | | | | | | |
| January | — | — | — | — | — | — |
| February | W | — | — | — | W | — |
| March | W | — | — | — | W | — |
| April | W | — | — | — | W | — |
| May | W | — | — | — | W | — |
| June | W | — | — | W | W | W |
| July | W | — | W | W | W | W |
| August | W | — | — | — | W | — |
| September | W | — | W | — | 42.9 | — |
| October | W | — | — | — | W | — |
| November | W | — | — | — | W | — |
| December | W | — | W | — | W | — |
| 2000 Average | W | — | W | W | 46.2 | W |
| Kansas | | | | | | |
| January | — | W | W | W | W | W |
| February | — | W | W | W | W | 38.1 |
| March | — | — | W | W | W | W |
| April | NA | NA | 54.4 | W | 54.3 | W |
| May | W | — | 48.1 | W | 48.3 | W |
| June | W | — | W | W | 53.9 | W |
| July | W | — | 57.0 | — | 56.6 | — |
| August | W | W | 52.0 | W | 54.4 | 39.4 |
| September | W | W | 55.1 | — | NA | W |
| October | W | W | 62.6 | W | 61.8 | W |
| November | W | W | NA | W | 60.8 | W |
| December | W | W | 60.7 | W | 63.1 | W |
| 2000 Average | W | W | 55.0 | 40.1 | 56.7 | 51.0 |

See footnotes at end of table.

Table 42. Residual Fuel Oil Prices by PAD District and State

(Cents per Gallon Excluding Taxes) — Continued

| Geographic Area Month | Sulfur Less Than or Equal to 1 Percent | | Sulfur Greater Than 1 Percent | | Average | |
|---------------------------|---|---------------------|----------------------------------|---------------------|-----------------------|---------------------|
| | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale |
| Kentucky | | | | | | |
| January | W | — | W | — | W | — |
| February | W | — | — | — | W | — |
| March | W | — | — | — | W | — |
| April | W | — | — | — | W | — |
| May | W | — | — | W | W | W |
| June | W | — | — | W | W | W |
| July | W | — | — | W | W | W |
| August | W | — | — | W | W | W |
| September | W | — | — | W | W | W |
| October | W | — | — | — | W | — |
| November | W | — | W | — | 85.2 | — |
| December | W | — | W | — | 86.6 | — |
| 2000 Average | W | — | W | W | W | W |
| Michigan | | | | | | |
| January | 46.0 | — | 45.2 | W | 45.8 | W |
| February | 46.8 | — | 44.5 | W | 46.1 | W |
| March | 39.8 | — | W | W | 43.6 | W |
| April | 39.4 | — | 44.7 | W | 42.7 | W |
| May | NA | W | 46.8 | W | 48.5 | W |
| June | 51.8 | W | 45.8 | W | 48.7 | W |
| July | 53.7 | W | 48.9 | W | 50.7 | W |
| August | 52.8 | — | 52.1 | W | 52.4 | W |
| September | 52.8 | W | 53.5 | W | 53.1 | W |
| October | 59.7 | W | 61.0 | W | 60.7 | 59.8 |
| November | NA | — | 59.9 | W | 59.8 | W |
| December | 66.8 | W | 62.8 | W | 63.8 | 71.6 |
| 2000 Average | 51.2 | 60.2 | 53.0 | 51.4 | 52.2 | 52.3 |
| Minnesota | | | | | | |
| January | — | W | W | W | W | W |
| February | — | — | W | W | W | W |
| March | — | — | W | W | W | W |
| April | W | — | W | W | 42.7 | W |
| May | — | — | W | W | W | W |
| June | — | — | W | W | W | W |
| July | — | — | W | 56.1 | W | 56.1 |
| August | — | W | W | 52.2 | W | 52.1 |
| September | W | — | W | 55.1 | W | 55.1 |
| October | W | — | W | 61.5 | 68.8 | 61.5 |
| November | — | — | 79.5 | W | NA | W |
| December | W | — | W | W | 76.0 | W |
| 2000 Average | W | W | 54.9 | 50.4 | 55.8 | 50.3 |
| Missouri | | | | | | |
| January | 55.6 | W | — | — | 55.6 | W |
| February | 55.7 | W | — | — | 55.7 | W |
| March | 37.0 | W | — | — | 37.0 | W |
| April | 37.6 | W | — | — | 37.6 | W |
| May | W | — | — | — | W | — |
| June | W | — | — | — | W | — |
| July | W | — | — | — | W | — |
| August | 43.1 | — | — | — | 43.1 | — |
| September | W | — | — | W | W | W |
| October | 50.3 | — | — | — | 50.3 | — |
| November | 54.4 | — | — | — | 54.4 | — |
| December | 63.3 | — | — | W | 63.3 | W |
| 2000 Average | 50.3 | W | — | W | 50.3 | 42.6 |

See footnotes at end of table.

Table 42. Residual Fuel Oil Prices by PAD District and State

(Cents per Gallon Excluding Taxes) — Continued

| Geographic Area Month | Sulfur Less Than or Equal to 1 Percent | | Sulfur Greater Than 1 Percent | | Average | |
|---------------------------|---|---------------------|----------------------------------|---------------------|-----------------------|---------------------|
| | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale |
| Nebraska | | | | | | |
| January | W | — | — | — | W | — |
| February | W | — | — | — | W | — |
| March | W | — | — | — | W | — |
| April | W | — | — | — | W | — |
| May | W | — | — | — | W | — |
| June | W | — | — | — | W | — |
| July | W | — | — | — | W | — |
| August | W | — | W | — | W | — |
| September | W | — | NA | — | W | — |
| October | W | — | W | — | W | — |
| November | W | — | W | — | W | — |
| December | W | — | W | — | W | — |
| 2000 Average | W | — | W | — | W | — |
| North Dakota | | | | | | |
| January | — | — | W | — | W | — |
| February | — | — | W | — | W | — |
| March | — | — | W | — | W | — |
| April | — | — | W | — | W | — |
| May | — | — | W | — | W | — |
| June | — | — | W | — | W | — |
| July | — | — | W | — | W | — |
| August | — | — | W | — | W | — |
| September | — | — | W | — | W | — |
| October | — | — | W | — | W | — |
| November | — | — | W | — | W | — |
| December | — | — | W | — | W | — |
| 2000 Average | — | — | W | — | W | — |
| Ohio | | | | | | |
| January | 60.6 | — | 42.0 | W | 46.5 | W |
| February | W | — | W | 47.6 | 47.5 | 47.6 |
| March | 67.4 | — | W | W | 52.1 | W |
| April | W | — | 46.3 | 48.7 | 52.9 | 48.7 |
| May | W | — | 46.7 | 44.8 | 56.7 | 44.8 |
| June | W | — | 48.8 | NA | 58.3 | NA |
| July | W | — | W | 63.7 | 55.2 | 63.7 |
| August | W | — | 52.5 | 59.2 | 55.6 | 59.2 |
| September | W | — | 56.1 | NA | 58.0 | NA |
| October | W | — | 64.5 | W | 65.5 | W |
| November | 61.9 | — | 64.3 | W | 62.4 | W |
| December | W | W | 72.8 | W | NA | 63.0 |
| 2000 Average | 59.2 | W | 54.8 | 57.2 | 57.3 | 57.2 |
| Oklahoma | | | | | | |
| January | — | — | — | W | — | W |
| February | — | — | W | W | W | W |
| March | — | — | W | W | W | W |
| April | — | — | W | W | W | W |
| May | — | — | W | W | W | W |
| June | — | — | W | W | W | W |
| July | — | — | W | W | W | W |
| August | — | — | W | W | W | W |
| September | W | — | W | W | W | W |
| October | W | — | W | W | W | W |
| November | — | — | W | W | W | W |
| December | — | — | W | W | W | W |
| 2000 Average | W | — | W | W | W | W |

See footnotes at end of table.

Table 42. Residual Fuel Oil Prices by PAD District and State

(Cents per Gallon Excluding Taxes) — Continued

| Geographic Area Month | Sulfur Less Than or Equal to 1 Percent | | Sulfur Greater Than 1 Percent | | Average | |
|---------------------------|---|---------------------|----------------------------------|---------------------|-----------------------|---------------------|
| | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale |
| South Dakota | | | | | | |
| January | W | — | — | — | W | — |
| February | W | — | — | — | W | — |
| March | — | — | — | — | — | — |
| April | — | — | — | W | — | W |
| May | — | — | — | W | — | W |
| June | — | — | — | W | — | W |
| July | W | — | — | W | W | W |
| August | W | — | — | W | W | W |
| September | W | — | — | W | W | W |
| October | W | — | — | W | W | W |
| November | W | — | — | — | W | — |
| December | W | — | — | — | W | — |
| 2000 Average | W | — | — | W | W | W |
| Tennessee | | | | | | |
| January | W | — | W | W | W | W |
| February | W | — | W | W | W | W |
| March | W | — | W | W | W | W |
| April | W | — | W | W | W | W |
| May | W | — | W | W | W | W |
| June | W | — | W | W | W | W |
| July | W | — | W | W | W | W |
| August | W | — | W | W | W | W |
| September | W | — | W | W | W | W |
| October | W | — | W | W | 75.1 | W |
| November | W | — | W | W | 72.1 | W |
| December | W | — | W | W | 79.9 | W |
| 2000 Average | W | — | W | W | W | W |
| Wisconsin | | | | | | |
| January | 43.9 | W | — | W | 43.9 | W |
| February | 36.8 | W | — | W | 36.8 | W |
| March | 36.6 | W | — | W | 36.6 | W |
| April | W | W | — | W | W | W |
| May | W | — | — | W | W | W |
| June | 40.9 | — | — | W | 40.9 | W |
| July | W | — | — | W | W | W |
| August | W | — | — | W | W | W |
| September | W | W | — | W | W | W |
| October | W | — | — | W | W | W |
| November | W | — | — | W | W | W |
| December | 63.8 | — | W | W | 65.1 | W |
| 2000 Average | 46.6 | W | W | 49.0 | 46.9 | 49.0 |
| PAD District III | | | | | | |
| January | W | 46.4 | 47.0 | 45.1 | 47.0 | 45.3 |
| February | W | 48.0 | 50.6 | 48.1 | 50.5 | 48.1 |
| March | W | NA | 53.2 | 50.8 | 53.2 | 51.5 |
| April | W | 47.5 | 48.2 | 43.6 | 48.3 | 44.0 |
| May | W | 48.1 | 51.6 | 50.5 | 51.6 | 50.3 |
| June | W | NA | 56.0 | 53.6 | 56.1 | 54.6 |
| July | W | 65.0 | 52.0 | 48.6 | 52.1 | 50.3 |
| August | W | NA | 49.0 | 46.4 | 49.0 | 47.4 |
| September | W | 64.8 | 55.6 | 58.0 | 55.6 | 58.9 |
| October | W | 61.4 | 60.8 | 56.1 | 60.7 | 56.4 |
| November | W | 67.1 | 54.5 | 54.4 | 54.5 | 56.4 |
| December | W | 62.4 | 47.7 | 47.6 | 49.0 | 50.0 |
| 2000 Average | 61.2 | 56.9 | 52.1 | 50.5 | 52.2 | 51.3 |

See footnotes at end of table.

Table 42. Residual Fuel Oil Prices by PAD District and State

(Cents per Gallon Excluding Taxes) — Continued

| Geographic Area Month | Sulfur Less Than or Equal to 1 Percent | | Sulfur Greater Than 1 Percent | | Average | |
|---------------------------|---|---------------------|----------------------------------|---------------------|-----------------------|---------------------|
| | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale |
| Alabama | | | | | | |
| January | W | W | 48.3 | — | 48.6 | W |
| February | — | W | 53.3 | — | 53.3 | W |
| March | W | — | 55.3 | W | 55.4 | W |
| April | W | — | W | — | 51.8 | — |
| May | W | — | 46.9 | — | 46.9 | — |
| June | — | W | W | W | W | W |
| July | W | — | W | W | W | W |
| August | — | W | 53.4 | W | 53.4 | 53.0 |
| September | W | — | 52.8 | — | 52.8 | — |
| October | W | — | W | NA | W | NA |
| November | — | — | W | W | W | W |
| December | W | W | 45.4 | — | 45.8 | W |
| 2000 Average | W | W | 52.0 | W | 52.1 | NA |
| Arkansas | | | | | | |
| January | — | — | — | — | — | — |
| February | — | — | — | — | — | — |
| March | — | — | — | — | — | — |
| April | W | — | — | — | W | — |
| May | — | — | — | — | — | — |
| June | W | — | — | — | W | — |
| July | NA | — | — | — | NA | — |
| August | — | — | — | — | — | — |
| September | NA | — | — | — | NA | — |
| October | NA | — | — | — | NA | — |
| November | — | — | — | — | — | — |
| December | W | — | W | — | W | — |
| 2000 Average | W | — | W | — | W | — |
| Louisiana | | | | | | |
| January | W | 43.9 | 47.4 | 46.2 | 47.4 | 45.7 |
| February | W | 48.6 | 51.6 | 49.0 | 51.5 | 48.9 |
| March | W | 54.3 | 53.4 | 49.1 | 53.4 | 50.8 |
| April | W | W | 49.1 | 43.8 | 49.2 | 44.4 |
| May | W | W | 52.2 | 48.3 | 52.3 | 48.9 |
| June | W | W | 56.7 | 53.8 | 56.7 | 54.9 |
| July | W | W | 52.9 | 47.0 | 52.9 | 48.1 |
| August | W | — | 49.2 | 46.5 | 49.2 | 46.5 |
| September | W | 71.1 | 56.0 | 61.4 | 55.9 | 62.7 |
| October | W | W | NA | 58.1 | NA | NA |
| November | W | W | 55.7 | 59.0 | 55.7 | NA |
| December | W | W | 47.6 | 48.8 | 48.1 | 50.0 |
| 2000 Average | W | 58.0 | 52.8 | 50.7 | 52.8 | 51.7 |
| Mississippi | | | | | | |
| January | — | W | 51.1 | NA | 51.1 | W |
| February | — | — | W | NA | W | NA |
| March | — | — | W | — | W | — |
| April | — | W | W | — | W | W |
| May | — | W | 54.6 | W | 54.6 | W |
| June | — | W | W | — | W | W |
| July | — | W | W | — | W | W |
| August | — | W | W | — | W | W |
| September | — | W | — | W | — | W |
| October | — | W | W | W | W | W |
| November | — | W | W | W | W | W |
| December | W | W | W | 68.5 | W | 65.5 |
| 2000 Average | W | W | 54.3 | 56.6 | 54.5 | 57.3 |

See footnotes at end of table.

Table 42. Residual Fuel Oil Prices by PAD District and State

(Cents per Gallon Excluding Taxes) — Continued

| Geographic Area Month | Sulfur Less Than or Equal to 1 Percent | | Sulfur Greater Than 1 Percent | | Average | |
|---------------------------|---|---------------------|----------------------------------|---------------------|-----------------------|---------------------|
| | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale |
| New Mexico | | | | | | |
| January | — | W | — | — | — | W |
| February | — | W | — | — | — | W |
| March | — | W | — | — | — | W |
| April | — | W | — | — | — | W |
| May | — | W | — | — | — | W |
| June | — | W | — | — | — | W |
| July | — | W | — | — | — | W |
| August | — | W | — | — | — | W |
| September | — | W | — | — | — | W |
| October | — | W | — | — | — | W |
| November | — | W | — | — | — | W |
| December | — | W | — | — | — | W |
| 2000 Average | — | W | — | — | — | W |
| Texas | | | | | | |
| January | W | 54.8 | 46.6 | 44.7 | 46.6 | 45.3 |
| February | W | 46.3 | 49.8 | 47.9 | 49.5 | 47.8 |
| March | — | NA | 52.9 | 52.7 | 52.9 | 52.6 |
| April | NA | 43.5 | 47.0 | 43.4 | 47.0 | 43.4 |
| May | — | 46.3 | 51.0 | 52.1 | 51.0 | 51.9 |
| June | W | W | 55.1 | 53.4 | 55.3 | 53.4 |
| July | — | W | 51.1 | 50.4 | 51.1 | 50.6 |
| August | — | 52.7 | 48.5 | 46.2 | 48.5 | 46.6 |
| September | — | 63.3 | 55.6 | 55.6 | 55.6 | 56.2 |
| October | — | 57.7 | 57.9 | 55.0 | 57.9 | 55.2 |
| November | W | 57.1 | 52.5 | 50.7 | 52.6 | 51.2 |
| December | W | 53.5 | 47.6 | 42.9 | 48.0 | 43.8 |
| 2000 Average | W | 53.8 | 51.2 | 50.2 | 51.2 | 50.3 |
| PAD District IV | | | | | | |
| January | — | W | W | W | W | 25.2 |
| February | — | W | W | W | W | 28.3 |
| March | — | W | 29.0 | W | 29.0 | 32.5 |
| April | — | W | 28.4 | W | 28.4 | 33.7 |
| May | — | W | 28.5 | W | 28.5 | 37.4 |
| June | — | W | 38.1 | W | 38.1 | W |
| July | W | W | 40.8 | W | 40.4 | W |
| August | — | W | W | W | W | W |
| September | W | W | 46.5 | W | 46.1 | 43.4 |
| October | — | W | W | W | W | 51.5 |
| November | — | W | W | W | W | 45.4 |
| December | W | W | W | 46.4 | W | 46.1 |
| 2000 Average | W | W | 36.8 | W | 38.2 | 39.5 |
| Colorado | | | | | | |
| January | — | — | — | — | — | — |
| February | — | — | — | — | — | — |
| March | — | — | — | — | — | — |
| April | — | — | — | — | — | — |
| May | — | — | — | — | — | — |
| June | — | W | — | — | — | W |
| July | — | W | — | — | — | W |
| August | — | W | — | — | — | W |
| September | — | W | — | — | — | W |
| October | — | — | — | — | — | — |
| November | — | — | — | — | — | — |
| December | — | — | — | — | — | — |
| 2000 Average | — | W | — | — | — | W |

See footnotes at end of table.

Table 42. Residual Fuel Oil Prices by PAD District and State

(Cents per Gallon Excluding Taxes) — Continued

| Geographic Area Month | Sulfur Less Than or Equal to 1 Percent | | Sulfur Greater Than 1 Percent | | Average | |
|---------------------------|---|---------------------|----------------------------------|---------------------|-----------------------|---------------------|
| | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale |
| Idaho | | | | | | |
| January | — | — | — | — | — | — |
| February | — | — | — | — | — | — |
| March | — | — | — | — | — | — |
| April | — | — | — | — | — | — |
| May | — | — | — | — | — | — |
| June | — | — | — | — | — | — |
| July | — | — | — | — | — | — |
| August | — | — | — | — | — | — |
| September | — | — | — | — | — | — |
| October | — | — | — | — | — | — |
| November | — | — | — | — | — | — |
| December | W | — | — | W | W | W |
| 2000 Average | W | — | — | W | W | W |
| Montana | | | | | | |
| January | — | — | W | — | W | — |
| February | — | — | W | W | W | W |
| March | — | — | W | — | W | — |
| April | — | — | W | — | W | — |
| May | — | — | W | W | W | W |
| June | — | — | W | W | W | W |
| July | — | — | W | W | W | W |
| August | — | — | W | — | W | — |
| September | — | — | W | W | W | W |
| October | — | — | — | W | — | W |
| November | — | — | W | W | W | W |
| December | — | — | — | W | — | W |
| 2000 Average | — | — | W | W | W | W |
| Utah | | | | | | |
| January | — | W | — | W | — | W |
| February | — | W | — | W | — | W |
| March | — | W | — | — | — | W |
| April | — | W | — | W | — | W |
| May | — | — | — | — | — | — |
| June | — | — | — | — | — | — |
| July | — | — | — | — | — | — |
| August | — | — | — | — | — | — |
| September | — | — | — | — | — | — |
| October | — | — | — | — | — | — |
| November | — | — | — | — | — | — |
| December | — | — | — | W | — | W |
| 2000 Average | — | W | — | W | — | W |
| Wyoming | | | | | | |
| January | — | W | W | W | W | W |
| February | — | W | W | W | W | W |
| March | — | W | W | W | W | W |
| April | — | W | W | W | W | W |
| May | — | W | W | W | W | 37.4 |
| June | — | W | W | W | W | W |
| July | W | W | W | W | 44.0 | W |
| August | — | W | W | W | W | W |
| September | W | W | W | W | 47.6 | W |
| October | — | W | W | W | W | W |
| November | — | W | — | W | — | W |
| December | — | W | W | W | W | W |
| 2000 Average | W | W | W | W | 43.1 | W |

See footnotes at end of table.

Table 42. Residual Fuel Oil Prices by PAD District and State

(Cents per Gallon Excluding Taxes) — Continued

| Geographic Area Month | Sulfur Less Than or Equal to 1 Percent | | Sulfur Greater Than 1 Percent | | Average | |
|---------------------------|---|---------------------|----------------------------------|---------------------|-----------------------|---------------------|
| | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale |
| PAD District V | | | | | | |
| January | W | 51.5 | 54.0 | 52.5 | 56.4 | 51.9 |
| February | W | W | 56.8 | 56.1 | 57.6 | 54.0 |
| March | W | 57.9 | 59.7 | 59.0 | 60.6 | 58.4 |
| April | W | NA | 59.5 | 55.4 | 61.1 | NA |
| May | 70.5 | 56.8 | 60.4 | 61.0 | 62.3 | 58.5 |
| June | W | 60.4 | 63.7 | 62.4 | 66.4 | 61.2 |
| July | W | 59.1 | 62.8 | 65.7 | 65.4 | 61.7 |
| August | W | 55.7 | 59.1 | 55.3 | 62.9 | 55.5 |
| September | W | 60.4 | 63.0 | 64.4 | 65.0 | 62.7 |
| October | 79.7 | 64.9 | 68.8 | 67.5 | 71.3 | 65.8 |
| November | W | NA | 63.8 | 63.6 | 67.2 | 64.9 |
| December | W | 55.5 | 59.3 | 54.4 | 62.9 | 55.1 |
| 2000 Average | W | 57.7 | 60.9 | 59.5 | 63.3 | 58.5 |
| Alaska | | | | | | |
| January | — | — | — | — | — | — |
| February | — | — | — | — | — | — |
| March | — | — | — | — | — | — |
| April | — | — | — | — | — | — |
| May | — | — | — | — | — | — |
| June | — | — | — | — | — | — |
| July | — | — | — | — | — | — |
| August | — | — | — | — | — | — |
| September | — | — | — | — | — | — |
| October | W | — | — | — | W | — |
| November | — | — | — | — | — | — |
| December | — | — | — | — | — | — |
| 2000 Average | W | — | — | — | W | — |
| Arizona | | | | | | |
| January | — | W | — | — | — | W |
| February | — | W | — | — | — | W |
| March | — | W | — | — | — | W |
| April | — | W | — | — | — | W |
| May | — | W | — | — | — | W |
| June | — | W | — | — | — | W |
| July | — | W | — | — | — | W |
| August | — | W | — | — | — | W |
| September | — | W | — | — | — | W |
| October | — | W | — | — | — | W |
| November | — | W | — | — | — | W |
| December | — | W | — | — | — | W |
| 2000 Average | — | W | — | — | — | W |
| California | | | | | | |
| January | W | W | 52.8 | 51.9 | 52.8 | 51.4 |
| February | W | W | 56.6 | 56.7 | 56.6 | 53.3 |
| March | W | W | 59.4 | 59.7 | 59.4 | 58.4 |
| April | W | 48.1 | 60.6 | NA | 60.6 | NA |
| May | W | 56.8 | 59.4 | 60.3 | 59.4 | 57.9 |
| June | W | 60.4 | 62.5 | 60.8 | 62.6 | 60.5 |
| July | W | 59.0 | 62.1 | NA | 62.1 | 61.7 |
| August | NA | W | 58.2 | 55.0 | 58.2 | 55.4 |
| September | W | 60.4 | 61.9 | 65.4 | 62.0 | 63.0 |
| October | W | 65.3 | 69.2 | 68.0 | 69.2 | 65.9 |
| November | W | NA | 61.7 | 62.9 | 61.7 | NA |
| December | W | W | 56.2 | 57.0 | 56.2 | 55.7 |
| 2000 Average | W | 57.8 | 60.1 | 59.7 | 60.1 | 58.4 |

See footnotes at end of table.

Table 42. Residual Fuel Oil Prices by PAD District and State

(Cents per Gallon Excluding Taxes) — Continued

| Geographic Area Month | Sulfur Less Than or Equal to 1 Percent | | Sulfur Greater Than 1 Percent | | Average | |
|---------------------------|---|---------------------|----------------------------------|---------------------|-----------------------|---------------------|
| | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale | Sales to End Users | Sales for Resale |
| Hawaii | | | | | | |
| January | W | — | 60.8 | W | 64.9 | W |
| February | W | — | 61.9 | W | 61.3 | W |
| March | W | — | 60.0 | W | 64.1 | W |
| April | W | — | 67.3 | W | 67.3 | W |
| May | W | — | 59.9 | W | 68.5 | W |
| June | W | — | 64.2 | W | 73.0 | W |
| July | W | — | 66.7 | W | 74.5 | W |
| August | W | — | 65.1 | W | 72.8 | W |
| September | W | — | 61.7 | W | 71.7 | W |
| October | W | — | 67.3 | W | 77.6 | W |
| November | W | — | 74.1 | W | 80.4 | W |
| December | W | — | 69.2 | W | 76.9 | W |
| 2000 Average | W | — | 64.7 | W | 71.3 | W |
| Nevada | | | | | | |
| January | — | W | — | W | — | W |
| February | — | W | — | — | — | W |
| March | — | W | — | — | — | W |
| April | — | — | — | W | — | W |
| May | — | — | — | — | — | — |
| June | — | — | — | — | — | — |
| July | — | — | — | — | — | — |
| August | — | — | — | — | — | — |
| September | — | — | — | — | — | — |
| October | — | — | — | — | — | — |
| November | — | — | — | — | — | — |
| December | — | — | — | — | — | — |
| 2000 Average | — | W | — | W | — | W |
| Oregon | | | | | | |
| January | — | W | 55.6 | NA | 55.6 | 53.2 |
| February | — | W | 58.4 | 60.4 | 58.4 | 60.0 |
| March | — | W | 61.6 | 61.2 | 61.6 | 59.2 |
| April | — | W | 63.6 | 51.0 | 63.6 | 52.3 |
| May | — | W | 68.0 | W | 68.0 | W |
| June | — | — | 68.6 | W | 68.6 | W |
| July | — | W | 69.8 | 69.5 | 69.8 | 68.2 |
| August | — | W | 65.2 | W | 65.2 | 65.8 |
| September | — | NA | 66.8 | W | 66.8 | 60.9 |
| October | — | W | 69.6 | W | 69.6 | 62.7 |
| November | — | W | 69.3 | W | 69.3 | NA |
| December | — | — | 72.2 | W | 72.2 | W |
| 2000 Average | — | W | 65.8 | 61.6 | 65.8 | 60.7 |
| Washington | | | | | | |
| January | W | W | 55.3 | 52.6 | 55.5 | 52.9 |
| February | — | W | 55.5 | 54.0 | 55.5 | 53.9 |
| March | — | W | 59.7 | 58.5 | 59.7 | 58.1 |
| April | — | W | 54.8 | 57.5 | 54.8 | 56.7 |
| May | W | W | 63.7 | W | 64.2 | 61.6 |
| June | — | — | 66.2 | W | 66.2 | W |
| July | — | W | 63.1 | W | 63.1 | 60.9 |
| August | — | W | 58.5 | 55.6 | 58.5 | 55.6 |
| September | — | W | 66.1 | W | 66.1 | 59.8 |
| October | — | W | 67.4 | W | 67.4 | W |
| November | — | W | 67.4 | W | 67.4 | 62.2 |
| December | — | W | 62.1 | W | 62.1 | W |
| 2000 Average | W | W | 61.2 | 58.3 | 61.2 | 57.8 |

Dash (—) = No data reported.

NA = Not available.

W = Withheld to avoid disclosure of individual company data.

Notes: Some State data are not sufficient for publication individually, but are used in calculating the PAD District average.

Sources: Energy Information Administration Forms EIA-782A, "Refiners'/Gas Plant Operators' Monthly Petroleum Product Sales Report," and EIA-782B, "Resellers'/Retailers' Monthly Petroleum Product Sales Report."

