Table HC15.5 Space Heating Usage Indicators by Four Most Populated States, 2005

Million U.S. Housing Units

Space Heating Usage Indicators	U.S. Housing Units (millions)	Four Most Populated States				
		New York	Florida	Texas	California	
Total U.S. Housing Units	111.1	7.1	7.0	8.0	12.1	
Do Not Have Heating Equipment	1.2	Q	Q	Q	0.2	
Have Space Heating Equipment	109.8	7.1	6.8	7.9	11.9	
Use Space Heating Equipment Have But Do Not Use Equipment	109.1 0.8	7.1 N	6.6 Q	7.9 N	11.4 0.5	
Space Heating Usage During 2005						
Heated Floorspace (Square Feet)	2.6	0	0.7	0	1.2	
None	3.6	Q	0.7	Q	1.3	
1 to 499	6.1	0.5	0.4	0.5	1.4	
500 to 999	27.7	2.7	1.4	2.4	3.4	
1,000 to 1,499	26.0	1.4	2.2	1.6	2.5	
1,500 to 1,999	17.6	0.7	1.3	1.4	1.5	
2,000 to 2,499	10.7	0.5	0.4	0.8	0.8	
2,500 to 2,999	7.7	0.4	0.4	0.4	0.8	
3,000 to 3,499	3.8	Q	Q	Q	Q	
3,500 to 3,999	2.6	Q	Q	Q	Q	
4,000 or More	5.2	0.4	Q	0.4	Q	
Total Number of Rooms						
(Excluding Bathrooms)	2.4	N	0	N1	0.0	
0	2.1	N	Q	N	0.9	
1 or 2	3.1	0.4	Q	Q	0.4	
3	8.3	1.3	0.5	0.8	1.1	
4	16.6	1.2	1.4	1.1	1.9	
5	23.3	1.4	1.8	1.6	2.5	
6	22.6	1.1	1.1	1.7	2.2	
7	16.3	0.8	0.9	1.3	1.7	
8	9.7	0.5	0.6	0.6	0.8	
9 or More	9.1	0.6	0.4	0.7	0.5	
At Home Behavior Home Used for Business						
Yes	8.9	0.5	0.7	0.4	1.0	
	102.2	6.6	6.4	7.6	11.1	
NoSomeone Home All Day	102.2	0.0	0.4	7.0	11.1	
Yes	56.4	3.9	3.7	4.1	6.4	
No	54.7	3.2	3.3	3.8	5.7	
Housing Unit Characteristics Affecting Usage						
Adequacy of Insulation						
Well Insulated	42.8	3.1	2.7	3.0	3.5	
Adequately Insulated	46.3	2.7	3.1	3.1	5.2	
Poorly Insulated	19.0	1.1	0.9	1.5	2.8	
No Insulation	1.4	Q	Q	Q	0.4	
Don't Know	1.7	Q	Q	Q	Q	
Home is Too Drafty During the Winter	00.0	2.2	F 4	5.0	0.5	
Never	62.9	3.6	5.4	5.3	6.5	
Some of the Time	32.4	2.6	1.0	1.9	3.9	
Most of the Time	6.1	0.5	Q	Q	0.7	
All of the Time	5.6	Q	Q	Q	0.8	
Don't Know	4.1	Q	Q	0.3	Q	

Table HC15.5 Space Heating Usage Indicators by Four Most Populated States, 2005

Million U.S. Housing Units

Unusually High Ceilings Yes New York Florida Texas California	Million U.S. Housing Units							
New York Florida Texas California	Space Heating Usage Indicators	Housing Units	Four Most Populated States					
Yes. 27.2 1.1 1.3 3.1 3.5 No. 76.9 5.9 5.3 4.4 8.0 Not Asked (Mobile Homes). 6.9 Q Q 0.5 0.5 Cathedral Ceilings (In Housing Units with High Ceilings) Tes. 17.1 0.6 1.0 1.9 2.2 No. 10.1 0.5 Q 1.2 1.4 Type of Glass in Windows Single-pane Glass 50.7 2.2 5.4 5.1 7.6 Double-pane Glass 50.6 4.2 1.3 2.5 3.7 With Low-e Coating 8.0 0.6 Q Q 0.7 Triple-pane Glass Without Low-e Coating 1.0 Q N Q Q With Low-e Coating 1.0 Q N N Q Q Proportion of Original Windows Replaced All 2.2 2.5 0.9 0.4 2.4 Some			New York	Florida	Texas	California		
No.	Unusually High Ceilings							
Not Asked (Mobile Homes) 6.9	Yes	27.2	1.1	1.3	3.1	3.5		
Cathedral Ceilings (In Housing Units with High Ceilings) Yes.		76.9	5.9	5.3	4.4	8.0		
(In Housing Units with High Ceilings) Yes.	Not Asked (Mobile Homes)	6.9	Q	Q	0.5	0.5		
Yes. 17.1 0.6 1.0 1.9 2.2 No. 10.1 0.5 Q 1.2 1.4 Type of Glass in Windows Single-pane Glass 50.7 2.2 5.4 5.1 7.6 Double-pane Glass 50.7 2.2 5.4 5.1 7.6 With Low-e Coating 50.6 4.2 1.3 2.5 3.7 With Low-e Coating 8.0 0.6 Q Q Q 0.7 Triple-pane Glass With Low-e Coating 1.0 Q N Q	Cathedral Ceilings							
No	(In Housing Units with High Ceilings)							
Type of Glass in Windows Single-pane Glass 50.7 2.2 5.4 5.1 7.6	Yes	17.1	0.6	1.0	1.9	2.2		
Single-pane Glass	No	10.1	0.5	Q	1.2	1.4		
Double-pane Glass Without Low-e Coating. 50.6 4.2 1.3 2.5 3.7 With Low-e Coating. 8.0 0.6 Q Q 0.7 Triple-pane Glass Without Low-e Coating. 1.0 Q N Q Q With Low-e Coating. 0.3 N N N N Q Q With Low-e Coating. 0.3 N N N N Q Q With Low-e Coating. 0.3 N N N N Q Q With Low-e Coating. 0.3 N N N N Q Q With Low-e Coating. 0.3 N N N N Q Q With Low-e Coating. 0.3 N N N N Q Q With Low-e Coating. 0.3 N N N N Q Q With Low-e Coating. 0.3 N N N N Q Q With Low-e Coating. 0.4 2.4 2.5 0.9 0.4 2.4 2.5 0.9 0.4 2.4 2.5 0.9 0.4 2.4 2.5 0.9 0.4 2.4 2.5 0.9 0.4 2.4 2.5 0.9 0.4 2.4 2.6 0.6	Type of Glass in Windows							
Without Low-e Coating 50.6 4.2 1.3 2.5 3.7 With Low-e Coating 8.0 0.6 Q Q 0.7 Triple-pane Glass Without Low-e Coating 1.0 Q N Q Q With Low-e Coating 0.3 N N N Q Q Proportion of Original Windows Replaced V <td>Single-pane Glass</td> <td>50.7</td> <td>2.2</td> <td>5.4</td> <td>5.1</td> <td>7.6</td>	Single-pane Glass	50.7	2.2	5.4	5.1	7.6		
With Low-e Coating 8.0 0.6 Q Q Q 0.7 Triple-pane Glass 1.0 Q N Q Q With Low-e Coating 0.3 N N N N Q Proportion of Original Windows Replaced 22.4 2.5 0.9 0.4 2.4 Some 21.6 1.6 0.7 1.4 2.6 None 62.3 2.8 5.0 5.6 6.5 Don't Know 4.7 Q 0.3 0.6 0.6 Thermostats Do Not Have a Thermostat 15.3 2.2 0.7 1.4 2.3 Have a Thermostat 95.8 4.9 6.3 6.6 9.8 1 84.5 3.8 5.9 6.1 9.3 2 or More 11.3 1.1 0.4 0.5 0.5 Have a Programmable Thermostat Yes 33.1 2.0 1.9 2.4 5.3 No 62.7 2.9 4.4 4.2 4.5 Use of Programmable Thermostats Reduces Temperature During Day Yes 18.6 1.2 0.8 1.4	Double-pane Glass							
Triple-pane Glass Without Low-e Coating	Without Low-e Coating	50.6	4.2	1.3	2.5	3.7		
Without Low-e Coating 1.0 Q N Q Q Proportion of Original Windows Replaced All	With Low-e Coating	8.0	0.6	Q	Q	0.7		
With Low-e Coating 0.3 N N N Q Proportion of Original Windows Replaced All 22.4 2.5 0.9 0.4 2.4 Some 21.6 1.6 0.7 1.4 2.6 None 62.3 2.8 5.0 5.6 6.5 Don't Know 4.7 Q 0.3 0.6 0.6 Thermostats Do Not Have a Thermostat 15.3 2.2 0.7 1.4 2.3 Have a Thermostat 95.8 4.9 6.3 6.6 9.8 1 84.5 3.8 5.9 6.1 9.3 2 or More 11.3 1.1 0.4 0.5 0.5 Have a Programmable Thermostat Yes 33.1 2.0 1.9 2.4 5.3 No 62.7 2.9 4.4 4.2 4.5 Use of Programmable Thermostats 8 1.2 0.8	Triple-pane Glass							
Proportion of Original Windows Replaced All	Without Low-e Coating	1.0	Q	N	Q	Q		
Ail	With Low-e Coating	0.3	N	N	N	Q		
Ail	Proportion of Original Windows Replaced							
Some		22.4	2.5	0.9	0.4	2.4		
None								
Don't Know					5.6			
Do Not Have a Thermostat. 15.3 2.2 0.7 1.4 2.3 Have a Thermostat. 95.8 4.9 6.3 6.6 9.8 1								
Have a Thermostat. 95.8 4.9 6.3 6.6 9.8 1 84.5 3.8 5.9 6.1 9.3 2 or More. 11.3 1.1 0.4 0.5 0.5 Have a Programmable Thermostat Yes. 33.1 2.0 1.9 2.4 5.3 No. 62.7 2.9 4.4 4.2 4.5 Use of Programmable Thermostats Reduces Temperature During Day 18.6 1.2 0.8 1.4 2.4 No. 14.5 0.8 1.1 1.0 2.9 Reduces Temperature at Night Yes. 21.5 1.4 1.0 1.7 3.2	Thermostats							
1	Do Not Have a Thermostat	15.3	2.2	0.7	1.4	2.3		
2 or More	Have a Thermostat	95.8	4.9	6.3	6.6	9.8		
Have a Programmable Thermostat Yes 33.1 2.0 1.9 2.4 5.3 No 62.7 2.9 4.4 4.2 4.5 Use of Programmable Thermostats Reduces Temperature During Day 18.6 1.2 0.8 1.4 2.4 No 14.5 0.8 1.1 1.0 2.9 Reduces Temperature at Night Yes 21.5 1.4 1.0 1.7 3.2	1	84.5	3.8	5.9	6.1	9.3		
Yes 33.1 2.0 1.9 2.4 5.3 No 62.7 2.9 4.4 4.2 4.5 Use of Programmable Thermostats Reduces Temperature During Day Yes 18.6 1.2 0.8 1.4 2.4 No 14.5 0.8 1.1 1.0 2.9 Reduces Temperature at Night Yes 21.5 1.4 1.0 1.7 3.2	2 or More	11.3	1.1	0.4	0.5	0.5		
No	Have a Programmable Thermostat							
Use of Programmable Thermostats Reduces Temperature During Day Yes	Yes	33.1	2.0	1.9	2.4	5.3		
Reduces Temperature During Day Yes	No	62.7	2.9	4.4	4.2	4.5		
Yes	Use of Programmable Thermostats							
No	Reduces Temperature During Day							
Reduces Temperature at Night Yes 21.5 1.4 1.0 1.7 3.2	Yes	18.6	1.2	0.8	1.4	2.4		
Yes	No	14.5	0.8	1.1	1.0	2.9		
	Reduces Temperature at Night							
No	Yes	21.5	1.4	1.0	1.7	3.2		
	No	11.6	0.6	0.9	0.7	2.1		

Table HC15.5 Space Heating Usage Indicators by Four Most Populated States, 2005
Million U.S. Housing Units

Space Heating Usage Indicators	U.S. Housing Units (millions)	Four Most Populated States				
		New York	Florida	Texas	California	
Winter 2005 Temperature Settings						
Lower Temperature Settings						
Daytime When No One is at Home						
Yes	40.5	2.9	1.3	2.5	3.1	
No	59.1	3.6	4.2	4.4	5.7	
Unknown	11.4	0.6	1.6	1.1	3.3	
During Sleeping Hours						
Yes	40.7	3.2	1.0	2.3	3.6	
No	60.2	3.3	4.5	4.6	5.9	
Unknown	10.2	0.6	1.5	1.1	2.6	
Daytime Setting When No One is at Home						
Heat Turned On	93.7	6.4	5.2	6.3	5.6	
63 Degrees or Less	18.9	2.0	0.5	0.6	1.5	
64 to 66 Degrees	17.4	1.2	0.5	1.0	1.2	
67 to 69 Degrees	17.8	1.0	0.6	0.9	1.0	
70 Degrees	16.0	1.3	0.6	1.0	0.8	
71 to 73 Degrees	10.2	0.4	0.8	0.9	0.5	
74 Degrees or More	13.5	0.5	2.1	1.8	0.6	
Don't Know/No Answer	7.4	0.5	0.5	0.9	1.7	
Heat Turned Off	8.7	Q	1.1	0.7	4.6	
Do Not Use Space Heating	1.3	Q	Q	Q	0.2	
Daytime Setting When Someone is at Home						
Heat Turned On	101.5	6.5	5.5	7.0	9.9	
63 Degrees or Less.	4.1	0.6	Q.	7.0 Q	0.5	
64 to 66 Degrees	8.2	0.8	Q	Q	0.7	
67 to 69 Degrees	23.6	1.7	0.6	0.9	2.1	
70 Degrees	24.6	1.9	0.8	1.3	2.5	
71 to 73 Degrees	17.6	0.6	1.0	1.4	1.6	
74 Degrees or More	23.2	0.0	2.8	3.0	2.5	
Don't Know/No Answer	6.0	0.5	0.5	0.8	0.8	
Heat Turned Off	2.3		0.7		1.2	
Do Not Use Space Heating	1.3	Q Q	0.7 Q	Q Q	0.2	
Catting During Classing House						
Setting During Sleeping Hours	00.4	0.5	F 4	0.0	7.0	
Heat Turned On	98.1	6.5	5.4	6.8	7.6	
63 Degrees or Less	13.0	1.4	Q	0.4	1.5	
64 to 66 Degrees	18.4	1.6	0.5	0.8	1.2	
67 to 69 Degrees	20.8	1.1	0.6	1.0	1.4	
70 Degrees	18.5	1.5	1.0	1.4	1.6	
71 to 73 Degrees	11.1	0.3	0.9	1.1	0.7	
74 Degrees or More	16.3	0.6	2.4	2.1	1.2	
Don't Know/No Answer	6.4	0.5	0.5	0.8	1.2	
Heat Turned Off	5.4	Q	0.9	Q	3.1	
Do Not Use Space Heating	1.3	Q	Q	Q	0.2	

Table HC15.5 Space Heating Usage Indicators by Four Most Populated States, 2005 Million U.S. Housing Units

Space Heating Usage Indicators	U.S. Housing Units (millions)	Four Most Populated States			
		New York	Florida	Texas	California
Secondary Heating					
Use Any Secondary Heating Equipment					
Yes	34.9	1.2	0.7	2.0	4.1
No	74.9	5.9	6.1	5.9	7.8
Proportion of Heat Provided by Secondary Heating Equipment					
Close to One-Half	4.4	Q	Q	Q	0.7
About One-Quarter	5.8	Q	Q	Q	0.7
Very Little or None	24.7	8.0	0.4	1.5	2.7
Type of Supplemental Heating Equipment Used Heat Pump	0.6	N	N	N	Q
Central Warm-Air Furnace		N Q	Q	N Q	0.3
		Q N	Q N	Q N	0.3 N
Steam/Hot Water System	Q				
Built-in Electric Units	2.2	Q	Q	N	0.3
Built-in Pipeless Furnace		N	N	Q	Q
Built-in Room Heaters	1.4 2.1	Q Q	N N	Q Q	N
Heating Stove	14.3	0.5	0.4	0.7	Q 1.7
Portable Electric Heaters		0.5 N	0.4 N	0.7 N	1.7 N
Portable Kerosene Heaters Cooking Stove	0.6 0.5	Q	N N	Q	Q
Fireplace	10.5	Q	Q	0.8	1.4
Fireplace Fuel					
Wood	6.9	Q	Q	0.6	1.0
Natural Gas		Ň	Q	Q	0.4
Propane	0.9	Q	Q	Q	N
Use of Gas Fireplace					
During Winter Months					
Most Days	1.2	N	Q	Q	Q
About Once a Week	1.3	Q	Q	Q	Q
Less than 4 Times each Month	1.1	N	N	Q	Q
Humidifier Use Each Year					
Use a Humidifier	14.2	0.7	Q	0.4	0.6
1 to 3 Months Each Year	7.1	Q	N	0.3	0.5
4 to 6 Months Each Year	5.6	0.3	N	N	Q
7 to 9 Months Each Year	0.4	Q	N	Q	N
10 to 11 months	Q	N	N	N	N
Turned on All Year Long	1.1	Q	Q	Q	Q
Do Not Use a Humidifier	96.9	6.4	7.0	7.6	11.5

Q = Data withheld either because the Relative Standard Error (RSE) was greater than 50 percent or fewer than 10 households were sampled.

N = No cases in reporting sample.

Notes: • Because of rounding, data may not sum to totals. • See Glossary for definition of terms used in these tables.

Source: Energy Information Administration, Office of Energy Markets and End Use, Forms EIA-457 A, B, C of the 2005 Residential Energy Consumption Survey.