Table B36. Refrigeration Equipment, Number of Buildings and Floorspace, 1999

	Number of Buildings (thousand)					Total Floorspace (million square feet)					
	All Buildings		Type of Equipment (more than one may apply)					Type of Equipment (more than one may apply)			
		All Buildings with Refrigeration Equipment	Walk-In	Open Cases or Cabinets	Closed Cases or Cabinets	All Buildings	All Buildings with Refrigeration Equipment	Walk-In	Open Cases or Cabinets	Closed Cases or Cabinets	
All Buildings	4,657	950	658	255	719	67,338	25,652	19,713	8,808	19,938	
Building Floorspace (Square Feet)											
1,001 to 5,000	2,348	479	356	116	378	6,774	1,370	1,059	309	1,123	
5,001 to 10,000	,		101	62	113	8,238	1,135	736	498	854	
10,001 to 25,000		135	67	20	90	11,153	2,186	1,069	320	1,505	
						,		,			
25,001 to 50,000		78	51	18	58	9,311	2,873	1,877	651	2,098	
50,001 to 100,000			41	19	41	10,112	4,051	2,980	1,351	2,976	
100,001 to 200,000		31	25	12	22	8,271	4,398	3,584	1,726	3,175	
200,001 to 500,000		14	13	5	12	6,851	4,376	3,869	1,491	3,607	
Over 500,000	7	6	5	2	5	6,628	5,262	4,539	2,462	4,599	
Principal Building Activity	007	0.4	F.4	40		0.054	5 400	4.400	4 400	0.757	
Education	327	84	51	16	57	8,651	5,423	4,199	1,433	3,757	
Food Sales	174	159	127	57	113	994	962	737	601	781	
Food Service	349		261	90	273	1,851	1,783	1,576	514	1,287	
Health Care	127	12	7	3	10	2,918	1,931	1,749	762	1,660	
Inpatient	11	9	6	2	8	1,865	1,749	1,693	708	1,502	
Outpatient	116	Q	Q	Q	Q	1,053	Q	Q	Q	Q	
Lodging	153	30	20	6	23	4,521	2,360	1,973	458	2,022	
Mercantile	667	178	127	68	136	10,398	5,600	4,424	3,020	4,788	
Retail (Other Than Mall)		97	66	Q	70	4,766	1,090	609	414	864	
Enclosed and Strip Malls			61	41	67	5,631	4,509	3,816	2,606	3,924	
Office			17	5	15	12,044	3,331	2,350	1,370	2,742	
Public Assembly			23	Q	44	4,393	1,664	959	378	1,398	
Public Order and Safety			3	Q	Q	1,168	221	163	Q	1,000 Q	
	307	21	Q		19		574	103 Q		427	
Religious Worship				Q		3,405			Q		
Service	478	Q	Q	Q	Q	3,388	Q	Q	Q	Q	
Warehouse and Storage			10	Q	Q	10,477	1,177	948	Q	414	
Other Vacant	. 102 253		Q Q	Q N	Q Q	1,222 1,908	Q Q	Q Q	Q N	Q Q	
	200	•	•	.,	٩	1,000	•	· ·		•	
Year Constructed	440	64	20	^	FO	4.024	040	424	^	054	
1919 or Before		61	32	Q	52	4,034	940	424	Q 210	854	
1920 to 1945		104	70	Q	98	6,445	2,176	1,551	318	1,896	
1946 to 1959			77	46	79	9,127	3,063	2,096	1,163	2,325	
1960 to 1969			76	17	97	10,866	4,490	3,636	1,397	3,260	
1970 to 1979		176	149	58	124	11,840	4,937	4,051	1,990	3,930	
1980 to 1989			143	68	177	13,931	5,450	4,270	1,793	4,089	
1990 to 1999	690	139	113	40	92	11,094	4,595	3,685	1,977	3,583	
Census Region											
Northeast	686	143	101	33	94	12,360	5,536	4,335	1,917	4,489	
Midwest	1,188	244	164	52	194	16,761	6,252	4,580	1,798	5,038	
South	1,762	351	230	97	277	23,485	8,734	6,809	3,205	6,606	
West		212	164	73	154	14,731	5,130	3,988	1,887	3,804	
Workers (main shift)											
Fewer than 5	2,376	349	215	Q	266	14,321	1,586	789	Q	1,245	
5 to 9			90	31	122	6,325	1,207	545	187	915	
10 to 19			152	57	118	8,028	2,144	1,547	490	1,466	
20 to 49		146	98	35	117	10,814	3,938	2,551	1,084	2,958	
50 to 99			61	28	55	8,898	4,698	3,841	1,645	3,482	
100 to 249			28	12	26	8,356	4,752	4,444	1,638	3,700	
250 or More	39	18	14	8	15	10,595	7,328	5,996	3,466	6,172	

Table B36. Refrigeration Equipment, Number of Buildings and Floorspace, 1999

	Number of Buildings (thousand)					Total Floorspace (million square feet)					
	All Buildings	All Buildings with Refrigeration Equipment	Type of Equipment (more than one may apply)				All Buildings	Type of Equipment (more than one may apply)			
			Walk-In	Open Cases or Cabinets	Closed Cases or Cabinets	All Buildings	All Buildings with Refrigeration Equipment	Walk-In	Open Cases or Cabinets	Closed Cases or Cabinets	
Woolds Operation House											
Weekly Operating Hours 39 or Fewer	978	62	13	Q	58	6,596	743	340	Q	62	
40 to 48		97	63	21	52			1,711	645	1,62	
49 to 60	,	148	75	41	120	14,200	4,230	2,979	1,417	3,22	
61 to 84		210	154	49	156	12,458		4,618	2,311	4,86	
85 to 167		321	260	102	262	9,116	5,198	4,052	1,971	4,07	
Open Continuously	398	113	93	31	71	11,863	6,865	6,013	2,371	5,51	
Multibuilding Facility Activity											
Not Part of a Multibuilding											
Facility	3,295	778	543	206	589	41,289	16,109	12,270	5,051	12,32	
College or University	70	5	3	Q	4	2,605	445	343	Q	36	
Primary or Secondary School	224	37	27	9	23	3,388	1,797	1,591	685	1,05	
Office Complex		6	4	2	5	3,353	1,131	783	508	97	
Retail Complex		56	35	26	44	3,555		1,543	1,307	1,86	
Religious Campus or Complex		9	Q	Q	8	1,907	408	Q	Q	34	
Health Care Complex		10	8	2	6	2,339	1,482	1,396	598	1,22	
Government Complex	61	4	Q	Q	3	1,513	535	1,550 Q	Q	47	
Other		45	35	Q	38	7,389	1,680	1,374	433	1,31	
Engrave Courage (many than											
Energy Sources (more than											
one may apply)		0.50			=	0==10	0= 0=0	40 = 40		40.00	
Electricity	4,395	950	658	255	719	65,716	25,652	19,713	8,808	19,93	
Natural Gas		652	466	182	492			16,098	7,308	15,64	
Fuel Oil		97	46	13	85	13,285		6,849	2,917	6,78	
District Heat		25	21	Q	13	5,891	2,541	1,990	801	2,17	
District Chilled Water		7	5	1	6	2,750	1,170	804	382	1,02	
Propane	451	134	83	26	111	6,290	2,819	2,252	914	2,24	
Other	153	47	20	Q	41	2,322	1,256	1,051	460	1,00	
Energy End Uses (more than one may apply)											
Buildings with Space Heating	4,016	859	594	238	639	61,602	24,514	18,993	8,459	19,00	
Buildings with Cooling		896	640	252	671	58,474	24,720	19,288	8,670	19,11	
Buildings with Water Heating	3,239	905	647	252	680	56,115	24,625	19,141	8,569	19,11	
Buildings with Cooking	3,239 857	682	488	188	532	24,681	21,775	17,386	8,113	17,42	
Buildings with Manufacturing		12	+00	Q	032 Q	3,126	691	569	0,113	47	
	151	12	5	Q	Q	3,126	091	509	Q	47	
Buildings with Electricity Generation	172	60	50	16	48	11,882	8,172	7,044	3,378	6,81	
5 B.I.V.I.O 5											
Energy-Related Space Functions (more than one may apply)											
Commercial Food Preparation	767	640	465	178	498	23,328	21,054	16,962	7,863	16,83	
· · · · · · · · · · · · · · · · · · ·	101	040	+00	170	+90	23,320	21,004	10,902	1,003	10,03	
Activities with Large	600	400	200	444	244	04 700	16 704	12.070	6 400	40.00	
Amounts of Hot Water	698	408	299	114	311	21,793	16,721	13,876	6,103	13,36	

Q=Data withheld because the Relative Standard Error (RSE) was greater than 50 percent, or fewer than 20 buildings were sampled.

Source: Energy Information Administration, Office of Energy Markets and End Use, Form EIA-871A of the 1999 Commercial Buildings Energy Consumption Survey.

N=No responding cases in sample.

Note: Due to rounding, data may not sum to totals.