

Database Data Catalogue

Geographic Lookup Tables

Country

Variable Name	Data Type	Example	Preset Values	Constraint
admin_email	VARCHAR(100)	amaker@gmail.com	No	Unique, Not Null
phone_number	VARCHAR(15)	6548901233	No	Nullable
role_id	INT	1	Yes - Admin_Role table	Foreign Key

Admin_Login

Variable Name	Data Type	Example	Preset Values	Constraint
admin_login_id	INT	1	No	Primary Key, Auto-increment
admin_id	INT	1	Yes - Admin table	Foreign Key, Unique
login_username	VARCHAR(50)	a_maker	No	Unique, Not Null
login_password	VARCHAR(255)	letmein	No	Not Null (Hashed)

Facility & Recipient Tables

Facility

Variable Name	Data Type	Example	Preset Values	Constraint
facility_id	INT	1	No	Primary Key, Auto-increment
facility_name	VARCHAR(100)	Prison Name 1	No	Not Null
address_id	INT	4	Yes - Address table	Foreign Key
visibility	VARCHAR(3)	yes	Yes - yes, no	Not Null

Recipient

Variable Name	Data Type	Example	Preset Values	Constraint
recipient_id	INT	1	No	Primary Key, Auto-increment
recipient_first_name	VARCHAR(50)	Liv	No	Not Null
recipient_last_name	VARCHAR(50)	Sevy	No	Not Null
facility_id	INT	3	Yes - Facility table	Foreign Key

Order & Transaction Tables

Orders

Variable Name	Data Type	Example	Preset Values	Constraint
order_id	INT	1	No	Primary Key, Auto-increment
order_number	VARCHAR(50)	SO124568	No	Unique, Not Null
order_type_id	INT	1	Yes - Order_Type table	Foreign Key

Variable Name	Data Type	Example	Preset Values	Constraint
user_id	INT	2	Yes - User table	Foreign Key
order_date	DATE	02-05-2015	No	Not Null
delivery_date	DATE	02-09-2015	No	Nullable
order_status_id	INT	1	Yes - Order_Status table	Foreign Key
recipient_id	INT	3	Yes - Recipient table	Foreign Key

Notes

Variable Name	Data Type	Example	Preset Values	Constraint
note_id	INT	1	No	Primary Key, Auto-increment
recipient_id	INT	3	Yes - Recipient table	Foreign Key
user_id	INT	1	Yes - User table	Foreign Key
order_id	INT	1	Yes - Orders table	Foreign Key
note_status	VARCHAR(10)	Yes	Yes - Yes, No	Not Null
date_requested	DATE	06-07-2015	No	Not Null
subject	VARCHAR(255)	Unprinted ID #122456 Detect Label	No	Nullable
note_type_id	INT	1	Yes - Note_Type table	Foreign Key
note_contents	TEXT	Message contents 1	No	Not Null

Gift_Cards

Variable Name	Data Type	Example	Preset Values	Constraint
gift_card_id	INT	1	No	Primary Key, Auto-increment
user_id	INT	3	Yes - User table	Foreign Key
credits	DECIMAL(10,2)	25.00	No	Not Null
redemption_status	VARCHAR(3)	yes	Yes - yes, no	Not Null
redemption_date	DATE	06-12-2015	No	Nullable
gift_card_number	VARCHAR(20)	AB1564	No	Unique, Not Null

Group Tables

Group_Info

Variable Name	Data Type	Example	Preset Values	Constraint
group_id	INT	1	No	Primary Key, Auto-increment
group_name	VARCHAR(100)	Group 1	No	Unique, Not Null
group_start_date	DATE	04-14-2015	No	Not Null
group_end_date	DATE	05-14-2015	No	Nullable

Group_Tags

Variable Name	Data Type	Example	Preset Values	Constraint
group_tag_id	INT	1	No	Primary Key, Auto-increment
group_id	INT	1	Yes - Group_Info table	Foreign Key
tag_name_id	INT	2	Yes - Tag_Name table	Foreign Key

Group_Members

Variable Name	Data Type	Example	Preset Values	Constraint
group_member_id	INT	1	No	Primary Key, Auto-increment
group_id	INT	1	Yes - Group_Info table	Foreign Key
user_id	INT	1	Yes - User table	Foreign Key

Service & Request Tables

Service_Requests

Variable Name	Data Type	Example	Preset Values	Constraint
request_id	INT	1	No	Primary Key, Auto-increment
user_id	INT	3	Yes - User table	Foreign Key
rating	DECIMAL(3,1)	3.5	No	Nullable, Range: 0.0-5.0
review	TEXT	Good service.	No	Nullable
request_status_id	INT	1	Yes - Request_Status table	Foreign Key

Credit_Requests

Variable Name	Data Type	Example	Preset Values	Constraint
credit_request_id	INT	1	No	Primary Key, Auto-increment
user_id	INT	1	Yes - User table	Foreign Key

Variable Name	Data Type	Example	Preset Values	Constraint
request_reason_id	INT	1	Yes - Request_Reason table	Foreign Key
request_message	TEXT	Request message 1	No	Not Null
request_status_id	INT	5	Yes - Request_Status table	Foreign Key
request_amount	DECIMAL(10,2)	45.00	No	Not Null

Marketing & Events Tables

Promotions

Variable Name	Data Type	Example	Preset Values	Constraint
promotion_id	INT	1	No	Primary Key, Auto-increment
promotion_name	VARCHAR(100)	Promotion name 1	No	Not Null
promotion_type_id	INT	1	Yes - Promotion_Type table	Foreign Key
promotion_description	TEXT	Long description 1	No	Nullable
promotion_start_date	DATE	06-05-2015	No	Not Null
promotion_end_date	DATE	06-12-2015	No	Nullable
promotion_status	VARCHAR(10)	active	Yes - active, inactive	Not Null
credits_added	DECIMAL(10,2)	15.00	No	Nullable

Team_Events

Variable Name	Data Type	Example	Preset Values	Constraint
event_id	INT	1	No	Primary Key, Auto-increment
user_id	INT	2	Yes - User table	Foreign Key
event_status_id	INT	1	Yes - Event_Status table	Foreign Key
event_start_date	DATE	03-22-2015	No	Not Null
event_end_date	DATE	06-28-2015	No	Nullable

Suggested_Media

Variable Name	Data Type	Example	Preset Values	Constraint
media_id	INT	1	No	Primary Key, Auto-increment
media_name	VARCHAR(100)	Valentine's Day	No	Not Null
media_type_id	INT	1	Yes - Media_Type table	Foreign Key

35 Tables Total

=>country_id INT 1 No Primary Key, Auto-increment country_name VARCHAR(100) United States No Unique, Not Null country_code VARCHAR(3) USA No Unique, Not Null

State

Variable Name	Data Type	Example	Preset Values	Constraint
state_id	INT	1	No	Primary Key, Auto-increment
state_name	VARCHAR(100)	Maryland	No	Not Null
state_code	VARCHAR(2)	MD	No	Not Null
country_id	INT	1	Yes - Country table	Foreign Key

Address

Variable Name	Data Type	Example	Preset Values	Constraint
address_id	INT	1	No	Primary Key, Auto-increment
address_line_1	VARCHAR(255)	1234 Testudo Way	No	Not Null
address_line_2	VARCHAR(255)	Apt 5	No	Nullable
city	VARCHAR(100)	College Park	No	Not Null
state_id	INT	1	Yes - State table	Foreign Key
zipcode	VARCHAR(10)	20740	No	Not Null
country_id	INT	1	Yes - Country table	Foreign Key

Reference/Lookup Tables

Customer_Type

Variable Name	Data Type	Example	Preset Values	Constraint
customer_type_id	INT	1	No	Primary Key, Auto-increment

Variable Name	Data Type	Example	Preset Values	Constraint
customer_type_name	VARCHAR(50)	SUPER USER	Yes - SUPER USER, RISING STAR, FLIKSHOP ANGEL	Unique, Not Null

Tag_Name

Variable Name	Data Type	Example	Preset Values	Constraint
tag_name_id	INT	1	No	Primary Key, Auto-increment
tag_name	VARCHAR(50)	Tag 1	No	Unique, Not Null

Tag_Status

Variable Name	Data Type	Example	Preset Values	Constraint
tag_status_id	INT	1	No	Primary Key, Auto-increment
status_name	VARCHAR(50)	Completed	Yes - Completed, Canceled, Pending	Unique, Not Null

Category

Variable Name	Data Type	Example	Preset Values	Constraint
category_id	INT	1	No	Primary Key, Auto-increment
category_name	VARCHAR(50)	Customer	Yes - Customer, Data sets, Sibling	Unique, Not Null
category_description	TEXT	Description a	No	Nullable

Order_Type

Variable Name	Data Type	Example	Preset Values	Constraint
order_type_id	INT	1	No	Primary Key, Auto-increment
order_type_name	VARCHAR(50)	postcard	Yes - postcard, print, flikbook	Unique, Not Null

Order_Status

Variable Name	Data Type	Example	Preset Values	Constraint
order_status_id	INT	1	No	Primary Key, Auto-increment
status_name	VARCHAR(50)	delivered	Yes - delivered, processed, pending	Unique, Not Null

Note_Type

Variable Name	Data Type	Example	Preset Values	Constraint
note_type_id	INT	1	No	Primary Key, Auto-increment
note_type_name	VARCHAR(50)	order	Yes - order, customer	Unique, Not Null

Request_Status

Variable Name	Data Type	Example	Preset Values	Constraint
request_status_id	INT	1	No	Primary Key, Auto-increment
status_name	VARCHAR(50)	pending	Yes - pending, completed, canceled	Unique, Not Null

Event_Status

Variable Name	Data Type	Example	Preset Values	Constraint
event_status_id	INT	1	No	Primary Key, Auto-increment
status_name	VARCHAR(50)	Pending	Yes - Pending, Completed	Unique, Not Null

Promotion_Type

Variable Name	Data Type	Example	Preset Values	Constraint
promotion_type_id	INT	1	No	Primary Key, Auto-increment
promotion_type_name	VARCHAR(50)	Free credits	Yes - Free credits, Other Type	Unique, Not Null

Request_Reason

Variable Name	Data Type	Example	Preset Values	Constraint
request_reason_id	INT	1	No	Primary Key, Auto-increment
reason_name	VARCHAR(100)	Spouse to Love too	Yes - Spouse to Love too, Sibling, Other reason	Unique, Not Null

Media_Type

Variable Name	Data Type	Example	Preset Values	Constraint
media_type_id	INT	1	No	Primary Key, Auto-increment
media_type_name	VARCHAR(50)	Image	Yes - Image, Background	Unique, Not Null

Core User Tables

User

Variable Name	Data Type	Example	Preset Values	Constraint
user_id	INT	1	No	Primary Key, Auto-increment
user_first_name	VARCHAR(50)	Maya	No	Not Null
user_last_name	VARCHAR(50)	Patel	No	Not Null
user_email	VARCHAR(100)	maya@umd.edu	No	Unique, Not Null
credits	DECIMAL(10,2)	132.24	No	Default 0.00
phone_number	VARCHAR(15)	2022222020	No	Nullable
device_operating_system	VARCHAR(50)	Android	Yes - Android, iOS, Laptop	Nullable
customer_type_id	INT	1	Yes - Customer_Type table	Foreign Key
address_id	INT	1	Yes - Address table	Foreign Key

User_Login

Variable Name	Data Type	Example	Preset Values	Constraint
login_id	INT	1	No	Primary Key, Auto-increment
user_id	INT	1	Yes - User table	Foreign Key, Unique
login_username	VARCHAR(50)	a_maker	No	Unique, Not Null
login_password	VARCHAR(255)	1234!	No	Not Null (Hashed)

User_Tag

Variable Name	Data Type	Example	Preset Values	Constraint
user_tag_id	INT	1	No	Primary Key, Auto-increment

Variable Name	Data Type	Example	Preset Values	Constraint
user_id	INT	1	Yes - User table	Foreign Key
tag_name_id	INT	1	Yes - Tag_Name table	Foreign Key
tag_status_id	INT	1	Yes - Tag_Status table	Foreign Key
category_id	INT	1	Yes - Category table	Foreign Key

Admin Tables

Admin_Role

Variable Name	Data Type	Example	Preset Values	Constraint
role_id	INT	1	No	Primary Key, Auto-increment
role_name	VARCHAR(50)	UX-UI Designer	Yes - UX-UI Designer, CEO, Web Designer	Unique, Not Null
access_level	VARCHAR(50)	Developer	Yes - Developer, Team Member, Tester	Not Null

Admin

Variable Name	Data Type	Example	Preset Values	Constraint
admin_id	INT	1	No	Primary Key, Auto-increment
admin_first_name	VARCHAR(50)	Allan	No	Not Null
admin_last_name	VARCHAR(50)	Maker	No	Not Null