

```

import { Inter } from 'next/font/google'
import { Inter } from 'next/font/google'
import './styles.css'

const inter = Inter({
  subsets: ['latin'],
  display: 'swap',
  variable: '--font-inter',
})
const inter = Inter({
  subsets: ['latin'],
  display: 'swap',
  variable: '--font-inter',
})

export default function Layout({ children }) {
  return (
    <html lang="en">
    <body className={inter.variable + inter.variable}>
    {children}
    </body>
    </html>
  )
}

```

Style.css

```

body {
  font-family: var(--font-inter), sans-serif;
}

h1, h2, h3, h4, h5, h6 {
  font-family: var(--font-inter), sans-serif;
}

```

=== component.jsx ===

```

import { Button } from "@components/ui/button"
import Link from "next/link"
import { DropdownMenuTrigger, DropdownMenuLabel, DropdownMenuSeparator, DropdownMenuItem,
  DropdownMenuContent, DropdownMenu } from "@components/ui/dropdown-menu"
import { CardTitle, CardHeader, CardDescription, CardContent, Card } from "@components/ui/card"

export default function Component() {
  return (
    <div className="h-screen w-full grid md:grid-cols-[300px_1fr]">

```

```
<div className="border-r bg-gray-100/40 hidden md:block dark:bg-gray-800/40">
<div className="flex h-full flex-col">
<header className="flex h-16 items-center px-4 border-b">
<MapPinIcon className="h-6 w-6 mr-2" />
<h1 className="font-semibold text-lg">Profiles</h1>
</header>
<div className="flex-1 overflow-auto p-2">
<ul className="grid gap-2">
<li>
<Button className="w-full justify-start" variant="ghost">
<UserIcon className="mr-2 h-4 w-4" />
<span className="truncate">Alice Smith</span>
</Button>
</li>
<li>
<Button className="w-full justify-start" variant="ghost">
<UserIcon className="mr-2 h-4 w-4" />
<span className="truncate">Bob Johnson</span>
</Button>
</li>
<li>
<Button className="w-full justify-start" variant="ghost">
<UserIcon className="mr-2 h-4 w-4" />
<span className="truncate">Eve Williams</span>
</Button>
</li>
<li>
<Button className="w-full justify-start" variant="ghost">
<UserIcon className="mr-2 h-4 w-4" />
<span className="truncate">Charlie Brown</span>
</Button>
</li>
<li>
<Button className="w-full justify-start" variant="ghost">
<UserIcon className="mr-2 h-4 w-4" />
<span className="truncate">Grace Lee</span>
</Button>
</li>
</ul>
</div>
</div>
</div>
<div className="flex flex-col">
<header className="flex h-16 items-center gap-4 border-b px-4 md:gap-8">
<Link className="lg:hidden" href="#">
<MapPinIcon className="h-6 w-6" />
<span className="sr-only">Home</span>
</Link>
<h1 className="font-semibold text-lg">Alice Smith</h1>
<Button className="ml-auto" size="icon" variant="ghost">
<SearchIcon className="h-4 w-4" />
<span className="sr-only">Search</span>
</Button>
<DropdownMenu>
<DropdownMenuTrigger asChild>
```

```
<Button
className="rounded-full border border-gray-200 w-8 h-8 dark:border-gray-800"
size="icon"
variant="ghost"
>

<span className="sr-only">Toggle user menu</span>
</Button>
</DropdownMenuTrigger>
<DropdownMenuContent align="end">
<DropdownMenuLabel>My Account</DropdownMenuLabel>
<DropdownMenuSeparator />
<DropdownMenuItem>Settings</DropdownMenuItem>
<DropdownMenuItem>Support</DropdownMenuItem>
<DropdownMenuSeparator />
<DropdownMenuItem>Logout</DropdownMenuItem>
</DropdownMenuContent>
</DropdownMenu>
</header>
<main className="flex-1 flex flex-col gap-4 p-4 md:gap-8 md:p-6">
<div className="grid gap-4">
<Card>
<CardHeader>
<CardTitle>Contact Information</CardTitle>
</CardHeader>
<CardContent className="grid gap-4 md:grid-cols-2">
<div className="flex flex-col gap-1">
<CardTitle className="text-sm">Name</CardTitle>
<CardDescription>Alice Smith</CardDescription>
</div>
<div className="flex flex-col gap-1">
<CardTitle className="text-sm">Email</CardTitle>
<CardDescription>alice@example.com</CardDescription>
</div>
<div className="flex flex-col gap-1">
<CardTitle className="text-sm">Phone</CardTitle>
<CardDescription>(123) 456-7890</CardDescription>
</div>
<div className="flex flex-col gap-1">
<CardTitle className="text-sm">Address</CardTitle>
<CardDescription>1234 Elm St, Pleasantville, NV</CardDescription>
</div>
</CardContent>
</Card>
</div>
</main>
```

```

<CardHeader>
<CardTitle>Location</CardTitle>
<CardDescription>Map view of the contact's address</CardDescription>
</CardHeader>
<CardContent>
<div className="aspect-[1/1] rounded-md overflow-hidden">

</div>
</CardContent>
</Card>
</div>
</main>
</div>
</div>
)
}

```

```

function MapPinIcon(props) {
return (
<svg
{...props}
xmlns="http://www.w3.org/2000/svg"
width="24"
height="24"
viewBox="0 0 24 24"
fill="none"
stroke="currentColor"
strokeWidth="2"
strokeLinecap="round"
strokeLinejoin="round"
>
<path d="M20 10c0 6-8 12-8 12s-8-6-8-12a8 8 0 0 1 16 0Z" />
<circle cx="12" cy="10" r="3" />
</svg>
)
}

```

```

function SearchIcon(props) {
return (
<svg
{...props}
xmlns="http://www.w3.org/2000/svg"
width="24"
height="24"
viewBox="0 0 24 24"
fill="none"
stroke="currentColor"
strokeWidth="2"

```

```
strokeLinecap="round"
strokeLinejoin="round"
>
<circle cx="11" cy="11" r="8" />
<path d="m21 21-4.3-4.3" />
</svg>
)
}
```

```
function UserIcon(props) {
  return (
    <svg
      {...props}
      xmlns="http://www.w3.org/2000/svg"
      width="24"
      height="24"
      viewBox="0 0 24 24"
      fill="none"
      stroke="currentColor"
      strokeWidth="2"
      strokeLinecap="round"
      strokeLinejoin="round"
    >
      <path d="M19 21v-2a4 4 0 0 0-4-4H9a4 4 0 0 0-4 4v2" />
      <circle cx="12" cy="7" r="4" />
    </svg>
  )
}
```