Mopane CBS — Accounting Module

Training Guide and User Handbook

Platform Apache Fineract / Mifos X — release 17.07.01.RELEASE
Interface Mopane CBS web app (community-app UI)
Audience Accountants, finance officers, branch operations staff, administrators
Document type Trainer script and take-home reference
Duration One full day (about 6 hours), or two half-days

Use this document two ways: follow Parts A–I as the session plan while training, then keep it as the day-to-day operating handbook. Screen names, buttons and field labels match what users see in the Mopane CBS web app.

Contents

How to use this guide . . . 4

Part A — Training agenda . . . 4

Part B — Concepts trainees must keep . . . 5

1. Double-entry, always . . . 5
2. Header vs Detail accounts . . . 5
3. Automatic vs manual journals . . . 5
4. Four accounting rules on products . . . 5
5. Office, currency, and tenant . . . 6
6. Accounting closures freeze the past . . . 6

Part C — Finding Accounting in the web app . . . 7

Top menu . . . 7
Accounting home — what each tile does . . . 7
Shortcuts on the left navigation . . . 7
Breadcrumbs . . . 7

Part D — Session 1: Orientation (45 minutes) . . . 8

Objective . . . 8
Demo script . . . 8
Talking points . . . 8
Exercise (5 minutes) . . . 8

Part E — Session 2: Chart of Accounts and go-live setup (60 minutes) . . . 9

E1. Chart of Accounts . . . 9
E2. Accounts Linked to Financial Activities . . . 10
E3. Migrate Opening Balances (Office-wise) . . . 11
E4. Bulk import (optional, admins) . . . 11
E5. Payment types (do this before product mappings) . . . 11

Part F — Session 3: Product accounting and automatic journals (75 minutes) . . . 13

F1. Loan product — Accounting step . . . 13
F2. Worked example — cash accounting, USD 1,000 loan . . . 14
F3. Mopane-specific: capitalised fees . . . 15

F3b. Other Mopane-specific behaviour finance should know . . . 15
F4. Accrual (periodic) — extra journals . . . 15
F5. Savings product — Accounting step . . . 16
F6. Seeing automatic journals in the UI . . . 16
Demo script for Session 3 (do this live) . . . 17
Exercise . . . 17

Part G — Session 4: Manual journals, rules, frequent postings, teller cash (60 minutes) . . . 18

G1. Add Journal Entries . . . 18
G2. Accounting Rules . . . 18
G3. Frequent Postings . . . 19
G4. Search Journal Entries . . . 19
G5. Teller and cashier cash management (branch cash control) . . . 19

Part H — Session 5: Accruals, provisioning, closures (45 minutes) . . . 21

H1. Periodic accruals . . . 21
H2. Loan-loss provisioning . . . 21
H3. Closing Entries . . . 22

Part I — Session 6: Reports, month-end, troubleshooting (45 minutes) . . . 23

I1. Accounting reports . . . 23
I2. Recommended operating rhythm . . . 23
I3. Troubleshooting . . . 24
I4. Permissions (for administrators) . . . 25
I5. Maker-checker and the audit trail . . . 25

Part J — Demo data cheat-sheet (print for the trainer) . . . 27

Part K — Suggested exercises (handout) . . . 28

Part K2 — End-of-course assessment (20 minutes) . . . 29

Part K3 — Attendance and competency sign-off . . . 30

Part L — Glossary . . . 31

Part M — Trainer closing checklist . . . 32

Appendix — Screen map (for IT support) 33

References (for trainers who want the upstream manuals) 33

How to use this guide

Who	How to use it
Trainer	Run the six sessions in Part A. Each session has an objective, screens to open, a demo script, and a short exercise. Trainer notes are marked **Trainer**.
Trainee	Follow along on a demo tenant. After the course, use Parts B–I as the day-to-day reference, and Part K2 to self-test.
Administrator	Pay extra attention to Session 2 (setup), product mappings, permissions, and month-end.

Recommended environment: a non-production tenant (or a copy) with a small chart of accounts, at least one loan product with accounting enabled, a test client, and a test loan that can be disbursed and repaid.

Suggested duration: one full day (about 6 hours of teaching) or two half-days.

Prerequisites for trainees:

- Login to the correct tenant (for example `million.mopane.co.zw` or `intercrest.mopane.co.zw`).
- Know how to open a client and a loan account.
- Understand debit = credit at a basic level.

Part A — Training agenda

Session	Topic	Time	Who it is for
1	What accounting does in Mopane CBS, and how to get around	45 min	Everyone
2	Chart of Accounts, financial activity mappings, opening balances	60 min	Admins and accountants
3	Product accounting (loans and savings) and automatic journals	75 min	Everyone
4	Manual journals, accounting rules, frequent postings, teller cash	60 min	Accountants and operations
5	Accruals, loan-loss provisioning, closing entries	45 min	Accountants
6	Reports, month-end checklist, troubleshooting	45 min	Everyone

Trainer — opening (5 minutes)

- Accounting in Mopane CBS is not a separate general-ledger package. Portfolio activity (disburse, repay, deposit, withdraw, write-off) posts journals automatically **if** the product is mapped to GL accounts.
- Manual journals are for items that do not come from a loan or savings account: rent, salaries, bank charges, inter-branch cash, year-end adjustments.
- If a product is set to **None**, the loan or savings account still works operationally, but **no journals are created**. That is the most common reason “the GL does not move.”

Part B — Concepts trainees must keep

1. Double-entry, always

Every journal in Mopane CBS is a balanced set of debit and credit lines that share one **transaction ID**. The system will not save a manual journal unless total debits equal total credits.

Typical natural balances:

Account type	Increases with	Decreases with	Examples
Asset	Debit	Credit	Cash, bank, loan portfolio, interest receivable
Liability	Credit	Debit	Savings control, overpayment liability, provisions
Equity	Credit	Debit	Capital, opening-balance contra, retained earnings
Income	Credit	Debit	Interest income, fee income, penalty income
Expense	Debit	Credit	Interest on savings, write-offs, provisioning expense

2. Header vs Detail accounts

Usage	Purpose	Can you post to it?
Header	Folder / grouping (for example “Cash and Bank”)	No
Detail	The actual GL account (for example “Cash on Hand — Harare”)	Yes

Only **Detail** accounts appear in journal-entry pickers. If a parent needs children under it, the parent must stay a Header.

3. Automatic vs manual journals

Source	When it posts	Where you see it
Loan / savings / deposit / share products	When you disburse, repay, deposit, withdraw, charge, write off, accrue, and so on	Loan or savings transaction → journal; also **Accounting → Search Journal Entries**
Manual journal	When a user clicks **Save** on **Add Journal Entries**	Search Journal Entries (filter **Manual**)
Frequent posting	When a user posts using a predefined **Accounting Rule**	Same as a manual journal, but constrained to the rule’s accounts
Opening balances	Once, per office and currency, at go-live	Opening-balance contra plus each GL
Provisioning entry	When you create a provisioning run and tick **Create Journal Entries**	Provisioning journals

4. Four accounting rules on products

Set on the **Accounting** step of a loan, savings, fixed deposit, recurring deposit, or share product.

Option in the UI	Meaning	Typical use
None	Portfolio works; **no GL**	Testing, or products you do not want on the books

Option in the UI	Meaning	Typical use
Cash	Income is recognised when cash is received; expenses when cash is paid	Most MFIs and many Mopane tenants
Accrual (periodic)	Interest, fees, and penalties are accrued up to a chosen date (job or **Accounting** → **Accruals**)	When the books must show earned-but-unpaid income
Accrual (upfront)	Accrual journals are posted at **disbursement** for the expected income	Less common; only if finance has chosen this policy

Trainer: for most Mopane CBS tenants, **Cash** is the default teaching mode. Introduce periodic accrual once cash postings are understood.

5. Office, currency, and tenant

- Journals belong to an **office** (branch). Closures are also per office.
- Journals belong to a **currency**. A USD loan does not post to a ZWL cash account.
- Each tenant (for example Million, Intercrest) has its own chart, products, and books. Do not mix tenants.

6. Accounting closures freeze the past

When an office is closed as at a date, **no** journal (automatic or manual) may be posted on or before that date. To backdate, the closure must be deleted first. Closures are a control, not a report.

Part C — Finding Accounting in the web app

Top menu

On the black toolbar, click **Accounting**. That opens the Accounting home page (`#/accounting`).

The **Reports** menu (same toolbar) has a sub-item **Accounting** (`#/reports/accounting`) for Trial Balance, Income Statement, Balance Sheet, and General Ledger.

Accounting home — what each tile does

The home page is two columns of tiles. Users only see tiles their role is allowed to open.

Left column (daily work)

Tile (screen title)	What it is for	Permission
Frequent Postings	Post a recurring journal using a saved rule (cashier-friendly)	`CREATE_JOURNALENTRY`
Add Journal Entries	Free-form debit/credit journal	`CREATE_JOURNALENTRY`
Search Journal Entries	Find, inspect, and reverse journals	`READ_JOURNALENTRY`
Accounts Linked to Financial Activities	Map system activities (cash at teller, opening-balance contra, transfers) to GL accounts	`READ_FINANCIALACTIVITYACCOUNT`
Migrate Opening Balances (Office-wise)	Load starting GL balances at go-live	`READ_JOURNALENTRY` to open; `DEFINEOPENINGBALANCE_JOURNALENTRY` to save

Right column (setup and period-end)

Tile (screen title)	What it is for	Permission
Chart of Accounts	Create and maintain GL accounts	`READ_GLACCOUNT`
Closing Entries	Freeze journals up to a date, per office	`READ_GLCLOSURE`
Accounting Rules	Templates used by Frequent Postings	`READ_ACCOUNTINGRULE`
Accruals	Run periodic accruals up to a date	`EXECUTE_PERIODICACCRUALACCOUNTING`
Provisioning Entries	Create and review loan-loss provisioning runs	`VIEW_PROVISIONING_ENTRIES`

Shortcuts on the left navigation

The left rail also has **Frequent Postings**, **Add Journal Entries**, **Closing Entries**, and **Chart of Accounts**. Same screens, fewer clicks.

Breadcrumbs

Every Accounting screen starts with **Accounting** in the breadcrumb. Use it to return to the home page.

Part D — Session 1: Orientation (45 minutes)

Objective

Trainees can open Accounting, name the ten tiles, and explain automatic vs manual posting.

Demo script

1. Log in to the training tenant.
2. Point at **Accounting** on the top bar. Click it.
3. Walk the ten tiles once, in the order above. Do **not** create anything yet.
4. Open **Reports** → **Accounting**. Show that financial statements live here, not on the Accounting home page.
5. Open a known loan (or create one later in Session 3). On the loan transactions table, explain that each money movement can have a related journal.

Talking points

- If a tile is missing, it is a **permission** issue, not a broken system. Raise it with the administrator.
- Search Journal Entries is the accountant's main investigation screen.
- Chart of Accounts is setup; Frequent Postings is daily work. Do not mix those conversations.

Exercise (5 minutes)

Ask each trainee: "Name two tiles you would use every day, and two you would use only at month-end." Expected daily: Frequent Postings, Add Journal Entries, Search Journal Entries. Expected period-end: Accruals, Provisioning Entries, Closing Entries, Reports.

Part E — Session 2: Chart of Accounts and go-live setup (60 minutes)

Trainer: this session is mandatory before any live lending with accounting enabled. Official Mifos X setup order is the same as Mopane CBS:

1. Create the Chart of Accounts.
2. Map the **Opening Balance Transfer Contra** under Accounts Linked to Financial Activities.
3. Migrate opening balances (office by office, currency by currency).
4. Map products (Session 3).

Do not enable accounting on products, and do not post journals, **before** opening balances are in — the system will refuse opening balances once accounting-enabled products already have accounts.

E1. Chart of Accounts

Path: Accounting → **Chart of Accounts**

List view vs Tree view

- **List view** (default): table of Account, GL Code, Account type, Disabled?, Manual entries allowed, Used as (Header/Detail). Filter box: *Filter by Account / GL Code / Account type*.
- **Tree view** (blue button, top right): hierarchy. Click a node to see GL code, type, usage, manual-entries flag, and description.

Click a row to open the account detail page.

Create a GL account

Path: Chart of Accounts → **Add Account**

Field	Required?	How to fill it
Account Type	Yes	Asset, Liability, Equity, Income, or Expense
Parent	No	The Header this account sits under. Parent must be the same type.
GL Code	Yes	Unique code (for example `1110`, `4100`). Agree a numbering scheme before training.
Account name	Yes	Short name as it should appear on statements
Account Usage	Yes	**Header** or **Detail**
Tag	No	Optional classification (Cash, Bank, Portfolio). Tags are maintained under **Admin → System → Manage Codes** (`AssetAccountTags`, `LiabilityAccountTags`, `EquityAccountTags`, `IncomeAccountTags`, `ExpenseAccountTags`).
Manual entries allowed	—	Tick if accountants may post to this account by hand. **Untick** for control accounts that should only be posted by the system (loan portfolio, savings control).
Description	No	What the account is for

Rules to teach:

- Build **all Headers for a type first**, then Detail accounts under them. Repeat for Asset, Liability, Equity, Income, Expense.
- You cannot create a child under a Detail account. If you need a child, the parent must be a Header.
- Do not reuse GL codes. Codes are unique.

- Disable an account instead of deleting it once it has history.

Edit, disable, enable, delete, add child

On the account detail page:

Button	Use
Add Child Account	Only on Header accounts
Disable / Enable	Stops or resumes new use of the account
Edit	Change name, parent, tag, manual-entries flag, description (use care if already mapped)
Delete	Only if unused. Confirm in the popup.

Suggested skeleton chart (for the demo tenant)

Keep this small so the demo stays readable. Adapt codes to the institution's real chart.

Type	Header	Detail examples
Asset	Cash and Bank	Cash on Hand; Bank — Current; Cash at Teller
Asset	Loan Portfolio	Gross Loan Portfolio
Asset	Receivables	Interest Receivable; Fees Receivable; Penalties Receivable
Liability	Customer Deposits	Savings Control
Liability	Other Liabilities	Overpayments; Loan Loss Provision
Equity	Capital and Reserves	Opening Balances Contra; Retained Earnings
Income	Lending income	Interest on Loans; Fees; Penalties; Recoveries
Expense	Lending expense	Write-offs; Interest on Savings; Provisioning expense

Exercise: each trainee creates one Header and one Detail under it, then finds it in Tree view.

E2. Accounts Linked to Financial Activities

Path: Accounting → **Accounts Linked to Financial Activities** → **Define New Mapping**

The system needs certain GL accounts for **internal** movements (not product mappings). Each financial activity maps to **one** GL account of the correct type.

Financial activity	Must map to	When it is used
Opening Balances Transfer Contra	Equity	Contra side of opening-balance journals. **Required before migrating opening balances.**
Cash at Main Vault	Asset	Teller / vault cash movements
Cash at Teller	Asset	Teller cash
Asset Transfer	Asset	Loan-to-loan and similar asset transfers
Liability Transfer	Liability	Account transfers involving liability accounts (for example savings-funded disbursement)
Fund Source	Asset	Default funding source in some transfer flows
Payable Dividends	Liability	Share-product dividend payables

Demo: map **Opening Balances Transfer Contra** to the Equity account created above. Click **Save**.

Trainer: if opening balances fail with a missing contra account, this mapping is the usual cause.

E3. Migrate Opening Balances (Office-wise)

Path: Accounting → **Migrate Opening Balances (Office-wise)**

Use this **once per office and currency** when moving from a previous ledger (or from zero) onto Mopane CBS.

Steps

1. Select **Office** and **Currency**.
2. Click **Search Data**.
3. Confirm the **Opening balances contra account** shown is the Equity account you mapped.
4. Enter **Date of opening balances**.
5. For each Detail GL, enter either a **Debit** or a **Credit** (not both on the same line).
6. Watch the running totals in the column headings. **Total debits must equal total credits.** The contra account absorbs the balancing figure when you submit.
7. Click **Save** (`DEFINEOPENINGBALANCE_JOURNALENTRY`).

Hard rules (teach these)

- Opening balances must be set **before** any other journals, and **before** accounting-enabled loan or savings products have live accounts.
- Repeat the screen for each office and each currency (USD separately from ZWL).
- Do not treat this as a monthly recast. After go-live, use normal journals and period close.

Exercise (on demo tenant only): load a tiny trial — Cash 10,000 debit, Opening Contra 10,000 credit — and then Search Journal Entries for that date.

E4. Bulk import (optional, admins)

For a large chart, use **Admin** → **Organisation** → **Bulk Import**:

- **Import Chart of Accounts** — download the Excel template, fill, upload, refresh the import grid.
- **Import Journal Entries** — same pattern for a batch of manuals.

There is also a Mopane-side workbook at `docs/templates/CBS_Accounting_Import_Template.xlsx` for structured GL loading. Prefer the in-app template when importing through the UI so column names match what the server expects.

E5. Payment types (do this before product mappings)

Path: Admin → Organisation → **Manage Payment Types** (`#/viewpaymenttype/`)

Payment types are the channels money can arrive or leave on: Cash, Cheque, Bank transfer, EcoCash, OneMoney, Payroll / SSB deduction.

Field	Notes
Payment type name	What the teller picks on a repayment, deposit or journal
Description	Optional
Is cash payment	Tick for physical cash. Cash and teller reports rely on this flag.
Position	Order in the dropdown

Do this **before** Session 3. The product-level **fund source for payment channel** mapping lists exactly these payment types. If they do not exist, every channel posts to the product's single default fund source, and separating bank from cash becomes a manual reconciliation each month.

Part F — Session 3: Product accounting and automatic journals (75 minutes)

This is the heart of the course. If products are mapped correctly, most of the GL looks after itself.

Path for loans: Admin → Products → **Loan Products** → create or edit → wizard step **Accounting**

The same **Accounting** step exists on Savings, Fixed Deposit, Recurring Deposit, and Share products.

F1. Loan product — Accounting step

Four radio buttons: **None**, **Cash**, **Accrual (periodic)**, **Accrual (upfront)**.

When anything other than None is selected, mapping dropdowns appear.

Asset mappings (all enabled modes)

UI label	Typical GL	What it does
Fund source	Bank or Cash	Credited on disbursement; debited on repayment (cash in)
Loan portfolio	Gross loans	Debited on disbursement; credited when principal is repaid or written off
Transfers in suspense	Suspense asset	Used while a loan is in transfer between offices
Receivable interest	Interest receivable	**Accrual only** — holds accrued interest until paid
Receivable fees	Fees receivable	**Accrual only**
Receivable penalties	Penalties receivable	**Accrual only**

Income mappings

UI label	Typical GL	What it does
Income from interest	Interest income	Credited when interest is recognised (on cash receipt, or on accrual then reversed into cash on payment)
Income from fees	Fee income	Credited when fees are recognised
Income from penalties	Penalty income	Credited when penalties are recognised
Recovery payments	Recovery income	Credited on recovery of a written-off loan

Expense and liability

UI label	Typical GL	What it does
Losses written off	Write-off expense	Debited on principal write-off (accrual also writes off interest/fees/penalties through this account)
Over payment liability	Overpayments	Credited when the client pays more than is due; debited when you refund

Advanced accounting rules (click to expand)

Use these when one product needs **exceptions**:

1. **Configure fund sources for payment channels** — Payment type (Cash, Cheque, EcoCash, Bank transfer) → a specific asset account. Example: Cheque repayments debit **Bank**, cash repayments debit **Cash on Hand**.

2. **Map fees to income accounts** — a named fee (arrangement fee, insurance) to its own income (or liability) account instead of the product default.
3. **Map penalties to specific income accounts** — same idea for penalties.

Trainer demo: map a simple cash loan product. Hover the **?** icons — the UI tooltips are accurate and worth reading aloud.

F2. Worked example — cash accounting, USD 1,000 loan

Assume:

- Fund source = Bank 1120
- Loan portfolio = 1210
- Income from interest = 4100
- Income from fees = 4200
- Losses written off = 5100
- Overpayment liability = 2300

Disbursement of 1,000

Debit	Credit
Loan portfolio 1,000	Bank 1,000

Repayment of 120 (100 principal + 20 interest)

Debit	Credit
Bank 120	Loan portfolio 100
	Interest income 20

Fee of 15 paid with the repayment (total cash 135)

Debit	Credit
Bank 135	Loan portfolio 100
	Interest income 20
	Fee income 15

Write-off of remaining principal 900

Debit	Credit
Write-off expense 900	Loan portfolio 900

Recovery of 50 after write-off

Debit	Credit
Bank 50	Recovery income 50

Overpayment of 30 on a fully paid loan

The extra 30 credits **Over payment liability**. A later refund debits that liability and credits Bank.

F3. Mopane-specific: capitalised fees

Mopane CBS can add a **capitalised fee** that increases loan principal instead of being collected as a separate charge.

Cash journals for a capitalised fee:

Debit	Credit
Loan portfolio (fee amount)	Income from fees (fee amount)

There is no cash movement at that moment. Principal (and therefore the schedule) goes up; fee income is recognised immediately under cash accounting.

Trainer: if trainees ask why a fee appears on the loan but not as “Fees Charged” cash, this is why. Look for a **Capitalised fee** transaction, then Search Journal Entries by that transaction.

F3b. Other Mopane-specific behaviour finance should know

Feature	What accounting sees	Where to look
Capitalised fee	A distinct **Capitalised fee** loan transaction (type 21). Journal: **Dr Loan portfolio / Cr Income from fees**, under both cash and accrual. No cash moves.	Loan → transactions; then Search Journal Entries by that transaction ID
SSB / Pensions RES import	When the bureau response is SUCCESS and the loan is Approved, the loan **auto-disburses** (config `ssb-res-auto-disburse`). That disbursement posts the normal journal: Dr Loan portfolio / Cr Fund source.	Reports → SSB/Pensions RES import batches; then the loan's disbursement journals
SSB / Pensions PAY import	Imported repayments post as ordinary loan repayments, with their normal journals. Rows in *Needs Review* post **nothing** until approved.	PAY import batch → review queue
Office short codes	Every office carries a mandatory short code that prefixes client and account numbers. It does not change any journal, but it is how you tell at a glance which branch an account belongs to.	Admin → Organisation → Manage Offices
Dashboard aging	The Mopane dashboard ages portfolio on **overdue principal**. It will not agree line-for-line with a provisioning run that uses different buckets.	Dashboard vs Provisioning Criteria

Trainer: the point to land here is that Mopane additions change *how a transaction is created* (import, auto-disburse, capitalise), not *how the GL works*. Once the transaction exists, the standard product mapping decides the journal.

F4. Accrual (periodic) — extra journals

Same disbursement as cash (portfolio vs fund source).

When you run accruals (Session 5), for interest earned but not yet paid:

Debit	Credit
Interest receivable	Interest income

When the client later pays that interest:

Debit	Credit
Bank	Interest receivable

Income was already recognised; cash now clears the receivable. Fees and penalties follow the same pattern with Fees Receivable / Penalties Receivable.

Accrual (upfront) posts those receivable/income journals at **disbursement** for the expected amounts, then adjusts as the loan runs. Only use this if finance policy requires it.

F5. Savings product — Accounting step

Path: Admin → Products → **Savings Products** → Accounting

Savings products typically offer **None** or **Cash**.

UI label	Type	What it does
Saving reference	Asset (cash/bank)	Debited on deposit; credited on withdrawal
Overdraft portfolio control	Asset	Increases when the client draws an overdraft
Saving control	Liability	The customer deposit book: credited on deposit, debited on withdrawal
Savings transfers in suspense	Liability	Transfers in progress
Escheat liability	Liability	Unclaimed dormant funds (only if dormancy tracking is on)
Interest on savings	Expense	Debited when interest is posted to the client
Write off	Expense	Overdraft write-off
Income from fees / penalties / overdraft interest	Income	Charged to the saver

Deposit 200 cash:

Debit	Credit
Savings reference (cash) 200	Savings control 200

Withdrawal 50: opposite. **Interest posting 5:** debit Interest on savings, credit Savings control.

Fixed deposit and recurring deposit products use the same cash pattern. Share products (if used) map **Shares reference**, **Shares suspense**, **Income from fees**, and **Shares equity**.

F6. Seeing automatic journals in the UI

1. Open the **loan account**.
2. On a transaction row, open the action that views **journal entries** (the app routes to **View Transaction**, `#/viewtransactions/{id}`).
3. You should see: - Banner: *These journal entries were created by the portfolio transaction…* - Office, transaction date, created by / on - Lines: Entry ID, Type (Asset/Income/…), Account (name and GL code), Debit, Credit
4. Click a line for payment details, reference, comments.

5. **Reverse** is offered only for **manual** journals. To undo a loan repayment, reverse the **loan transaction**, and the system reverses the journals.

Also: Accounting → **Search Journal Entries** → filter by date and office → click the **Transaction ID**. Automatic and manual journals share this screen.

Demo script for Session 3 (do this live)

1. Show a loan product's Accounting step. Point at Fund source and Loan portfolio.
2. Disburse a small test loan. Open the disbursement journals. Tick: debit portfolio, credit bank.
3. Post a repayment. Open journals. Tick: debit bank, credit portfolio and interest.
4. Search Journal Entries for today. Show both transactions under different transaction IDs.
5. Optional: show a savings deposit journal.

Exercise

In pairs: predict the journals for "disburse 500, repay 80 of which 70 is principal and 10 is interest." Then do it and compare.

Part G — Session 4: Manual journals, rules, frequent postings, teller cash (60 minutes)

G1. Add Journal Entries

Path: Accounting → **Add Journal Entries** (or left nav)

Use this for anything that is not generated by a product: office rent, salaries, bank charges, petty cash, suspense clearing, year-end adjustments.

Fields

Field	Required	Notes
Office	Yes	Branch the entry belongs to
Currency	Yes	Must match the accounts' currency context
Debit account + amount	Yes	Green **+** adds another debit line
Credit account + amount	Yes	Green **+** adds another credit line
Reference number	No	Cheque number, invoice number, batch ID — encourage a standard
Transaction date	Yes	Cannot be after today; cannot fall on a closed period
Show Payment Details	No	Payment type, account number, cheque, routing code, receipt, bank number
Comments	No	Always write *why*

Only **Detail** accounts with **Manual entries allowed** appear in the lists.

Compound entries

Debits and credits may be many-to-one or many-to-many. Example: pay rent 800 and electricity 200 from bank 1,000 — two debits, one credit.

Click **Save**. The next screen is **View Transaction** with the new transaction number.

Reverse a manual journal

On View Transaction, if it is a manual entry and not already reversed, **Reverse** (`REVERSE_JOURNALENTRY`) asks for comments and posts a reversing journal. The original is marked reversed. You cannot reverse a reversal.

Trainer: never "fix" a bad manual by posting an opposite journal without reversing. Reverse, then post the correct one. Audit trail stays clean.

G2. Accounting Rules

Path: Accounting → **Accounting Rules** → **Add Rule**

A rule is a **template**: which accounts (or tagged lists of accounts) may be debited and credited. Frequent Postings uses rules so non-accountants cannot pick arbitrary GLs.

Fields

Field	Meaning
Accounting rule name	For example `Pay office rent`, `Cash to bank`, `Petty cash replenish`
Office	Scope of the rule

Field	Meaning
Description	Shown to the person posting
Debit rule type	**Fixed** = one account, or **List** = accounts that have selected **tags**
Credit rule type	Same
Allow multiple debit / credit entries	When using tags, allow more than one line

Demo: create `Cash to bank` — debit Bank (fixed), credit Cash on Hand (fixed).

G3. Frequent Postings

Path: Accounting → **Frequent Postings**

This is the same journal engine as Add Journal Entries, but:

1. Choose **Office**.
2. Choose an **Accounting rule**.
3. Choose **Currency**.
4. The debit and credit account lists shrink to what the rule allows.
5. Enter amounts, date, optional payment details and comments.
6. **Save**.

Trainer: this is the screen cashiers and branch accountants should use for repeating entries. Keep rules tight.

G4. Search Journal Entries

Path: Accounting → **Search Journal Entries**

Filters

- Account name or GL code
- Office
- Manual only vs all
- From date / To date
- Transaction ID

Click **Search**. Columns: Entry ID, Office, Transaction date, Transaction ID, Type, Created by, Account, Debit, Credit.

Click any cell to open the full transaction. Use this to answer: “Why is Bank 1120 short today?”

Exercise: post a two-line rent journal, search by account, reverse it, search again and show the reversing pair.

G5. Teller and cashier cash management (branch cash control)

Path: Admin → Organisation → **Tellers / Cashiers** (`#/tellers`)

Mopane CBS can track physical branch cash — vault versus each cashier's drawer — and posts the movement to the GL automatically.

Setup (once per branch)

1. **Accounting** → **Accounts Linked to Financial Activities** — map **Cash at Main Vault** and **Cash at Teller** to asset GL accounts. **Both** are required; if either is missing, allocation and settlement fail with a "financial activity account not found" error.
2. **Admin** → **Organisation** → **Tellers** → **Create Teller** — name, office, description, valid-from / valid-to, status.

3. Open the teller → **Cashiers** → **Create Cashier —** pick the staff member and the period they hold the drawer.

Daily use

Action	Where	Permission	Journal posted
Allocate Cash to a cashier	Teller → Cashiers → cashier → Allocate Cash	`ALLOCATECASHIER_TELLER`	Dr **Cash at Teller** / Cr **Cash at Main Vault**
Settle Cash from a cashier	same screen → Settle Cash	`SETTLECASHFROMCASHIER_TELLER`	Dr **Cash at Main Vault** / Cr **Cash at Teller**
Transactions	Teller → Cashiers → cashier → Transactions (per currency)	`READ_TELLER`	View only

Teach these points:

- Allocation and settlement journals are **system entries, not manual entries**. They carry no **Reverse** button. Fix a mistake with an opposite allocate/settle and write the reason in the note field.
- Cashier transactions are **per currency**. USD and ZWL are separate running balances on separate screens.
- End of day: settle the cashier back to the vault, then agree **Cash at Teller** to zero (or to the agreed float) before anyone goes home.

Daily Teller Cash Report

Path: Reports → **Daily Teller Cash Report** (a Mopane addition, Pentaho, backed by the `CashierTransactionSummary` procedure)

Run it by office, teller, cashier, currency and date. Use it as the cash-up sheet before settling, not after.

Part H — Session 5: Accruals, provisioning, closures (45 minutes)

H1. Periodic accruals

Path: Accounting → **Accruals**

Screen title: **Execute Periodic Accrual Accounting**. One field: **Accrue till** date. Button: **Run Periodic Accruals**.

This only affects loans whose product is **Accrual (periodic)**. It posts interest / fee / penalty accruals up to that date.

Also scheduled under **Admin** → **System** → **Scheduler Jobs**:

Job	Role
Add Accrual Transactions	Accrual processing
Add Periodic Accrual Transactions	Daily periodic accruals (typically shortly after midnight)
Add Accrual Transactions For Loans With Income Posted As Transactions	Loans that post income as transactions
Update Accounting Running Balances	Keeps GL running balances current for reports

Trainer: if the institution uses **Cash** products only, say so clearly and skip running accruals on the demo — or show one accrual product so they recognise the screen.

After a run: Search Journal Entries for the date; filter the receivable accounts. On the loan, tick **Accrual** on the transactions filter to see accrual rows.

H2. Loan-loss provisioning

Two stages.

Stage 1 — Criteria (setup, once)

Path: Admin → Organisation → **Provisioning Criteria**

For each arrears bucket (provisioning category):

- Minimum age / maximum age in **days** overdue
- Provisioning **percentage**
- **Liability account** (Loan Loss Provision)
- **Expense account** (Provisioning expense)
- Which **loan products** the criteria apply to

Align buckets with the institution's policy and, where relevant, RBZ expectations.

Stage 2 — Entries (usually month-end)

Path: Accounting → **Provisioning Entries** → **Create Provisioning Entry**

1. Choose the **date**.
2. Optionally tick **Create Journal Entries** (debit expense, credit provision liability).
3. **Save**.

On the list you can **View** the calculated report, **Recreate** (only if journals were not yet created), or **View journals** once they exist.

A scheduler job **Generate Loan Loss Provisioning** can automate the calculation; journals still need a controlled month-end process.

H3. Closing Entries

Path: Accounting → **Closing Entries** → **Create Closure**

Field	Notes
Office	One closure per office. The form shows **Previously closed on** when you pick the office.
Closing date	Last date included in the closed period
Comments	For example “August 2026 month-end”

After close, any journal (including a loan repayment) dated on or before that date fails with an accounting-closed error.

To backdate: Closing Entries → open the closure → **Delete** → confirm → post the backdated transaction → **recreate the closure**. Deleting a closure is a controlled exception, not a habit.

Trainer policy suggestion: only Head Office finance may delete closures; branches request it.

Exercise: create a closure dated yesterday on the demo office, try a journal dated yesterday (should fail), delete the closure, retry (should succeed). **Do not leave the demo office closed.**

Part I — Session 6: Reports, month-end, troubleshooting (45 minutes)

I1. Accounting reports

Path: Reports → **Accounting** (`#/reports/accounting`)

Four reports are registered in the **Accounting** category. All four are **Pentaho** reports, so the Pentaho reporting plugin and the `.prpt` files must be installed on the server. If a report opens but returns an error or a blank page, that is an IT/server issue, not a data issue.

Report name (exactly as listed)	Parameters	Use
Trial Balance	Office, from / to date	Debits and credits by GL for a period; must balance
Income Statement	Office, from / to date	Profit and loss (income and expense)
Balance Sheet	Office, as-at date	Assets, liabilities, equity at a point in time
GeneralLedgerReport	Office, **GL account** (or ALL), from / to date	Movements and running balance on selected accounts

Open a report, fill office / dates / account / output format (HTML, PDF, Excel, CSV), then run it.

Trial Balance is the control report. If it does not balance, stop and investigate before closing the period.

Operational reports finance also needs

These sit under other **Reports** categories, not under Accounting:

Report	Category	Why finance wants it
Daily Teller Cash Report	Mopane addition	Cash-up per teller and cashier before settlement
All Loans	Loan (Mopane addition)	Every loan including closed, written-off and rejected — reconciles portfolio movement, unlike *Active Loans - Details*
Written-Off Loans	Loan	Agrees write-off expense to the portfolio
Portfolio at Risk / Aging	Loan	Feeds provisioning percentages
Collection and disbursal reports	Loan / Client	Ties cash movement to portfolio activity

RBZ Form MFI-1 and the **SSB / Pensions** screens are Mopane-specific regulatory and payroll items under **Reports**. They read the portfolio; they are not the general ledger and they do not post journals.

Exercise: run Trial Balance for the demo office for today. Confirm the Session 3 loan appears on portfolio, bank, and interest income.

I2. Recommended operating rhythm

Daily (branch)

1. Post teller and cash movements with **Frequent Postings** (or Add Journal Entries if no rule exists).
2. Complete all loan disbursements, repayments, savings deposits and withdrawals — journals follow automatically.
3. **Search Journal Entries** for the branch and today's date. Investigate anything unexpected.
4. If using tellers, reconcile **Cash at Teller** to physical cash.

Month-end (finance)

1. Confirm all portfolio transactions for the month are posted (no pending collection sheets).
2. If using accrual products: **Accruals** with **Accrue till** = last day of the month (or rely on the scheduler, then spot-check).
3. **Provisioning Entries** as at month-end; create journals if policy requires.
4. Post remaining manuals (accrued expenses, bank charges, depreciation if used).
5. Run **Trial Balance**, **Income Statement**, **Balance Sheet**, **General Ledger**.
6. Investigate unbalances, suspense, and unusual income.
7. **Closing Entries** for each office as at month-end.
8. Archive PDF statements.

Year-end

- Same as month-end, with extra care on income/expense close to retained earnings if you post that manually.
- Do not “re-migrate opening balances” for a new year. Opening balances are a go-live tool.

I3. Troubleshooting

Symptom	Likely cause	What to do
Loan disbursed but GL did not move	Product Accounting = **None**, or mappings blank	Edit the **product** (future loans). Existing loans follow the product they were created with.
“Accounting is closed as of …”	Office has a closing entry on or after that date	Delete the closure (authorised user), post, recreate closure
Cannot save opening balances	Journals already exist, or accounting-enabled products already have accounts, or contra mapping missing	Use a fresh demo office, or complete mapping first
Debits ≠ credits on a manual journal	Amounts do not match; extra line not removed	Fix amounts; the server rejects unbalanced entries
Account missing from journal dropdown	Header account, disabled, or **Manual entries allowed** is off	Use a Detail account; enable manual entries if appropriate
Tile missing on Accounting home	Role lacks permission	Admin → Users → Roles; grant the codes in the appendix
Wrong bank account on EcoCash vs cash	Advanced **payment channel** mapping not set	Map payment types on the product
Accrual ran but no journals	Products are Cash, or accrue-till date has no unaccrued income	Check product rule; check loan schedule
Trial Balance off by currency	Mixed USD and ZWL in one mental total	Always filter by currency
Capitalised fee not in “Fees Charged”	Mopane posts **Capitalised fee**, not a cash fee	Inspect that transaction’s journals: Dr Portfolio, Cr Fee income
Allocate / Settle Cash button fails	**Cash at Main Vault** or **Cash at Teller** financial activity not mapped	Map both under Accounts Linked to Financial Activities
Teller allocation posted to the wrong cashier, no Reverse button	Teller journals are system entries, not manual	Post the opposite allocate/settle with a note; do not hand-journal around it

Symptom	Likely cause	What to do
Accounting report errors or returns a blank page	Pentaho plugin or `.prpt` file missing on the server	Raise with IT — not a data problem
Journal saved but “pending approval”, GL unchanged	Maker-checker is enabled on that permission	A checker must approve it under Admin → System → Audit Trails

I4. Permissions (for administrators)

Grant via **Admin** → **Users** → **Roles**. Accounting tiles hide when the user lacks the read/create permission.

Typical branch accountant

- `READ_GLACCOUNT`, `READ_JOURNALENTRY`, `CREATE_JOURNALENTRY`, `REVERSE_JOURNALENTRY`
- `READ_ACCOUNTINGRULE`
- `READ_GLCLOSURE` (create/delete only if policy allows)
- Report reads: `READ_Trial Balance`, `READ_Income Statement`, `READ_Balance Sheet`, `READ_REPORT`

Typical Head Office finance / GL admin — all of the above, plus:

- `CREATE_GLACCOUNT`, `UPDATE_GLACCOUNT`, `DELETE_GLACCOUNT`
- `CREATE_ACCOUNTINGRULE`, `UPDATE_ACCOUNTINGRULE`, `DELETE_ACCOUNTINGRULE`
- `CREATE_GLCLOSURE`, `DELETE_GLCLOSURE`
- `CREATE_FINANCIALACTIVITYACCOUNT`, `READ_FINANCIALACTIVITYACCOUNT`
- `DEFINEOPENINGBALANCE_JOURNALENTRY`
- `EXECUTE_PERIODICACCRUALACCOUNTING`
- Provisioning: `CREATE_PROVISIONING_CRITERIA`, `VIEW_PROVISIONING_ENTRIES`, `CREATE_PROVISIONING_ENTRIES`
- `UPDATERUNNINGBALANCE_JOURNALENTRY` if they run the running-balance job

Maker-checker can be enabled on several of these codes. If a journal sits in **Tasks**, a checker must approve it before it hits the GL.

I5. Maker-checker and the audit trail

Maker-checker (four eyes)

Path: Admin → System → **Configure Maker Checker Tasks** (`#/makerchecker`)

Choose a grouping (for example Accounting or Portfolio) and tick the permissions that must be checked. Once a permission is under maker-checker:

1. The maker saves as normal and gets a *pending approval* result.
2. **Nothing reaches the GL yet.**
3. A checker reviews and **Approves** or **Rejects**.

Worth enabling at most institutions: `CREATE_JOURNALENTRY`, `REVERSE_JOURNALENTRY`, `DELETE_GLCLOSURE`, `DEFINEOPENINGBALANCE_JOURNALENTRY`.

The checker needs the matching checker permission, and no one can check their own entry. Tell trainees this explicitly — otherwise the first reaction to a pending journal is "the system did not save it".

Audit trails

Path: Admin → System → **Audit Trails** (`#/audit`)

Filter by user, action, entity, resource ID and date. Every accounting command — create journal, reverse, create or delete a closure, GL account changes — is recorded with the exact payload that was submitted. This is the screen that answers "who posted this, when, and what did they send".

Part J — Demo data cheat-sheet (print for the trainer)

Prepare **before** the room sits down:

1. Demo office: **Training Branch**.
2. Currency: **USD** (add ZWL only if you will demo multi-currency).
3. Chart: the skeleton in E1.
4. Financial activity: Opening Balances Transfer Contra mapped.
5. Optional tiny opening balance so Trial Balance is not empty.
6. Loan product **Training Micro Loan — Cash** fully mapped.
7. Client **Jane Demo** with a savings account (if you will show deposits) and a loan ready to approve/disburse.
8. Accounting rule **Cash to bank**.
9. One user with accountant permissions and one with only Frequent Postings + Search (to show role difference).
10. Confirm **no** accidental GL closure on Training Branch.

If the tenant is production-like, clone or use a dedicated training tenant. Never close a real office or reverse live journals in a training session.

Part K — Suggested exercises (handout)

Exercise 1 — Chart Create Header `4xxx Income` and Detail `4105 Training Interest`. Find it in Tree view. Disable it, then enable it.

Exercise 2 — Manual journal Office rent 350: Dr Rent expense, Cr Bank. Add reference `RENT-SEP`. Find it by Search. Reverse it with comment `Posted to wrong month`.

Exercise 3 — Loan lifecycle Approve and disburse 1,000. Repay 110 (100 principal + 10 interest). For each step, write the expected Dr/Cr, then compare with View Transaction.

Exercise 4 — Frequent posting Using the Cash to bank rule, move 500 from Cash on Hand to Bank. Confirm only those two accounts are selectable.

Exercise 5 — Closure Create a closure dated last week. Attempt a journal dated last week. Record the error message. Delete the closure (if allowed) and restore the office to open.

Exercise 6 — Reports Run Trial Balance for Training Branch. Identify the accounts moved in Exercises 2–4.

Part K2 — End-of-course assessment (20 minutes)

Hand this out, collect it, mark it together. Pass mark: 8 out of 12.

Section 1 — Short answer

1. A loan is disbursed and nothing appears in the GL. Name the two most likely causes.
2. Which account usage — Header or Detail — can be selected on Add Journal Entries, and why?
3. What must be mapped before opening balances can be migrated?
4. You need to post a repayment dated 28 August, but August is closed. What is the correct sequence?
5. Under **cash** accounting, when is interest income recognised?
6. Under **accrual (periodic)** accounting, which two accounts move when the client finally pays accrued interest?

Section 2 — Write the journal (Dr / Cr and amount)

1. Disburse USD 2,000 by bank transfer.
2. Repay USD 240 — USD 200 principal, USD 40 interest — in cash.
3. Write off remaining principal of USD 1,500.
4. Client deposits USD 300 into a savings account.
5. Allocate USD 5,000 from the vault to a cashier.
6. A capitalised fee of USD 50 is applied at disbursement.

Answer key (trainer copy)

1. Product accounting set to **None**, or the GL mappings on the product are blank. (Also accept: the loan was created under an older product version with no mapping.)
2. **Detail** only, and only when *Manual entries allowed* is ticked. Headers are groupings and cannot be posted to.
3. The **Opening Balances Transfer Contra** financial activity, mapped to an equity account.
4. Delete the August closure (authorised user) → post the repayment → recreate the closure.
5. When the cash is received.
6. Dr **Fund source** (bank/cash), Cr **Interest receivable**. Income was already recognised at accrual.
7. Dr Loan portfolio 2,000 / Cr Fund source — bank 2,000.
8. Dr Fund source — cash 240 / Cr Loan portfolio 200, Cr Income from interest 40.
9. Dr Losses written off 1,500 / Cr Loan portfolio 1,500.
10. Dr Savings reference 300 / Cr Savings control 300.
11. Dr Cash at Teller 5,000 / Cr Cash at Main Vault 5,000.
12. Dr Loan portfolio 50 / Cr Income from fees 50. No cash movement.

Part K3 — Attendance and competency sign-off

Copy one row per trainee. Keep the signed sheet with the institution's training records.

Trainee name	Role / branch	Sessions attended (1–6)	Assessment score	Competent to post journals?	Trainee signature	Trainer signature	Date
				Yes / Not yet			
				Yes / Not yet			
				Yes / Not yet			

Access recommendation to record per trainee (tick one):

- ☐ Read-only — Search Journal Entries and reports
- ☐ Frequent Postings only (rule-constrained)
- ☐ Full manual journals, no reversal
- ☐ Full manual journals plus reversal
- ☐ GL administrator (chart, mappings, closures, opening balances)

Part L — Glossary

Term	Meaning in Mopane CBS
GL / Chart of Accounts	The list of Header and Detail accounts the books use
Journal entry	One balanced set of debit and credit lines sharing a transaction ID
Transaction ID	Identifier that groups all lines of one event (one disbursement, one manual, one reversal)
Fund source	Asset account representing the money that leaves or arrives (bank, cash, mobile money)
Loan portfolio	Asset account for outstanding principal
Savings control	Liability account for customer deposit balances
Accounting rule (product)	None / Cash / Accrual periodic / Accrual upfront on the product
Accounting rule (posting template)	Saved debit/credit pattern used by Frequent Postings
Closure	Freeze of an office's books up to a date
Accrual	Recognising income or expense before cash moves
Provisioning	Booking expected loan losses from arrears buckets
Running balance	Balance stored on journal lines for reporting; updated by the running-balance job
Tenant	Separate institution database behind a hostname
Manual entries allowed	Whether users may pick this GL on Add Journal Entries
Teller / Cashier	Branch cash desk and the staff member holding the drawer; allocations and settlements post GL journals automatically
Maker-checker	Four-eyes control — the maker's entry waits for a checker before it reaches the GL
Payment type	The channel a transaction arrived on (cash, cheque, EcoCash), used for channel-specific fund-source mapping
Capitalised fee	A Mopane fee that increases loan principal: Dr Loan portfolio / Cr Income from fees, no cash movement

Part M — Trainer closing checklist

Before you dismiss the class:

- ☐ Every trainee has opened Accounting home and Search Journal Entries.
- ☐ Every trainee has seen one **automatic** loan journal and one **manual** journal.
- ☐ Product mapping (Fund source + Loan portfolio) is understood as the reason automatic posting works.
- ☐ Closures and “accounting closed” errors have been demonstrated.
- ☐ Trial Balance has been run once.
- ☐ Demo closures deleted; demo office left open.
- ☐ This document is shared (PDF or internal wiki). Point trainees at Parts B–I for day-to-day use and Part K2 for self-testing.
- ☐ Agree who may delete closures and who may reverse journals at the institution.

Appendix — Screen map (for IT support)

User-facing title	Route	Main permission
Accounting home	`#/accounting`	(tiles gated individually)
Frequent Postings	`#/freqposting`	`CREATE_JOURNALENTRY`
Add Journal Entries	`#/journalentry`	`CREATE_JOURNALENTRY`
Search Journal Entries	`#/searchtransaction`	`READ_JOURNALENTRY`
View Transaction	`#/viewtransactions/:id`	`READ_JOURNALENTRY` / `REVERSE_JOURNALENTRY`
Accounts Linked to Financial Activities	`#/financialactivityaccountmappings`	`READ_FINANCIALACTIVITYACCOUNT`
Migrate Opening Balances	`#/openingbalances`	`DEFINEOPENINGBALANCE_JOURNALENTRY`
Chart of Accounts	`#/accounting_coa`	`READ_GLACCOUNT`
Create GL Account	`#/createglaccount`	`CREATE_GLACCOUNT`
Closing Entries	`#/accounts_closure`	`READ_GLCLOSURE`
Create Closure	`#/createclosure`	`CREATE_GLCLOSURE`
Accounting Rules	`#/accounting_rules`	`READ_ACCOUNTINGRULE`
Accruals	`#/run_periodic_accrual`	`EXECUTE_PERIODICACCRUALACCOUNTING`
Provisioning Entries	`#/viewprovisioningentries`	`VIEW_PROVISIONING_ENTRIES`
Provisioning Criteria	`#/viewallprovisionings`	Organisation menu
Accounting reports	`#/reports/accounting`	`READ_REPORT`
Bulk import COA	`#/bulkimportcoa`	Bulk import permissions
Bulk import journals	`#/bulkimportjournalentries`	Bulk import permissions
Tellers / Cashiers	`#/tellers`	`READ_TELLER`
Allocate / Settle cashier cash	`#/tellers/:tellerId/cashiers/:cashierId/actions/:action`	`ALLOCATECASHIER_TELLER` / `SETTLECASHFROMCASHIER_TELLER`
Cashier transactions	`#/tellers/:tellerId/cashiers/:cashierId/txns/:currencyCode`	`READ_TELLER`
Manage Payment Types	`#/viewpaymenttype/`	`READ_PAYMENTTYPE`
Configure Maker Checker Tasks	`#/makerchecker`	`READ_PERMISSION` / `PERMISSIONS_ROLE`
Audit Trails	`#/audit`	`READ_AUDIT`
Currency configuration	`#/currencyconfig`	`READ_CURRENCY`

References (for trainers who want the upstream manuals)

Mopane CBS accounting behaviour follows Mifos X / Apache Fineract 17.07. Official user-manual pages that match these screens:

- Accounting (setup overview)
- Chart of Accounts
- Opening balances
- Add Journal Entries
- Frequent Postings
- Closing Entries
- Accruals
- Loan products — Accounting
- Accounts linked to Financial Activities
- Accounting Rules
- Accounting operations (web app)

The upstream setup order is the same one taught in Part E: chart of accounts → map the opening-balance contra → migrate opening balances office by office → map products.

Where Mopane differs (capitalised fees, teller cash reports, multi-tenant hostnames, office short codes, RBZ / SSB features), this guide takes precedence.

Verification note. Every screen route, field label, permission code and journal direction in this guide was checked against this repository — the `mopane-cbs-ui` accounting views and controllers, and the Fineract 17.07.01 accounting processors (`CashBasedAccountingProcessorForLoan`, `AccrualBasedAccountingProcessorForLoan`, `TellerWritePlatformServiceJpaImpl`) — not taken from generic Mifos documentation.

Mopane CBS Accounting Module — Training Guide. Screen labels taken from mopane-cbs-ui; posting rules taken from the MopaneCbsFineract accounting engine. Share with trainees after the session.