PROTOCOLE OPERATOIRE / OPERATIVE REPORT

Site: Shriners Hospitals for Children Date: 2024-01-30 19:43

Anesthésiste / Anesthetist: Dr. Aisha Patel Chirurgien / Surgeon: Dr. Marie-Claire Dubois

Assistant(s): Dr. resident Emily Clark

Diagnostic préopératoire / Pre-operative diagnosis:

COMPLICATED APPENDICITIS.

Diagnostic postopératoire / Post-operative diagnosis:

COMPLICATED APPENDICITIS.

Opération / Operation:

APPENDECTOMY WITH REMOVAL OF APPENDICOLITH.

Tissu envoyé en pathologie / Tissue sent to pathology: Appendix and abscess wall

Anesthésie / Anesthesia: General endotracheal anesthesia

Historique et constatations opératoires / History and operative findings:

10-year-old non-binary with 1 day abdominal pain, normal WBC, high CRP, high fever. Imaging: ultrasound showing appendicitis, previous similar episode.

Procédure(s) opératoire(s) / Operative procedure(s):

Patient in supine position. General anesthesia and epidural block administered. Time-out was performed and abdomen prepped in sterile fashion. Direct trocar insertion after skin and fascia incision. Single-incision laparoscopic port is used. No iatrogenic injuries occurred during trocar placement. Upon entering the abdominal cavity, diffuse adhesions noted. The surgical field demonstrated ruptured appendix with extensive surrounding inflammation. There was a contained abscess in the right lower quadrant. Dense adhesions were encountered during dissection. The appendix is mobilized using a combination of sharp and blunt dissection. Appendiceal vessels controlled with clips. The base of the appendix is healthy and we place three EndoLoops - two proximal and one distal - before transecting the appendix. Specimen placed in EndoCatch bag for removal. Abdominal lavage performed until clear. All port sites closed with non-absorbable Prolene 4-0.

Repeat CBC and CRP postoperatively. The patient tolerated the procedure well with minimal blood loss.

Case ID: CASE-2GS4NY-10693