PROTOCOLE OPERATOIRE / OPERATIVE REPORT

Site: Hopital de Verdun Date: 2024-05-09 02:56

Anesthésiste / Anesthetist: Dr. Aisha Patel Chirurgien / Surgeon: Dr. Sophie Chen Assistant(s): Dr. resident Jennifer Park

Diagnostic préopératoire / Pre-operative diagnosis:

ACUTE APPENDICITIS WITH PERITONITIS.

Diagnostic postopératoire / Post-operative diagnosis:

PERFORATED APPENDICITIS WITH ABSCESS.

Opération / Operation:

LAPAROSCOPIC CONVERTED TO OPEN APPENDECTOMY.

Tissu envoyé en pathologie / Tissue sent to pathology: Appendix with attached omentum

Anesthésie / Anesthesia: Total intravenous anesthesia

Historique et constatations opératoires / History and operative findings:

Patient (13 years, non-binary) presented with abdominal pain with lethargy, normal WBC, normal CRP. Imaging: CT scan revealing free fluid.

Procédure(s) opératoire(s) / Operative procedure(s):

Patient in supine position. Total intravenous anesthesia administered. Time-out was performed and abdomen prepped in sterile fashion. Direct trocar insertion after skin and fascia incision. Two working ports are established in the right and left lower quadrants. No iatrogenic injuries occurred during trocar placement. Upon entering the abdominal cavity, minimal adhesions noted. Appendix was distended and surrounded by A small localized abscess was found and drained. and No abnormal adhesions found. No technical difficulties encountered during surgery. The appendix is mobilized using a combination of sharp and blunt dissection. The mesoappendix is dissected and the appendiceal artery is controlled with electrocautery. The base of the appendix is healthy and we place three EndoLoops - two proximal and one distal - before transecting the appendix. Specimen placed in EndoCatch bag for removal. We lavage the abdomen extensively, paying particular attention to the pelvis and right gutter. All port sites closed with subcuticular Vicryl 4-0. Small serosal tear repaired intraoperatively.

Discharge home when tolerating oral intake and afebrile. The patient tolerated the procedure well with minimal blood loss.

Case ID: CASE-UCFJ45-12511