# PROTOCOLE OPERATOIRE / OPERATIVE REPORT

Site: Montreal Children's Date: 2025-09-28 21:17

Anesthésiste / Anesthetist: Dr. John Evans Chirurgien / Surgeon: Dr. James Wilson Assistant(s): Dr. resident Sophia Lee

Diagnostic préopératoire / Pre-operative diagnosis:

# APPENDICITIS WITH BOWEL OBSTRUCTION.

Diagnostic postopératoire / Post-operative diagnosis:

PERFORATED APPENDICITIS WITH ABSCESS.

Opération / Operation:

### APPENDECTOMY WITH INTRA-ABDOMINAL DRAINAGE.

Tissu envoyé en pathologie / Tissue sent to pathology: Appendix with attached omentum

Anesthésie / Anesthesia: General anesthesia with caudal block

#### Historique et constatations opératoires / History and operative findings:

Pediatric patient (17, male) presenting with acute onset abdominal pain with vomiting. History: no prior abdominal surgery. Imaging confirmed appendicitis.

# Procédure(s) opératoire(s) / Operative procedure(s):

Patient in supine position. Total intravenous anesthesia administered. Time-out was performed and abdomen prepped in sterile fashion. A vertical infraumbilical incision is made and carried down to the fascia which is incised sharply. Accessory port placed in epigastric region. No iatrogenic injuries occurred during trocar placement. Upon entering the abdominal cavity, significant adhesions noted. The appendix was perforated with persistent inflammation. Multiple small abscesses were encountered. Minimal adhesions were noted. Small serosal tear repaired intraoperatively. We carefully dissect the inflammatory mass and identify the shrunken appendix. The mesoappendix is dissected and the appendiceal artery is controlled with electrocautery. Base of appendix secured with purse-string suture prior to removal. Specimen placed in EndoCatch bag for removal. We irrigate the abdominal cavity copiously with warm saline until the effluent is clear. Umbilical port site is closed with Vicryl 2-0 and skin with non-absorbable Prolene 4-0.

IV fluids and pain management as per protocol. The patient tolerated the procedure well with minimal blood loss.

Case ID: CASE-X998RB-12314