PROTOCOLE OPERATOIRE / OPERATIVE REPORT

Site: Jewish General Hospital Date: 2025-09-06 12:16

Anesthésiste / Anesthetist: Dr. Rachel Stein Chirurgien / Surgeon: Dr. Sarah Johnson Assistant(s): Dr. resident Marc Gagnon

Diagnostic préopératoire / Pre-operative diagnosis:

APPENDICITIS WITH ABSCESS.

Diagnostic postopératoire / Post-operative diagnosis:

PERFORATED APPENDICITIS.

Opération / Operation:

LAPAROSCOPIC APPENDECTOMY WITH OMENTAL WRAPPING.

Tissu envoyé en pathologie / Tissue sent to pathology: Appendicolith

Anesthésie / Anesthesia: Total intravenous anesthesia

Historique et constatations opératoires / History and operative findings:

A 1-year-old female with 2 days history of abdominal pain with rebound tenderness. Failed conservative management for IBD. Imaging: ultrasound with non-visualized appendix and secondary signs.

Procédure(s) opératoire(s) / Operative procedure(s):

Patient in supine position. General anesthesia administered. Time-out was performed and abdomen prepped in sterile fashion. Incision is made in left lower quadrant for open conversion. Additional 5 mm trocars are placed in the right and left lower quadrants under laparoscopic guidance. No iatrogenic injuries occurred during trocar placement. Upon entering the abdominal cavity, diffuse adhesions noted. Appendix was ruptured and surrounded by No abscess, but turbid fluid present. and Dense adhesions were encountered during dissection. Minimal intraoperative blood loss. The appendix is mobilized using a combination of sharp and blunt dissection. The mesoappendix is divided using a bipolar energy device. Endoscopic stapling is used for appendiceal division. Specimen placed in EndoCatch bag for removal. We lavage the abdomen extensively, paying particular attention to the pelvis and right gutter. The umbilical fascia is reapproximated with interrupted PDS 2-0 sutures. Skin incisions are closed with interrupted silk 4-0.

Consult infectious disease if antibiotics need adjustment. The patient tolerated the procedure well with minimal blood loss.

Case ID: CASE-TXRXHG-12518