## PROTOCOLE OPERATOIRE / OPERATIVE REPORT

Site: Hopital de Verdun Date: 2024-02-05 09:55

Anesthésiste / Anesthetist: Dr. Michael Brown

Chirurgien / Surgeon: Dr. Samuel Lee Assistant(s): Dr. resident John Paul

Diagnostic préopératoire / Pre-operative diagnosis:

## APPENDICITIS WITH ABSCESS.

Diagnostic postopératoire / Post-operative diagnosis:

PHLEGMONOUS APPENDICITIS.

Opération / Operation:

#### APPENDECTOMY WITH REMOVAL OF APPENDICOLITH.

Tissu envoyé en pathologie / Tissue sent to pathology: Appendix and abscess wall

Anesthésie / Anesthesia: General anesthesia with mask induction

# Historique et constatations opératoires / History and operative findings:

A 1-year-old female who presented with persistent vomiting and abdominal pain. Initially evaluated 3 days prior and diagnosed with constipation. Now has normal WBC, normal CRP, no fever. Imaging: MRI showing bowel wall thickening. Past medical history is otherwise unremarkable.

# Procédure(s) opératoire(s) / Operative procedure(s):

Patient in supine position. General anesthesia with local infiltration administered. Time-out was performed and abdomen prepped in sterile fashion. Transverse infraumbilical incision is performed and access gained via blunt dissection. Single-incision laparoscopic port is used. No iatrogenic injuries occurred during trocar placement. Upon entering the abdominal cavity, extensive adhesions noted. Operative findings included acutely inflamed appendix and mild inflammation. Abscess cavity found in RLQ and irrigated. Mild adhesions between bowel loops observed. Appendix is isolated after adhesiolysis. The mesoappendix is divided using a bipolar energy device. Base of appendix secured with purse-string suture prior to removal. Specimen placed in EndoCatch bag for removal. We irrigate the abdominal cavity copiously with warm saline until the effluent is clear. We close the fascia at the umbilical port with figure-of-eight sutures of Polysorb 2-0 and the skin with interrupted nylon 4-0.

Patient will remain on IV antibiotics with gradual diet advancement as per surgery protocol. The patient tolerated the procedure well with minimal blood loss.

Case ID: CASE-2V8VHX-11501