PROTOCOLE OPERATOIRE / OPERATIVE REPORT

Site: CHU de Québec Date: 2024-01-11 21:16

Anesthésiste / Anesthetist: Dr. Aisha Patel Chirurgien / Surgeon: Dr. Isabelle Girard Assistant(s): Dr. resident Zoe Tremblay

Diagnostic préopératoire / Pre-operative diagnosis:

APPENDICITIS WITH FREE FLUID.

Diagnostic postopératoire / Post-operative diagnosis:

SUPPURATIVE APPENDICITIS.

Opération / Operation:

OPEN APPENDECTOMY WITH PELVIC LAVAGE.

Tissu envoyé en pathologie / Tissue sent to pathology: Appendix with surrounding lymph nodes Anesthésie / Anesthesia: General anesthesia with nitrous oxide

Historique et constatations opératoires / History and operative findings:

2-year-old female with several hours abdominal pain. Treated for pneumonia; symptoms persisted. Imaging: ultrasound showing perforated appendicitis.

Procédure(s) opératoire(s) / Operative procedure(s):

Patient in supine position. General anesthesia with mask induction administered. Time-out was performed and abdomen prepped in sterile fashion. We create a 1 cm infraumbilical incision and enter the abdomen using the Hasson technique. Additional 5 mm trocars are placed in the right and left lower quadrants under laparoscopic guidance. No iatrogenic injuries occurred during trocar placement. Upon entering the abdominal cavity, diffuse adhesions noted. Operative findings included phlegmonous appendix and moderate inflammation. No pus or abscess formation found. Dense adhesions were encountered during dissection. Surrounding omentum and bowel are separated from the inflammatory mass. The mesoappendix is divided using a bipolar energy device. Endoscopic stapling is used for appendiceal division. Specimen placed in EndoCatch bag for removal. Abdominal lavage performed until clear. Umbilical port site is closed with Ethibond 2-0 and skin with Steri-Strips. Minimal intraoperative blood loss.

Patient will remain on IV antibiotics with gradual diet advancement as per surgery protocol. The patient tolerated the procedure well with minimal blood loss.

Case ID: CASE-704WDT-14184