PROTOCOLE OPERATOIRE / OPERATIVE REPORT

Site: Hopital Notre-Dame Date: 2025-06-22 04:25

Anesthésiste / Anesthetist: Dr. Michael Brown

Chirurgien / Surgeon: Dr. Ahmed Khan Assistant(s): Dr. resident Carlos Mendez

Diagnostic préopératoire / Pre-operative diagnosis:

APPENDICITIS MIMICKING OVARIAN PATHOLOGY.

Diagnostic postopératoire / Post-operative diagnosis:

APPENDICITIS MIMICKING OVARIAN PATHOLOGY.

Opération / Operation:

LAPAROSCOPIC APPENDECTOMY WITH OMENTAL WRAPPING.

Tissu envoyé en pathologie / Tissue sent to pathology: Appendix with surrounding lymph nodes

Anesthésie / Anesthesia: General anesthesia with nitrous oxide

Historique et constatations opératoires / History and operative findings:

8-year-old male with 2 days abdominal pain, markedly elevated WBC, normal CRP, low-grade fever. Imaging: ultrasound showing appendicitis. no prior abdominal surgery. Past medical history is otherwise unremarkable.

Procédure(s) opératoire(s) / Operative procedure(s):

Patient in supine position. Total intravenous anesthesia administered. Time-out was performed and abdomen prepped in sterile fashion. Transverse infraumbilical incision is performed and access gained via blunt dissection. Supplementary ports are placed in the suprapubic area and left iliac fossa. No iatrogenic injuries occurred during trocar placement. Upon entering the abdominal cavity, diffuse adhesions noted. Operative findings included gangrenous appendix and fluctuating inflammation. No abscess was identified. The omentum was wrapped around the inflamed appendix. Meticulous dissection performed due to distorted anatomy. We dissect the mesentery of the appendix and use the electrocautery to coagulate the artery. Endoscopic stapling is used for appendiceal division. Specimen placed in EndoCatch bag for removal. We irrigate the abdominal cavity copiously with warm saline until the effluent is clear. We close the fascia with Polysorb 2-0 in a interrupted fashion. Skin is approximated with Steri-Strips.

IV fluids and pain management as per protocol. The patient tolerated the procedure well with minimal blood loss.

Case ID: CASE-SS4MYZ-10933