PROTOCOLE OPERATOIRE / OPERATIVE REPORT

Site: Royal Victoria Hospital Date: 2024-03-02 23:19

Anesthésiste / Anesthetist: Dr. Patricia Wong Chirurgien / Surgeon: Dr. Robert Tremblay Assistant(s): Dr. resident Sophia Lee

Diagnostic préopératoire / Pre-operative diagnosis:

APPENDICITIS WITH ABSCESS.

Diagnostic postopératoire / Post-operative diagnosis:

APPENDICITIS WITH ABSCESS.

Opération / Operation:

LAPAROSCOPIC APPENDECTOMY WITH DRAINAGE OF ABSCESS.

Tissu envoyé en pathologie / Tissue sent to pathology: Appendix and abscess wall

Anesthésie / Anesthesia: General anesthesia with caudal block

Historique et constatations opératoires / History and operative findings:

Patient (16 years, male) presented with RLQ tenderness and guarding, markedly elevated WBC, elevated CRP. Imaging: CT scan revealing free fluid. Past medical history is otherwise unremarkable.

Procédure(s) opératoire(s) / Operative procedure(s):

Patient in supine position. General anesthesia with mask induction administered. Time-out was performed and abdomen prepped in sterile fashion. We create a 1 cm infraumbilical incision and enter the abdomen using the Hasson technique. Accessory port placed in epigastric region. No iatrogenic injuries occurred during trocar placement. Upon entering the abdominal cavity, extensive adhesions noted. Appendix appeared sclerotic, surrounded by mild inflammatory reaction. Purulent fluid was noted throughout the abdominal cavity. Mild adhesions between bowel loops observed. Appendix is isolated after adhesiolysis. Mesenteric vessels to the appendix are secured prior to removal. The appendix is ligated at its base with two absorbable sutures and then amputated. Specimen placed in EndoCatch bag for removal. Saline is used for thorough irrigation of all quadrants. We close the fascia at the umbilical port with figure-of-eight sutures of Polysorb 2-0 and the skin with non-absorbable Prolene 4-0. No unexpected findings.

Discharge home when tolerating oral intake and afebrile. The patient tolerated the procedure well with minimal blood loss.

Case ID: CASE-KYICI5-12669