PROTOCOLE OPERATOIRE / OPERATIVE REPORT

Site: Royal Victoria Hospital Date: 2025-09-11 07:29

Anesthésiste / Anesthetist: Dr. Julia Miller Chirurgien / Surgeon: Dr. Sophie Chen Assistant(s): Dr. resident Carlos Mendez

Diagnostic préopératoire / Pre-operative diagnosis:

APPENDICITIS WITH INTUSSUSCEPTION.

Diagnostic postopératoire / Post-operative diagnosis:

APPENDICITIS WITH PERITONEAL CONTAMINATION.

Opération / Operation:

OPEN APPENDECTOMY.

Tissu envoyé en pathologie / Tissue sent to pathology: Appendix with surrounding lymph nodes

Anesthésie / Anesthesia: General anesthesia with mask induction

Historique et constatations opératoires / History and operative findings:

A 7-year-old non-binary with 2 days history of abdominal pain with distention. Failed conservative management for gastroesophageal reflux. Imaging: ultrasound reporting lymphadenopathy. Past medical history is otherwise unremarkable.

Procédure(s) opératoire(s) / Operative procedure(s):

Patient in supine position. General anesthesia administered. Time-out was performed and abdomen prepped in sterile fashion. Transverse infraumbilical incision is performed and access gained via blunt dissection. Supplementary ports are placed in the suprapubic area and left iliac fossa. No iatrogenic injuries occurred during trocar placement. Upon entering the abdominal cavity, extensive adhesions noted. Findings include acutely inflamed appendix with localized inflammatory changes. There was a contained abscess in the right lower quadrant. Mild adhesions between bowel loops observed. The appendix is mobilized using a combination of sharp and blunt dissection. We dissect the mesentery of the appendix and use the electrocautery to coagulate the artery. Endoscopic stapling is used for appendiceal division. Specimen placed in EndoCatch bag for removal. Abdominal lavage performed until clear. All port sites closed with subcuticular Vicryl 4-0.

Monitor wound sites for infection. The patient tolerated the procedure well with minimal blood loss.

Case ID: CASE-ZSDXBM-13023