PROTOCOLE OPERATOIRE / OPERATIVE REPORT

Site: Children's Hospital Date: 2025-09-05 02:54

Anesthésiste / Anesthetist: Dr. Paul Anderson

Chirurgien / Surgeon: Dr. Paul Lambert Assistant(s): Dr. resident Ethan Wright

Diagnostic préopératoire / Pre-operative diagnosis:

ACUTE APPENDICITIS.

Diagnostic postopératoire / Post-operative diagnosis:

ACUTE APPENDICITIS.

Opération / Operation:

LAPAROSCOPIC APPENDECTOMY WITH DRAINAGE OF ABSCESS.

Tissu envoyé en pathologie / Tissue sent to pathology: Appendicolith Anesthésie / Anesthesia: General anesthesia with mask induction

Historique et constatations opératoires / History and operative findings:

Patient (1 years, non-binary) presented with abdominal pain with anorexia, normal WBC, elevated CRP. Imaging: CT scan showing peri-appendiceal fluid.

Procédure(s) opératoire(s) / Operative procedure(s):

Patient in supine position. General anesthesia and epidural block administered. Time-out was performed and abdomen prepped in sterile fashion. A small infraumbilical incision is made and the abdominal cavity is entered under direct vision. Two working ports are established in the right and left lower quadrants. No iatrogenic injuries occurred during trocar placement. Upon entering the abdominal cavity, extensive adhesions noted. Intraoperative examination revealed suppurative appendix. No abscess, but turbid fluid present. Multiple bowel loops adherent to the mass. The surrounding tissues showed fluctuating reaction. We proceed with careful dissection of the appendiceal attachments. The appendiceal mesentery is carefully taken down with harmonic scalpel. Base of appendix secured with purse-string suture prior to removal. Specimen placed in EndoCatch bag for removal. We lavage the abdomen extensively, paying particular attention to the pelvis and right gutter. We close the fascia at the umbilical port with figure-of-eight sutures of PDS 2-0 and the skin with subcuticular Vicryl 4-0.

IV fluids and pain management as per protocol. The patient tolerated the procedure well with minimal blood loss.

Case ID: CASE-3HLXBL-10427