## PROTOCOLE OPERATOIRE / OPERATIVE REPORT

Site: Jewish General Hospital Date: 2023-12-19 01:03

Anesthésiste / Anesthetist: Dr. Aisha Patel Chirurgien / Surgeon: Dr. Samuel Lee Assistant(s): Dr. resident Chloe Nguyen

Diagnostic préopératoire / Pre-operative diagnosis:

## APPENDICITIS WITH FREE FLUID.

Diagnostic postopératoire / Post-operative diagnosis:

APPENDICITIS WITH FREE FLUID.

Opération / Operation:

#### LAPAROSCOPIC CONVERTED TO OPEN APPENDECTOMY.

Tissu envoyé en pathologie / Tissue sent to pathology: Appendix and peri-appendiceal tissue

Anesthésie / Anesthesia: General anesthesia with caudal block

# Historique et constatations opératoires / History and operative findings:

17-year-old female with 3 days abdominal pain. Treated for mesenteric adenitis; symptoms persisted. Imaging: ultrasound with non-visualized appendix and secondary signs.

# Procédure(s) opératoire(s) / Operative procedure(s):

Patient in supine position. General anesthesia and epidural block administered. Time-out was performed and abdomen prepped in sterile fashion. A small infraumbilical incision is made and the abdominal cavity is entered under direct vision. Supplementary ports are placed in the suprapubic area and left iliac fossa. No iatrogenic injuries occurred during trocar placement. Upon entering the abdominal cavity, extensive adhesions noted. Findings include sclerotic appendix with patchy inflammatory changes. There was a contained abscess in the right lower quadrant. Fibrinous adhesions were lysed during the procedure. We proceed with careful dissection of the appendiceal attachments. Appendiceal vessels controlled with clips. The base of the appendix is healthy and we place three EndoLoops - two proximal and one distalbefore transecting the appendix. Specimen placed in EndoCatch bag for removal. We irrigate the abdominal cavity copiously with warm saline until the effluent is clear. We close the fascia with Vicryl 2-0 in a interrupted fashion. Skin is approximated with interrupted silk 4-0.

Repeat CBC and CRP postoperatively. Incidental Meckel's diverticulum found and left in situ. The patient tolerated the procedure well with minimal blood loss.

Case ID: CASE-FXKFAG-10468