PROTOCOLE OPERATOIRE / OPERATIVE REPORT

Site: Hopital Notre-Dame Date: 2024-10-02 22:42

Anesthésiste / Anesthetist: Dr. Amélie Moreau

Chirurgien / Surgeon: Dr. Samuel Lee Assistant(s): Dr. resident Emily Clark

Diagnostic préopératoire / Pre-operative diagnosis:

RUPTURED APPENDICITIS.

Diagnostic postopératoire / Post-operative diagnosis:

PHLEGMONOUS APPENDICITIS.

Opération / Operation:

LAPAROSCOPIC APPENDECTOMY.

Tissu envoyé en pathologie / Tissue sent to pathology: Appendix with attached omentum

Anesthésie / Anesthesia: General anesthesia with caudal block

Historique et constatations opératoires / History and operative findings:

12-year-old female with several hours abdominal pain, normal WBC, high CRP, no fever. Imaging: CT scan showing appendiceal abscess. previous similar episode. Past medical history is otherwise unremarkable. Recent travel history may be relevant.

Procédure(s) opératoire(s) / Operative procedure(s):

Patient in supine position. General anesthesia with caudal block administered. Time-out was performed and abdomen prepped in sterile fashion. Direct trocar insertion after skin and fascia incision. Single-incision laparoscopic port is used. No iatrogenic injuries occurred during trocar placement. Upon entering the abdominal cavity, significant adhesions noted. Findings include hyperemic appendix with fluctuating inflammatory changes. Purulent fluid was noted throughout the abdominal cavity. Minimal adhesions were noted. Surrounding omentum and bowel are separated from the inflammatory mass. We dissect the mesentery of the appendix and use the electrocautery to coagulate the artery. Absorbable ligatures are applied prior to amputation. Specimen placed in EndoCatch bag for removal. We lavage the abdomen extensively, paying particular attention to the pelvis and right gutter. We close the fascia with Polysorb 2-0 in a interrupted fashion. Skin is approximated with Steri-Strips.

Patient to receive postoperative IV antibiotics with monitoring for return of bowel function. No bowel injury noted. The patient tolerated the procedure well with minimal blood loss.

Case ID: CASE-AZNV88-11672