PROTOCOLE OPERATOIRE / OPERATIVE REPORT

Site: Hopital Maisonneuve-Rosemont Date: 2025-01-27 01:32

Anesthésiste / Anesthetist: Dr. Rachel Stein

Chirurgien / Surgeon: Dr. Aisha Patel Assistant(s): Dr. resident Jake Turner

Diagnostic préopératoire / Pre-operative diagnosis:

APPENDICITIS MIMICKING OVARIAN PATHOLOGY.

Diagnostic postopératoire / Post-operative diagnosis:

APPENDICITIS WITH HEMORRHAGE.

Opération / Operation:

APPENDECTOMY WITH REMOVAL OF APPENDICOLITH.

Tissu envoyé en pathologie / Tissue sent to pathology: Appendicolith

Anesthésie / Anesthesia: General endotracheal anesthesia

Historique et constatations opératoires / History and operative findings:

A 8-year-old male who presented with RLQ tenderness and guarding. Initially evaluated 3 days prior and diagnosed with urinary tract infection. Now has markedly elevated WBC, elevated CRP, no fever. Imaging: MRI showing bowel wall thickening.

Procédure(s) opératoire(s) / Operative procedure(s):

Patient in supine position. General anesthesia with nitrous oxide administered. Time-out was performed and abdomen prepped in sterile fashion. Transverse infraumbilical incision is performed and access gained via blunt dissection. Single-incision laparoscopic port is used. No iatrogenic injuries occurred during trocar placement. Upon entering the abdominal cavity, moderate adhesions noted. The appendix was gangrenous with marked inflammation. Purulent fluid was noted throughout the abdominal cavity. Fibrinous adhesions were lysed during the procedure. Bladder and ureters visualized, no injury. Meticulous dissection performed due to distorted anatomy. The mesoappendix is divided using a bipolar energy device. Absorbable ligatures are applied prior to amputation. Specimen placed in EndoCatch bag for removal. Irrigation performed with antibiotic solution. We close the fascia with PDS 3-0 in a interrupted fashion. Skin is approximated with subcuticular Monocryl 4-0.

Pain control with acetaminophen and morphine as needed. The patient tolerated the procedure well with minimal blood loss.

Case ID: CASE-040NMA-12819