# PROTOCOLE OPERATOIRE / OPERATIVE REPORT

Site: Jewish General Hospital Date: 2023-10-24 08:19

Anesthésiste / Anesthetist: Dr. Camille Roy

Chirurgien / Surgeon: Dr. Samuel Lee Assistant(s): Dr. resident Marc Gagnon

Diagnostic préopératoire / Pre-operative diagnosis:

# **COMPLICATED APPENDICITIS.**

Diagnostic postopératoire / Post-operative diagnosis:

APPENDICITIS WITH HEMORRHAGE.

Opération / Operation:

### LAPAROSCOPIC APPENDECTOMY WITH IRRIGATION AND DRAINAGE.

Tissu envoyé en pathologie / Tissue sent to pathology: Appendix with surrounding lymph nodes

Anesthésie / Anesthesia: Total intravenous anesthesia

#### Historique et constatations opératoires / History and operative findings:

Pediatric patient (10, male) presenting with acute onset abdominal pain with elevated WBC. History: recent antibiotic use. Imaging confirmed appendicitis.

# Procédure(s) opératoire(s) / Operative procedure(s):

Patient in supine position. General anesthesia and epidural block administered. Time-out was performed and abdomen prepped in sterile fashion. A small infraumbilical incision is made and the abdominal cavity is entered under direct vision. Three trocars in total are used for laparoscopic access. No iatrogenic injuries occurred during trocar placement. Upon entering the abdominal cavity, extensive adhesions noted. Intraoperative examination revealed suppurative appendix. There was a contained abscess in the right lower quadrant. Fibrinous adhesions were lysed during the procedure. The surrounding tissues showed persistent reaction. We carefully dissect the inflammatory mass and identify the shrunken appendix. Appendiceal vessels controlled with clips. Absorbable ligatures are applied prior to amputation. Specimen placed in EndoCatch bag for removal. We lavage the abdomen extensively, paying particular attention to the pelvis and right gutter. Umbilical port site is closed with Maxon 2-0 and skin with subcuticular Monocryl 4-0.

Patient will remain on IV antibiotics with gradual diet advancement as per surgery protocol. The patient tolerated the procedure well with minimal blood loss.

Case ID: CASE-8RG7X0-13650