PROTOCOLE OPERATOIRE / OPERATIVE REPORT

Site: Jewish General Hospital Date: 2024-11-22 02:34

Anesthésiste / Anesthetist: Dr. Omar Fahmy Chirurgien / Surgeon: Dr. Marie-Claire Dubois

Assistant(s): Dr. resident John Paul

Diagnostic préopératoire / Pre-operative diagnosis:

APPENDICITIS WITH ABSCESS.

Diagnostic postopératoire / Post-operative diagnosis:

ACUTE APPENDICITIS.

Opération / Operation:

LAPAROSCOPIC APPENDECTOMY WITH DRAINAGE OF ABSCESS.

Tissu envoyé en pathologie / Tissue sent to pathology: Appendicolith

Anesthésie / Anesthesia: General endotracheal anesthesia

Historique et constatations opératoires / History and operative findings:

A 11-year-old female with one week history of abdominal pain after trauma. Failed conservative management for IBD. Imaging: CT scan showing appendiceal abscess. Past medical history is otherwise unremarkable.

Procédure(s) opératoire(s) / Operative procedure(s):

Patient in supine position. General anesthesia with local infiltration administered. Time-out was performed and abdomen prepped in sterile fashion. We make an infraumbilical incision of 1 cm, dissect the subcutaneous tissue bluntly and penetrate the abdominal cavity via an open technique. Accessory port placed in epigastric region. No iatrogenic injuries occurred during trocar placement. Upon entering the abdominal cavity, moderate adhesions noted. Appendix was friable and surrounded by There was a contained abscess in the right lower quadrant. and No abnormal adhesions found. Meticulous dissection performed due to distorted anatomy. We dissect the mesentery of the appendix and use the electrocautery to coagulate the artery. The appendix is ligated at its base with two absorbable sutures and then amputated. Specimen placed in EndoCatch bag for removal. We irrigate the abdominal cavity copiously with warm saline until the effluent is clear. We close the fascia at the umbilical port with figure-of-eight sutures of Vicryl 2-0 and the skin with interrupted silk 4-0.

Monitor for signs of infection; advance diet as tolerated. No intraoperative complications occurred. The patient tolerated the procedure well with minimal blood loss.

Case ID: CASE-07M46A-11815