

CSCI 13500 midterm f21 v2 (yellow)

Ashfak Uddin

TOTAL POINTS

94 / 100

QUESTION 1

30 pts

1.1 3 / 3

! - 0 pts Correct

ff - 3 pts wrong answer

1.2 3 / 3

! - 0 pts Correct

ff - 3 pts Incorrect

1.3 0 / 3

ff - 0 pts Correct

! - 3 pts Incorrect

1.4 3 / 3

! - 0 pts Correct

ff - 3 pts Incorrect

1.5 3 / 3

! - 0 pts Correct

ff - 3 pts Incorrect

1.6 3 / 3

! - 0 pts Correct

ff - 3 pts Incorrect

1.7 3 / 3

! - 0 pts Correct

ff - 3 pts Incorrect

1.8 3 / 3

! - 0 pts Correct

ff - 3 pts Incorrect

1.9 3 / 3

! - 0 pts Correct

ff - 3 pts Click here to replace this description.

1.10 3 / 3

! - 0 pts Correct

ff - 3 pts Incorrect

Don't forget to declare an int!

QUESTION 2

30 pts

2.1 10 / 10

! + 10 pts Correct

ff + 5 pts Partly

ff + 2 pts Incorrect

ff + 0 pts Blank

2.2 10 / 10

! + 2.5 pts a = 3

! + 2.5 pts b = 6

! + 2.5 pts c = 2

! + 2.5 pts d = 8

ff + 1 pts Incorrect

ff + 0 pts Blank

2.3 10 / 10

! - 0 pts Correct

ff - 3 pts foo(8) is not a number, it is string "10"

ff - 3 pts foo(17) is not a number, it is string "21".

ff - 2 pts no intermediate step and results is wrong.

ff - 2 pts foo(8) is not the string in your paper.

ff - 2 pts foo(17) is not the string in your paper.

ff - 1 pts calculation is not correct.

ff - 9 pts no actual output

ff - 3 pts You reverse the string.

ff - 3 pts to_string(2) is "2". You need to know

concatenation of string.

ff - 0.5 pts foo(17) is a string, which should be included in "".

ff - 1 pts output is string and should be included in "".

QUESTION 3

3 20 / 20

! + 20 pts Correct

ff + 5 pts correct function declaration

ff + 5 pts correct for loop or for - if

ff + 5 pts string build up (e.g. ans_str += str[i] or ans_str = ans_str + str[i])

ff + 5 pts correct return

ff + 2 pts Write something

QUESTION 4

4 17 / 20

ff - 0 pts Correct

! - 1 pts When a is 0, if b is also 0, x can be any value, but if a is 0 but b is not 0, then there is no solution.

ff - 0.5 pts Expression b x b should be b * b.

ff - 0.5 pts Type of x is double, not int.

ff - 1 pts a = 0 b = 0 is not a valid condition. You mean (a == 0 && b == 0)?

ff - 1 pts Need to use curly parentheses to enclose statements in if- or else- part if there is more than one statement in those parts.

ff - 1 pts Need to print out result.

ff - 0.5 pts a is not initialized.

ff - 1 pts x is not declared.

ff - 1 pts output x as -(b*b)/a is when a is not 0. That is, you need to enclose this statement in else part of if (a == 0).

! - 0.5 pts Should not use . to replace multiplication operator *

ff - 1 pts solution when a is not zero is not correct. It should be -(b*b/a);

! - 1.5 pts You change problem. We did not require that a cannot be zero.

ff - 1 pts print result, not return its value in main

function, which can only return an int.

ff - 0.5 pts a and b are double, not int. The result is a double type.

ff - 0.5 pts int a; b; x; should not use ; You either use double a; double b; double x; OR you can use double a, b, x;

ff - 1 pts condition (a = 0) should be (a == 0)

ff - 2 pts initialize a and b.

ff - 0.5 pts x is -(b*b) / a;

ff - 2 pts Do not solve x correctly when a is not zero.

ff - 1 pts x is not entered, it is calculated from a and b.

ff - 4 pts calculation is not correct.

ff - 1 pts Why use for (int i = 0; i <= 0; i++) return [i]; [i] is not correct in syntax.

ff - 0.5 pts no declaration of formula

ff - 0 pts break; normally only works in repetition statement and switch statement.

ff - 1 pts x calculation is not correct

ff - 1 pts Formula to calculate for x does not fit for C++ syntax.

ff - 0.5 pts x is only calculated when a is not zero, so print its value only in the else-part. You cannot put it outside the if-else statement.

ff - 0.5 pts result should be -b*b / a; or -pow(b, 2)/ a; You miss negative sign.

ff - 0.5 pts cannot put = between type and variable names. So int = a, b, x; is wrong.

ff - 0.5 pts There is no else if in C++. You either use else if (condition) or else.

ff - 0.5 pts A statement needs to be ended by semicolon ;

ff - 0.5 pts pow(-1*b, 2) or pow(-b, 2) is the same as pow(b, 2). The answer for x is -pow(b, 2) / a; Negative sign should be out of pow function.

ff - 0 pts main function header should be int main()

ff - 20 pts no submission

ff - 0 pts Need to enter values from console. Do not initialize them directly.

ff - 0.5 pts Only need to enter values for a, b. No need to enter values for other variables.

ff - 5.5 pts We are not solving for quadratic equation since there is no x^2 in the equation.

- ff - 1 pts 2a should be $2 * a$, and $2 * a$ should be enclosed in `()`.
- ff - 0.5 pts 4(ac) should be $4 * a * c$.
- ff - 0 pts `cout << "result2";` print out string result2. `cout << result2;` print out the value of result2.
- ff - 1 pts cannot have two unconditional return statements. For example, `return x;` followed by `return 0;` then the second return statement will not run.
- ff - 1 pts `x` can only be calculated when `a` is not 0. So the calculation of `x` and print its result should be in else part of `if (a == 0)` statement.
- ff - 1 pts print `x` after calculate it.
- ff - 0.5 pts b^2 is written as $b * b$
- ff - 2 pts condition in while statement is wrong. In fact, we do not need repetition statement in this problem.
- ff - 9 pts calculation is not correct. Not close.
- ff - 1 pts No declaration and calculation of `x`.
- ff - 0.5 pts Calculation of `x` only happens when `a` is not zero. You either put the calculation and print `x` in else part of `if (a == 0)` or put a return statement in if-part.
- ff - 1 pts No declaration of variable result.
- ff - 3 pts Need an if statement to handle the case when `a` is zero.
- ff - 0.5 pts No input for `b`.
- ff - 0.5 pts `num` is not int, it is double type.
- ff - 0 pts Please write bigger font.
- ff - 0.5 pts calculate $-b*b/a$ should be put inside the if-part of `if (a == 0)`, otherwise, exception divided by 0 will happen.
- ff - 1 pts `pow * equation = a x + b` . `b` is not a valid statement.
- ff - 1 pts no declaration of missingvalue.
- ff - 1 pts Why do you need to use enum?
- ff - 1 pts `cin > "a";` should be `cin >> a;` `cin >> "b"` should be `cin >> b;`
- ff - 1 pts If you define `foo` function, you need to how to call it in main function.
- ff - 1 pts `double(double x)` and `a*x + pow(b,2) = 0` cannot be compiled.
- ff - 9 pts calculation for `x` when `a` is not 0 is missing.
- ff - 1 pts `cout "x = 0"` is not correct. You mean `cout << "x = 0";` But the logic is not correct. When `a` is 0 and `b` is 0, variable `x` can be any value.
- ff - 0 pts `int a, b; x;` should be `double a, b, x;`
- ff - 1 pts Need to put the calculation of `x` in the else part of `if (a == 0)`.
- ff - 0.5 pts condition needs to be put in a pair of parentheses in C++
- ff - 0.5 pts `result -= 0.0;` does not change result since it is equivalent to `result = result - 0.0;` you mean `result = 0 - result`? Note that `result = 0 - result;` cannot be simplified as `result -= 0;`
- ff - 1 pts do-while loop can be taken out, since `a` can be zero.
- ff - 1 pts `double ans = 0;` should be outside if-else statement, otherwise, if `double ans = 0;` only in if-part, `ans` is not visible to else-part.
- ff - 1 pts `a` is not zero is written as `(a != 0)` or `!(a == 0)`.
- ff - 1 pts We did not exclude the case when `a` is 0. So you should not force the user enter a value that `a` is not zero.
- ff - 0.5 pts Between `-1` and `pow(b, 2)`, there should be multiplication operator `*`
- ff - 0.5 pts No declaration of `x`
- ff - 2 pts When `a` is 0, need to consider the case when `b` is zero or not.
- ff - 2 pts logic is not correct. we only need to consider the case when `a` is zero and `a` is not zero.
- ff - 0.5 pts When `a` and `b` are both 0, `x` can be any number.
- ff - 1 pts `cin >> a; cin >> b;` or `cin >> a >> b;`
- ff - 1 pts `float a == 0` is not a valid condition.
- ff - 1 pts Misrepresent `pow(b, 2)` with `sqrt(b)`
- ff - 0.5 pts condition needs to be enclosed in a pair of parentheses
- ff - 3 pts When `a` is zero, no actual processing.
- ff - 0.5 pts In main function, return an int, not just return;
- ff - 1 pts Need to put code to calculate and print `x` when `x` is not zero inside main function. Every piece code need to be put inside a function.
- ff - 0.5 pts `-pow(b, 2) % a` should be `-pow(b, 2) / a;`
- ff - 5 pts no code to handle `a` is zero.

- ff - 1 pts no declaration of term2
- ff - 0.5 pts $-b^2$ is not valid in C++
- ff - 2 pts In main function, cannot return a double or a boolean.
- ff - 1 pts Only calculate x when a is not zero.
- ff - 1 pts condition $a > 0$ should be $a != 0$
- ff - 1 pts $\text{pow}(2, b)$ is not the same as $\text{pow}(b, 2)$.
- ff - 3 pts function is not correct. Return type is double, not int, and you did not return anything when a is zero.
- ff - 3 pts Need to write code in main function to call function defined.
- ff - 0.5 pts b^2 is $b * b$ in C++
- ff - 0.5 pts need to write s / a in C++
- ff - 1 pts do is not a complete statement, you means else?

