

Introduction to Pandas library in Python

Lab report #07



Fall 2022

CSE-408L Data Analytics lab

Submitted by: **Ashfaq Ahmad**

Registration No: **19PWCSE1795**

Class Section: **B**

“On my honor, as student of University of Engineering and Technology, I have neither given nor received unauthorized assistance on this academic work.”

Student Signature: _____

Submitted to:

Eng: Faizullah

Dec 22, 2022

Department of Computer Systems Engineering
University of Engineering and Technology, Peshawar

lab07

December 22, 2022

1 Lab Tasks

```
[1]: import pandas as pd
```

```
[2]: covid_df=pd.read_csv('italy-covid-daywise.csv')
```

```
[3]: covid_df
```

```
[3]:
```

	date	new_cases	new_deaths	new_tests
0	2019-12-31	0	0	NaN
1	2020-01-01	0	0	NaN
2	2020-01-02	0	0	NaN
3	2020-01-03	0	0	NaN
4	2020-01-04	0	0	NaN
..
243	2020-08-30	1444	1	53541.0
244	2020-08-31	1365	4	42583.0
245	2020-09-01	996	6	54395.0
246	2020-09-02	975	8	NaN
247	2020-09-03	1326	6	NaN

```
[248 rows x 4 columns]
```

1.1 Task01

Find the total number of reported cases and deaths related to Covid-19 in Italy.

```
[4]: total_reported_cases=covid_df['new_cases'].sum()
```

```
[5]: total_reported_cases
```

```
[5]: 271515
```

```
[6]: total_death_cases=covid_df['new_deaths'].sum()
```

```
[7]: total_death_cases
```

```
[7]: 35497
```

1.2 Task02

Find the overall death rate (ratio of reported deaths to reported cases).

```
[8]: overall_death_rate=total_reported_cases/total_death_cases
```

```
[9]: overall_death_rate
```

```
[9]: 7.648956249823929
```

1.3 Task03

Find the overall number of tests conducted? A total of 935310 tests were conducted before daily test numbers were reported.

```
[10]: total_tests_conducted=covid_df['new_tests'].sum()+935310
```

```
[11]: total_tests_conducted
```

```
[11]: 5214766.0
```

1.4 Task04

Find the positive rate i.e. fraction of tests returned a positive result.

```
[12]: positive_rate=total_reported_cases/total_tests_conducted
```

```
[13]: positive_rate
```

```
[13]: 0.05206657403227681
```

we can also find negative rate as,

```
[14]: negative_rate=(total_tests_conducted-total_reported_cases)/total_tests_conducted
```

```
[15]: negative_rate
```

```
[15]: 0.9479334259677232
```

```
[ ]:
```