Unnamed Project

Replication 1

	Start Time:	0.00	Stop Time:	15.00	Time Units:	Hours

Entity

Time

VA Time	Average	Half Width	Minimum	Maximum
Entity 1	0.07226159	(Insufficient)	0.03344953	0.1163

NVA Time	Average	Half Width	Minimum	Maximum
Entity 1	0	(Insufficient)	0	0

Wait Time	Average	Half Width	Minimum	Maximum
Entity 1	0.00969037	(Insufficient)	0	0.1108

Transfer Time	Average	Half Width	Minimum	Maximum
Entity 1	0	(Insufficient)	0	0

Other Time	Average	Half Width	Minimum	Maximum
Entity 1	0	(Insufficient)	0	0

Total Time	Average	Half Width	Minimum	Maximum
Entity 1	0.08195196	(Insufficient)	0.03344953	0.2144

Other

Number In	Value
Entity 1	148

Number Out	Value
Entity 1	147

WIP	Average	Half Width	Minimum	Maximum
Entity 1	0.8096	(Insufficient)	0	4.0000

Queue

Time

Unnamed Project

<div align="right">Replications: 1</div>

Replication 1   Start Time: 0.00   Stop Time: 15.00   Time Units: Hours

Queue

Time

Waiting Time	Average	Half Width	Minimum	Maximum
Booth 1.Queue	0.00138601	(Insufficient)	0	0.02844643
Booth 2.Queue	0.00315241	(Insufficient)	0	0.02911278
Female Queue.Queue	0.01603372	(Insufficient)	0	0.1108
Male Queue.Queue	0	(Insufficient)	0	0

Other

Number Waiting	Average	Half Width	Minimum	Maximum
Booth 1.Queue	0.00720724	(Insufficient)	0	1.0000
Booth 2.Queue	0.01471125	(Insufficient)	0	1.0000
Female Queue.Queue	0.07482404	(Insufficient)	0	2.0000
Male Queue.Queue	0	(Insufficient)	0	0

Resource

Usage

Instantaneous Utilization	Average	Half Width	Minimum	Maximum
Resource 1	0.1628	(Insufficient)	0	1.0000
Resource 2	0.1534	(Insufficient)	0	1.0000
Resource 3	0.08666667	(Insufficient)	0	1.0000
Resource 4	0.3100	(Insufficient)	0	1.0000

Number Busy	Average	Half Width	Minimum	Maximum
Resource 1	0.1628	(Insufficient)	0	1.0000
Resource 2	0.1534	(Insufficient)	0	1.0000
Resource 3	0.08666667	(Insufficient)	0	1.0000
Resource 4	0.3100	(Insufficient)	0	1.0000

Unnamed Project

Replication 1   Start Time: 0.00   Stop Time: 15.00   Time Units: Hours

---

Resource

Usage

Number Scheduled	Average	Half Width	Minimum	Maximum
Resource 1	1.0000	(Insufficient)	1.0000	1.0000
Resource 2	1.0000	(Insufficient)	1.0000	1.0000
Resource 3	1.0000	(Insufficient)	1.0000	1.0000
Resource 4	1.0000	(Insufficient)	1.0000	1.0000

Scheduled Utilization	Value
Resource 1	0.1628
Resource 2	0.1534
Resource 3	0.08666667
Resource 4	0.3100

Total Number Seized	Value
Resource 1	78.0000
Resource 2	70.0000
Resource 3	78.0000
Resource 4	70.0000

System

Other

Number Out	Value
System	147