eplication 1	Start Time:	0.00 Stop Time:	24.00 Time U	Jnits: Hours
Entity				
Time				
VA Time	Average	Half Width	Minimum	Maximu
Entity 1	0.1800	(Insufficient)	0.1200	0.315
NVA Time	Average	Half Width	Minimum	Maximu
Entity 1	0	(Insufficient)	0	
Wait Time	Average	Half Width	Minimum	Maximu
Entity 1	0.7998	(Insufficient)	0	5.521
Transfer Time	Average	Half Width	Minimum	Maximu
Entity 1	0	(Insufficient)	0	
Other Time	Average	Half Width	Minimum	Maximu
Entity 1	0	(Insufficient)	0	
Total Time	Average	Half Width	Minimum	Maximu
Entity 1	0.9797	(Insufficient)	0.1205	5.832
Other				
Number In	Value			
Entity 1	195			
Number Out	Value			
Entity 1	192			
WIP	Average	Half Width	Minimum	Maximu
Entity 1	7.8651	(Correlated)	0	27.000

Time

1

amed Project			Replications: 1	
eplication 1	Start Time:	0.00 Stop Time:	24.00 Time l	Jnits: Hours
lueue				
Time				
Waiting Time	Average	Half Width	Minimum	Maximu
Female.Queue	0.08472856	(Insufficient)	0	0.295
Male.Queue	2.7515	(Insufficient)	0	5.521
Registration.Queue	0.02124271	(Insufficient)	0	0.151
Other				
Number Waiting	Average	Half Width	Minimum	Maximu
Female.Queue	0.5147	(Insufficient)	0	4.000
Male.Queue	5.7323	(Insufficient)	0	23.000
Registration.Queue	0.1726	(Insufficient)	0	4.000
Resource				
Usage				
Instantaneous Utilization	Average	Half Width	Minimum	Maximu
Resource 1	0.4108	(Insufficient)	0	1.000
Resource 2	0.5208	(Insufficient)	0	1.000
Resource 3	0.5139	(Insufficient)	0	1.000
Number Busy	Average	Half Width	Minimum	Maximu
Resource 1	0.4108	(Insufficient)	0	1.000
Resource 2	0.5208	(Insufficient)	0	1.000
Resource 3	0.5139	(Insufficient)	0	1.000
Number Scheduled	Average	Half Width	Minimum	Maximu
Resource 1	1.0000	(Insufficient)	1.0000	1.000
Resource 2	1.0000	(Insufficient)	1.0000	1.000

2

named Project			Replications: 1
Replication 1	Start Time:	0.00 Stop Time:	24.00 Time Units: Hours
Resource			
Usage			
Scheduled Utilization	Value		
Resource 1	0.4108		
Resource 2	0.5208		
Resource 3	0.5139		
Total Number Seized	Value		
Resource 1	195.00		
Resource 2	50.0000		
Resource 3	143.00		
System			
Other			
Number Out	Value		
System	192		

of