

Unnamed Project

Replications: 1

Replication 1

Start Time: 0.00 Stop Time: 8.00 Time Units: Hours

Entity

Time

VA Time	Average	Half Width	Minimum	Maximum
Entity 1	0.04991919	(Insufficient)	0.04983357	0.04999963
NVA Time	Average	Half Width	Minimum	Maximum
Entity 1	0	(Insufficient)	0	0
Wait Time	Average	Half Width	Minimum	Maximum
Entity 1	0.1319	(Insufficient)	0	0.4516
Transfer Time	Average	Half Width	Minimum	Maximum
Entity 1	0	(Insufficient)	0	0
Other Time	Average	Half Width	Minimum	Maximum
Entity 1	0	(Insufficient)	0	0
Total Time	Average	Half Width	Minimum	Maximum
Entity 1	0.1819	(Insufficient)	0.04985393	0.5016

Other

Number In	Value			
Entity 1	149			
Number Out	Value			
Entity 1	149			
WIP	Average	Half Width	Minimum	Maximum
Entity 1	3.3872	(Insufficient)	0	11.0000

Queue

Time

Unnamed Project

Replications: 1

Replication 1

Start Time: 0.00 Stop Time: 8.00 Time Units: Hours

Queue**Time**

Waiting Time	Average	Half Width	Minimum	Maximum
Booth.Queue	0.1319	(Insufficient)	0	0.4516

Other

Number Waiting	Average	Half Width	Minimum	Maximum
Booth.Queue	2.4575	(Insufficient)	0	10.0000

Resource**Usage**

Instantaneous Utilization	Average	Half Width	Minimum	Maximum
Resource 1	0.9297	(Insufficient)	0	1.0000

Number Busy	Average	Half Width	Minimum	Maximum
Resource 1	0.9297	(Insufficient)	0	1.0000

Number Scheduled	Average	Half Width	Minimum	Maximum
Resource 1	1.0000	(Insufficient)	1.0000	1.0000

Scheduled Utilization	Value
Resource 1	0.9297

Total Number Seized	Value
Resource 1	149.00

System**Other**

Number Out	Value
System	149