

Unnamed Project

Replications: 1

Replication 1

Start Time:0.00

Stop Time:12.00

Time Units: Hours

Entity

Time

VA Time	Average	Half Width	Minimum	Maximum
Entity 1	0.1102	(Insufficient)	0.08377102	0.1333
NVA Time	Average	Half Width	Minimum	Maximum
Entity 1	0	(Insufficient)	0	0
Wait Time	Average	Half Width	Minimum	Maximum
Entity 1	0.06983324	(Insufficient)	0	0.3541
Transfer Time	Average	Half Width	Minimum	Maximum
Entity 1	0	(Insufficient)	0	0
Other Time	Average	Half Width	Minimum	Maximum
Entity 1	0	(Insufficient)	0	0
Total Time	Average	Half Width	Minimum	Maximum
Entity 1	0.1801	(Insufficient)	0.08614841	0.4506

Other

Number In	Value			
Entity 1	85			
Number Out	Value			
Entity 1	85			
WIP	Average	Half Width	Minimum	Maximum
Entity 1	1.2754	(Insufficient)	0	7.0000

Queue

Time

Waiting Time	Average	Half Width	Minimum	Maximum
Booth.Queue	0	(Insufficient)	0	0
Queue.Queue	0.06983324	(Insufficient)	0	0.3541

Unnamed Project

Replications: 1

Replication 1

Start Time: 0.00

Stop Time: 12.00

Time Units: Hours

Queue

Other

Number Waiting	Average	Half Width	Minimum	Maximum
Booth.Queue	0	(Insufficient)	0	0
Queue.Queue	0.4947	(Insufficient)	0	6.0000

Resource

Usage

Instantaneous Utilization	Average	Half Width	Minimum	Maximum
Resource 1	0.5447	(Insufficient)	0	1.0000
Resource 2	0.2361	(Insufficient)	0	1.0000
Number Busy	Average	Half Width	Minimum	Maximum
Resource 1	0.5447	(Insufficient)	0	1.0000
Resource 2	0.2361	(Insufficient)	0	1.0000
Number Scheduled	Average	Half Width	Minimum	Maximum
Resource 1	1.0000	(Insufficient)	1.0000	1.0000
Resource 2	1.0000	(Insufficient)	1.0000	1.0000
Scheduled Utilization	Value			
Resource 1	0.5447			
Resource 2	0.2361			
Total Number Seized	Value			
Resource 1	85.0000			
Resource 2	85.0000			

System

Other

Number Out	Value
System	85