Unnamed Project

Replication 1	Start Time:	0.00	Stop Time:	10.00	Time Units:	Hours

Entity

Time

VA Time	Average	Half Width	Minimum	Maximum
Entity 1	0.02388329	(Insufficient)	0	0.03323647

NVA Time	Average	Half Width	Minimum	Maximum
Entity 1	0	(Insufficient)	0	0

Wait Time	Average	Half Width	Minimum	Maximum
Entity 1	0.00477238	(Insufficient)	0	0.04396169

Transfer Time	Average	Half Width	Minimum	Maximum
Entity 1	0	(Insufficient)	0	0

Other Time	Average	Half Width	Minimum	Maximum
Entity 1	0	(Insufficient)	0	0

Total Time	Average	Half Width	Minimum	Maximum
Entity 1	0.02865567	(Insufficient)	0	0.06529929

Other

Number In	Value
Entity 1	107

Number Out	Value
Entity 1	107

WIP	Average	Half Width	Minimum	Maximum
Entity 1	0.3066	(Insufficient)	0	3.0000

Queue

Time

Waiting Time	Average	Half Width	Minimum	Maximum
Service Queue.Queue	0.00510645	(Insufficient)	0	0.04396169

Unnamed Project

Replication 1   Start Time: 0.00   Stop Time: 10.00   Time Units: Hours

Queue

Other

Number Waiting	Average	Half Width	Minimum	Maximum
Service Queue.Queue	0.05106449	(Insufficient)	0	2.0000

Resource

Usage

Instantaneous Utilization	Average	Half Width	Minimum	Maximum
Resource 1	0.2556	(Insufficient)	0	1.0000

Number Busy	Average	Half Width	Minimum	Maximum
Resource 1	0.2556	(Insufficient)	0	1.0000

Number Scheduled	Average	Half Width	Minimum	Maximum
Resource 1	1.0000	(Insufficient)	1.0000	1.0000

Scheduled Utilization	Value
Resource 1	0.2556

Total Number Seized	Value
Resource 1	100.00

System

Other

Number Out	Value
System	107