


JPS070 - 4222		The Edinburgh Woollen Mill	
MODEL	JPS070	SS YARN DYED CHECK SHIRT	
FABRIC	4222	TTC 85% POLYESTER 15% COTTON MRINROY FABRIC	
COMPOSITION	85% POLYESTER 15% COTTON		
WEIGHT	87GRMS	CONSTRUCTION	100DX45 / 110X76
CREATE DATE	20.10.17	DESIGNER	FIONA STEEL
RETAIL DEPT.	MENSWEAR	COLLECTION	JAMES PRINGLE SHIRTS
SEASON	TA18		

All information is confidential and exclusive to the Edinburgh Woollen Mill Ltd.

copyright the Edinburgh Woollen Mill Ltd.

* HANGING SHIRT



BASE

ERP ref: 4222

Fabric Quality: TTC 85% POLYESTER 15% COTTON MRINROY QUALITY

Construction: 100DX45 / 110X76

Composition: 85% POLYESTER 15% COTTON

Weight: 0.87GRMS

COLLAR WITH STAND.
COLLAR STAND 3.5CM DEEP WITH
0.5CM TWIN NEEDLE
STITCHING ALONG THE BOTTOM EDGE.
2MM STITCHING ALONG THE TOP
EDGE.
COLLAR EDGE TO HAVE 0.5CM
STITCHING.

LAYED ON 0.5CM GROS GRAIN TAPE
ON THE BACK NECK SEAM

BASE FABRIC PATCH ON THE BACK NECK
5 X 5CM DEEP POSITIONED 1.5CM FROM
THE BACK NECK SEAM.
BACK NECK LABEL ATTACHED TO THE CENTRE.

3CM FORWARD SHOULDER
SEAM WITH 2MM EDGE
STITCHING

EMBROIDERY
on the pocket



SEPERATE BUTTON PLACKET
3CM WIDE
WITH 0.5CM EDGE STITCHING.
UNDERPLACKET WIDTH 2.5CM.

BUTTONS:




JAMES PRINGLE BRANDED BUTTONS,
4 HOLE POLYESTER BUTTONS WITH RIM.
'JAMES PRINGLE' ETCHING ON THE
BUTTONS - 2 REPEATS ON THE INNER EDGE
OF THE RIM.
BUTTON DEPTH 2MM.
18LIGNE ON THE FRONT 7+1 SPARE.




0.5CM TOP STITCHING
ON THE
ARMHOLE SEAM.

SELF FARBIC CUFF 2.5CM
DEEP


TAB - WOVEN GROS GRAIN TAPE
ON THE LOWER PLACKET,
POSITIONED 4CM FROM
THE WELT
(FROM BELLWOVEN)



PALETTE

1.  BASE
CHECK DESIGN TO
BE CONFIRMED
2.  GROS GRAIN
TAPE
3.  EMBROIDERY

*PLEASE USE A CHUNKY THREAD FOR ALL TOP STITCHING,
10 STITCHES PER INCH.



SHIRT TAIL HEM - DOUBLE
TURNED THROUGH A FOLDER
TO FINISH 0.75CM DEEP.