

```

1  #include <stdio.h>
2  int main() {
3      int n, i, tq, time=0;
4      printf("Enter n: ");
5      scanf("%d",&n);
6      int bt[n], rt[n], wt[n], tat[n];
7      for(i=0;i<n;i++) {
8          scanf("%d",&bt[i]);
9          rt[i]=bt[i];
10     }
11     printf("Enter time quantum: ");
12     scanf("%d",&tq);
13     int done;
14     do {
15         done = 1;
16         for(i=0;i<n;i++) {
17             if(rt[i] > 0) {
18                 done = 0;
19                 if(rt[i] > tq) {
20                     time += tq;
21                     rt[i] -= tq;
22                 } else {
23                     time += rt[i];
24                     wt[i] = time - bt[i];
25                     rt[i] = 0;
26                 }
27             }
28         }
29     } while(!done);
30     for(i=0;i<n;i++)
31         tat[i] = wt[i] + bt[i];
32     printf("\nP\tWT\tTAT\n");
33     for(i=0;i<n;i++)
34         printf("%d\t%d\t%d\n", i+1, wt[i], tat[i]);
35     return 0;
36 }

```

Enter n: 4

5 3 8 2

Enter time quantum: 2

P	WT	TAT
1	9	14
2	8	11
3	10	18
4	6	8

Process exited after 8.261 seconds with return value 0
Press any key to continue . . . |